

Supplementary File 1: Demographic and reproductive characteristics of adolescent postabortion care patients (15-19) and nonadolescent (20-49) postabortion care patients, Zimbabwe 2016				
Characteristics of respondents	15-19		20-49	
	%	Weighted N	%	Weighted N
Marital Status				
In union	67%	103	82%	921
Not in union	33%	52	18%	205
Residence				
Urban	42%	65	63%	715
Rural	58%	90	37%	427
Education				
No education	1%	2	1%	7
Some/completed primary	20%	30	13%	153
Some/completed secondary	79%	122	71%	804
Greater than secondary	1%	1	15%	175
Religion				
Apostolic	51%	79	69%	785
Protestant/Pentecostal/Other	49%	76	31%	353
Previous Pregnancy				
0	76%	118	14%	156
1+	24%	37	86%	984
Pregnancy intention				
Unintended	31%	48	29%	329
Intended	67%	105	70%	795
Don't Know	1%	2	1%	11
Using contraception at time of current pregnancy				
No	87%	132	53%	591
Yes	13%	19	47%	524
Gestation presented with complications				
First trimester	58%	90	66%	747
Second trimester	42%	65	34%	379
Severity of complication				
Mild	55%	84	60%	673
Moderate	23%	34	19%	211
Severe/Near-Miss	22%	34	21%	239
Received postabortion modern contraception				
No	56%	81	55%	566
Yes	44%	64	45%	470
Total	12%	155	88%	1141