Table S1 Demographic characteristics of the coal miners been measured blood pressure (n=508)

| | N=508 | Hypertension | P |
|----------------------------|-------|--------------|--------------|
| Sex, n (%) | | | |
| male | 494 | 176 (35.6) | 0.58 |
| female | 14 | 6 (42.9) | |
| Age, n (%) | | | |
| ≤30 | 128 | 35 (27.3) | 0.005 |
| 31-45 | 256 | 89 (34.77) | |
| >45 | 124 | 58 (46.78) | |
| Working type, n (%) | | | |
| Under ground | 448 | 167 (37.3) | 0.040 |
| Ground | 60 | 15 (25.0) | |
| Working shift, n (%) | | | |
| Fixed the day | 138 | 63 (45.7) | 0.044 |
| Work on two shifts | 135 | 44 (32.6) | |
| Three shifts | 235 | 75 (32.0) | |
| Degree of education, n (%) | | | |
| Middle school or below | 246 | 92 (37.4) | 0.47 |
| Middle school above | 262 | 90 (34.4) | |
| Marital status, n (%) | | | |
| Spinsterhood | 34 | 9 (26.5) | 0.36 |
| First marriage | 446 | 167 (37.4) | |
| Other | 28 | 12 (42.9) | |
| Annual income, n (%) | | | |
| ≤60,000 | 368 | 133 (36.1) | 0.81 |
| >60,000 | 140 | 49 (35.0) | |
| Smoking, n (%) | | | |
| Yes | 206 | 82 (39.8) | 0.12 |
| No | 302 | 100 (33.1) | |
| Drinking, n (%) | | | |
| Yes | 251 | 101 (40.2) | 0.04 |
| No | 257 | 81 (31.5) | |
| BMI | | | |
| underweighted | 1 | 0 (0) | <0.01 |
| Normal | 339 | 93 (27.4) | |
| Overweight | 83 | 37 (44.6) | |
| Obesity | 85 | 52(61.2) | |
| ERI | | | |
| ERI >1 | 43 | 18 (41.9) | <0.01 |
| ERI≤ 1 | 465 | 164 (35.3) | |
| Depression | | <u> </u> | <0.01 |
| no | 154 | 32 (20.8) | - |
| | | , ····/ | |

| mild | 113 | 49 (43.3) |
|-------------------|-----|---------------|
| moderate | 153 | 38 (24.8) |
| severe | 88 | 62 (70.5) |
| Job burnout level | | |
| No | 27 | 8 (29.6) 0.35 |
| Mild | 140 | 47 (33.6) |
| Moderate | 282 | 110 (39) |
| Severe | 59 | 17 (28.8) |

Underground included: coal digger, driver, electrical fitter, hauler, and safety worker.