









BMJ Open Choice and Partnership Approach to community mental health and addiction services: a realist-informed scoping review

Leslie Anne Campbell ^{1,2,3} Sharon E Clark ⁴ Jill Chorney ^{3,4}
Debbie Emberly ⁴ Julie MacDonald ⁵ Adrian MacKenzie ^{1,6}
Grace Warner ⁷ Lori Wozney ^{3,5}

To cite: Campbell LA, Clark SE, Chorney J, *et al.* Choice and Partnership Approach to community mental health and addiction services: a realist-informed scoping review. *BMJ Open* 2022;12:e064436. doi:10.1136/bmjopen-2022-064436

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2022-064436>).

Received 11 May 2022
Accepted 23 September 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Dr Leslie Anne Campbell;
leslie.anne.campbell@dal.ca

ABSTRACT

Objectives The Choice and Partnership Approach (CAPA) was developed to create an accessible, child-centred and family-centred model of child and adolescent mental health service delivery that is adaptable to different settings. We sought to describe the state of evidence regarding the extent, outcomes and contextual considerations of CAPA implementation in community mental health services.

Design Scoping review.

Data sources Published and grey literature were searched using MEDLINE, Embase, CINAHL, PsycINFO, Scopus and Google to 13 and 20 July 2022, respectively.

Eligibility criteria We included reports focused on the implementation, outcomes (clinical, programme or system) or a discussion of contextual factors that may impact CAPA implementation in either child and adolescent or adult mental health services.

Data extraction and synthesis Data were extracted using a codebook that reflected the five domains of the Consolidated Framework for Implementation Research (CFIR) and reviewed for agreement and accuracy. Data were synthesised according to the five CFIR domains.

Results Forty-eight reports describing 36 unique evaluations were included. Evaluations were observational in nature; 10 employed pre–post designs. CAPA implementation, regardless of setting, was largely motivated by long wait times. Characteristics of individuals (eg, staff buy-in or skills) were not reported. Processes of implementation included facilitative leadership, data-informed planning and monitoring and CAPA training. Fidelity to CAPA was infrequently measured (n=9/36) despite available tools. Health system outcomes were most frequently reported (n=28/36); few evaluations (n=7/36) reported clinical outcomes, with only three reporting pre/post CAPA changes.

Conclusions Gaps in evidence preclude a systematic review and meta-analysis of CAPA implementation. Measurement of clinical outcomes represents an area for significant improvement in evaluation. Consistent measurement of model fidelity is essential for ensuring the accuracy of outcomes attributed to its implementation. An understanding of the change processes necessary to support implementation would be strengthened by more comprehensive consideration of contextual factors.

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ A comprehensive search was employed to capture sources not found in the formal literature to provide a broad picture of the implementation of Choice and Partnership Approach in mental health services.
- ⇒ The Consolidated Framework for Implementation Research was followed to ensure thorough capture of relevant contextual constructs and to provide consistent terminology in our review.
- ⇒ We recognise the possibility of publication bias introduced through the potential over-representation of positive experiences.
- ⇒ While we did not assess the quality of included reports in order to include all relevant literature, we recognise that this may have limited our ability to assess gaps in the literature.

INTRODUCTION

Mental health and addiction disorders are the most common sources of morbidity among children and youth in developed countries, affecting as many as one in five by age 15.^{1–5} However, long wait times or other challenges in access mean that many young people do not receive care when they need it.^{6–9} The delay or absence of appropriate care during childhood and adolescence is associated with poor outcomes, including increased severity of illness and the emergence of secondary disorders.¹⁰

The Choice and Partnership Approach (CAPA) was developed to create an accessible, child-centred and family-centred model of child and adolescent mental health service (CAMHS) delivery that better matches care to needs. CAPA incorporates several features that differentiate it from traditional models of mental health service delivery. The philosophy underlying CAPA reflects a shift in clinician stance from ‘expert with power’ to ‘facilitator or partner with expertise’ and

values the expertise the client and caregivers offer.¹¹ In response to a family-oriented recovery focus philosophy of mental healthcare in recent years, CAPA emphasises a collaborative approach to mental healthcare where young people, family or caregivers (a member of a young person's support network) and clinicians jointly develop treatment goals. The model also incorporates continuous quality improvement practices and data-informed decision-making to improve efficiency and effectiveness.¹²

CAPA consists of 11 key components: leadership, language, handle demand, Choice framework, full booking to Partnership, selecting clinician, core and specific work, job plans, goal setting, peer group discussion and team away days. The creators of the model posit that the totality of the 11 components is greater than the sum of the parts and implementation of all components is required to successfully transform services.¹¹ The implication is that implementation of only select components, or a 'CAPA-lite' version of the model, is likely to lead to poor results, reflecting a failure in implementation rather than a failure of the model.¹¹

The model is intended to work 'in any setting, culture, health organisational system and language'.¹¹ To date, CAPA has been implemented in community-based (or 'outpatient') mental health and addictions services in the United Kingdom (UK), Australia, New Zealand, Norway, Belgium, Ireland and Canada.¹¹ Despite being grounded in evidence-informed elements such as demand and capacity theory, elimination of waste, shared decision-making and outcome measurement, there has been little evidence of formal evaluations of CAPA implementation in the published literature.^{12–17} As mental health systems face significant pressures to provide timely access to effective services, there is a need to better understand the current scope of evidence and to identify any implications of context on successful implementation and expected outcomes.

The aims of this scoping review are, therefore, twofold: (1) to gain an understanding of the extent and outcomes of the implementation of CAPA in community mental health and addictions services and (2) to identify how context influences the implementation of CAPA and resulting measurement of client and system outcomes.

METHODS

Overview

A scoping review approach was selected after initial searches of academic journals revealed much heterogeneity, indicating that the evaluation of the implementation and efficacy of CAPA is an emerging field of study.¹⁸ The protocol for this scoping review was published a priori (<https://bmjopen.bmj.com/content/9/12/e033247>).¹⁹

Review steps

This scoping review follows the steps proposed by Arksey and O'Malley²⁰ and revised by Levac and colleagues.²¹ We recognise that the evaluation of formative outcomes in

addition to traditionally reported summative outcomes is necessary to establish the success of implementation of healthcare interventions such as CAPA as well as support sustainability and dissemination in other contexts.²² Our overarching programme of research has adopted a realist paradigm developed by Pawson and colleagues to aid in understanding the role of context in the implementation of CAPA—specifically, how mechanisms (the implementation and individual reactions to the key components of CAPA) are influenced by context to produce expected (or unexpected) outcomes.^{23 24} The Consolidated Framework for Implementation Research (CFIR) offers a comprehensive framework for capturing information about context in that it encompasses many implementation theories while including important constructs not included in individual theories.²² We employed the CFIR in the analysis to ensure thorough capture of relevant constructs related to contextual barriers or facilitators of implementation and to provide structure as well as to use consistent terminology in our review that would also allow comparison with other studies employing the CFIR.²² The CFIR is organised by five contextual domains: intervention characteristics, outer setting, inner setting, characteristics of the individuals involved and the process of implementation.²² This review adheres to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews²⁵ and the Realist And Meta-narrative Evidence Syntheses: Evolving Standards publication standards.²⁶

Identifying the research question

Within our programme of research, our overarching research question is, 'To what degree does CAPA work, for whom, and under what circumstances?' (<https://www.healthyyoungminds.ca>). This scoping review, therefore, serves both to (1) describe the extent and measurement of the outcomes of the implementation of CAPA in community mental health and addictions services; and (2) identify the role of context in implementation.

Identifying relevant records

We developed the search strategy in consultation with a medical librarian.^{18 21} Sources included both published and grey literature. We conducted an initial search to familiarise ourselves with relevant terminology, which we incorporated into the search queries in multiple databases representing research from healthcare, social work and social sciences (MEDLINE, Embase, CINAHL, PsycINFO and Scopus). Records from 1 January 2005 to 13 July 2022 were considered for inclusion. Please see online supplemental file 1 for our full search strategies.

Our database search was augmented by hand searching the reference lists of all included records, soliciting records from professional contacts and by reviewing the first 100 most relevant results of Google searches for 'choice and partnership approach' and for 'CAPA', updated to 20 July 2022.

Given the iterative nature of scoping reviews, we revised several aspects of the search strategy after publishing the study protocol. Deviation from the search methods outlined in the protocol includes the databases that we searched and the search terms used. The following databases were excluded due to their lack of unique or relevant content: Academic Search Premier, ERIC, Cochrane, Dissertations Abstracts, NCBI Bookshelf, PubMed Central and the Canadian Health Research Collection. Web of Science was excluded due to subscription cancellation at the researchers' institutional library and replaced with Scopus. The database and grey literature searches were also expanded to include the term 'CAPA', in an effort to capture literature referring to the programme by acronym only. As the term 'CAPA' is not specific to the CAPA, the grey literature (Google) search added the terms 'approach' or 'model' or 'program' or 'programme' to improve the relevance of the search using the acronym.

Selecting records

After identifying potentially relevant literature, two members of the research team (LAC and SEC) independently screened records based on title and abstract. Records that could not confidently be excluded were carried forward to full-text screening. The reviewers met at the beginning, midpoint and end of the process to discuss challenges and resolve any ambiguity with the inclusion criteria. Any discrepancies were resolved via discussion, reaching consensus on each.

We used the following criteria to determine eligibility of records for inclusion:

1. Focused on CAPA, including its implementation, outcomes or a discussion of contextual factors that may impact its implementation.
2. Outcomes may include clinical, programme or system outcomes.
3. Study population included child and adolescent or adult population in a community mental health and addictions setting.
4. Context or setting was not limited.
5. Examined CAPA in its entirety, not just a component(s) of the model.

We did not exclude records based on methodology, quality of evidence, outcomes, the stage of CAPA implementation, record type, language or country of publication.

Charting the data

Team members LAC and SEC independently extracted data from the eligible records using a codebook developed in consultation with team members that reflected the five domains of the CFIR²² and included categories such as document identification, objectives, methods, contexts, implementation and outcomes. (Please see online supplemental file 2 for the detailed codebook.) The CFIR guided both data extraction and summation/interpretation, as we explicitly and systematically

considered how context(s) were described in included records relative to the implementation and function of CAPA.²²

After independently coding three records, LAC and SEC compared data extraction to address any discrepancies and refine the codebook. Once completed, data extraction was reviewed for agreement and accuracy. Any discrepancies were minimal and were resolved by consensus.

Collating, summarising and reporting the results

We followed Levac and colleagues²¹ extension of Arksey and O'Malley's approach,²⁰ by analysing the data using both numerical summary and thematic analysis to create a narrative synthesis and identify knowledge gaps. Data were first summarised as frequencies and ranges. Contextual and process-oriented data were then analysed using thematic analysis, mapped to the five CFIR domains.²² Finally, the resulting themes were reviewed by content experts on the team (SEC, JC, DE, JM) to verify and frame findings.

Consulting with stakeholders

Following the recommendation of Levac and colleagues,²¹ we included Arksey and O'Malley's optional sixth step: consultation with stakeholders to increase methodological rigour and assist in framing our findings.²⁰ Our research team includes researchers, clinicians, health system administrators, and policymakers. Several members of our team (SC, JC, DE and JM) are practising psychologists with direct experience in the implementation of CAPA. Furthermore, we reviewed our results more broadly with staff, multidisciplinary clinicians and administrators working in mental health and addiction services in different contexts (eg, general and specialised mental health and addictions services, urban and rural settings) during a day-long research workshop to assist in framing our findings and developing the recommendations presented in the Discussion section.

Patient and public involvement

While our overarching programme of research into the implementation of CAPA includes the involvement of clients and families or caregivers (see <https://www.healthyyoungminds.ca>), our review did not include direct involvement of clients (patients), families or the public. However, its undertaking was motivated by the observed need to better understand the barriers to and facilitators of the successful implementation of a client-centred and family-centred model of mental health and addiction services. It is anticipated that the results of this review will inform implementation and evaluation efforts, ultimately supporting improved outcomes for young clients and their families.

RESULTS

Our database searches yielded 953 records (664 unique). The Google searches produced another 134 records. We obtained one record by soliciting our professional contacts




Figure 1 Preferred Reporting Items for Systematic Reviews and Meta-Analyses for Scoping Reviews (PRISMA-ScR) flow diagram of the Choice and Partnership Approach to community mental health and addictions services.²⁷

and 16 via hand search of the reference list of previously included records. During the full-text screening phase, 170 records were assessed for eligibility and 48 records (corresponding to 36 unique evaluations) met our inclusion criteria and were included for data extraction. A detailed description of search results, along with reasons for exclusion, is presented in [figure 1](#).²⁷

In some instances, individual evaluations were presented in multiple formats (eg, report, journal article and presentation), which we refer individually to as 'reports'. We included all reports to ensure capture of contextual information, but for the purposes of synthesis of findings, we considered reports at the level of the evaluation to avoid double counting. Two reports^{28 29} represented ad hoc summaries of CAPA evaluation efforts prior to 2010, so included several of the evaluations (n=17).

Characteristics of included reports

Characteristics of included reports are listed in online supplemental file 3. Publication dates ranged from 2006^{30–32} to 2022.³³ All reports were written in English. Reports were limited to four regions: the UK,^{15 17 28–32 34–57} Canada,^{13 16 33 58–63} New Zealand^{28 29 64–67} and Australia.^{14 28 29 68 69} Despite CAPA having also been implemented in Norway, Belgium and Ireland, we did not identify any reports from these settings in our searches.

Most evaluations (n=31/36) were local or regional in scope and situated in urban centres or mixed urban, suburban or rural settings^{13 16 30–32 34–37 39–54 56 58–62 66 67 69}; one

described a rural context.^{14 68} Two represented national evaluations of CAMHS that had implemented CAPA across England^{15 17} and New Zealand.^{64 65} Only three evaluations included services that provide care to adult and/or geriatric populations.^{16 28 29 62}

The evaluations did not include any experimental designs, and few (n=10/36) reported pre-post comparisons.^{13 14 31 36 43 45–47 54 58 60 61 63 68} Sampling strategies, when described (n=7/36 evaluations), were largely of convenience^{13 15 17 34 36 39 43 58 68}; none employed random selection.

Context—the intervention

Many (n=20/36) evaluations reported the motivation for the implementation of CAPA, including to reduce wait times or waiting lists,^{13 14 33 35 37 39 43 55 57–59 62 62–64 68} improve efficiency,^{14 34 35 38 40 42 69} improve care quality, service user experience or accessibility,^{13 17 40 56 69} choice in service,^{39 41 43 60 68} meet service demands or client needs or values,^{14 15 17 39 42 58 60} provide client-focused service,^{15 17 41 43 58 60} support staff,^{40 43} provide transparency^{39 40} and provide meaningful data.⁴⁰ Few evaluation (n=10/36) cited theories supporting how CAPA or its components 'work'; those that did most often reported that CAPA's strength as a service delivery model is in its efficiency in managing demand/capacity.^{13–17 33 35 36 43 55 58 63 68 69} Fewer evaluations (n=5/36) mention that CAPA 'works' because it provides client-centred services.^{17 35 41 43 62}

Context—inner setting

No evaluations reported the CFIR inner setting constructs of 'structural characteristics' (eg, the social architecture, age, maturity and size of an organisation or service), 'networks and communications within the organisation', 'culture' (ie, norms and values) or 'readiness for implementation'.²² An evaluation of CAPA implementation in a specialist setting reported that clinicians felt stressed and overwhelmed by workloads prior to implementing CAPA.⁴⁰ Other sources reported organisational challenges such as staffing issues (clinical staff⁶⁹ and psychiatry⁵⁹ understaffing, mismatch of clinician skills for client population⁶⁰ and procedural problems (eg, complex assessment process,⁶⁸ poor throughput⁶⁸ and arbitrary intake process)).⁶⁹

Context—outer setting

Some (n=14/36) evaluations referred to constructs within the CFIR outer setting domain, including 'client needs and resources', 'community characteristics' and 'pressures, policies or incentives that implicate the service'.²² Services described caring for complex, severely ill or special client populations⁶⁸ dispersed populations^{57 68} or populations with a wide range of needs,³⁶ and two served specific care populations (clients with mood and anxiety disorders¹⁶ and learning disabilities^{34 57}). One reported redesigning their centralised referral system and creating specific care clinics for severely ill clients, or those requiring specialised skill sets, to support the implementation of CAPA.¹³ Other considerations included culturally relevant care for Māori and Pacific clients in New Zealand,^{64 65} and Indigenous and racialised communities in Nova Scotia, Canada.⁶²

CAPA implementation often occurred within contexts of low resources,^{36 58} pressure to meet or maintain the ability to meet demand,^{17 42 58 61 65 69} lack of second-tier services,⁶⁸ increasing expectations from the public,⁶⁵ challenges in access to care (due to long wait times,¹⁵ lack of second tier services,⁶⁸ siloed or fragmented services^{59 60} or poor coordination of services^{60 68}) or inequitable access,¹⁷ and the need to provide high-quality, evidence-based care.^{15 17 36 69} The UK and New Zealand governments influenced implementation through directives aimed to ameliorate challenges in mental health service delivery by setting goals for mental healthcare, including wait time benchmarks.^{36 43} Some services cited UK government endorsement of CAPA as a means of improving service efficiency, adding value, eliminating waste, and reducing wait times.^{34 35}

Context—characteristics of individuals

Evaluations did not report the characteristics of individuals in the service who were implementing CAPA, such as their knowledge and beliefs about CAPA, self-efficacy, individual stage of change, identification with the service or organisation or other personal attributes that may affect implementation.²² One evaluation reported that major concerns for clinicians prior to adopting CAPA

were that the quality of care would be negatively affected by increased client throughput, leading to poorer outcomes and that there would be difficulties in handing over families between clinicians from Choice to Partnership.³⁶ However, these did not emerge as major themes in their findings postimplementation.³⁶ Another evaluation suggested that considering individuals' readiness to change would be important for employing appropriate change strategies, such as support networks.⁴³

Context—process of implementation

Efforts to support adaptation and planning for the implementation of CAPA were varied and included the development of implementation teams,⁶⁸ formal^{43 55 68} or informal⁶⁰ planning meetings or team away days to discuss CAPA,^{17 55 60 65 66 68} and the collection of data regarding client needs or clinical presentations⁶⁹ or the service capacity (eg, determining the number of available Choice and Partnership appointments or the skills within the service).^{40 60 69} Services conducted waitlist blitzes (periods of time during which waitlists are reviewed for determination of individuals' eligibility for entrance to the service and match with capacity)^{13 17 43 45 48 60 63 68 70} articulated eligibility and redirection criteria⁶⁰ or staggered implementation across teams to facilitate implementation.^{15 68} Some adapted their services by redistributing clinicians from specialist to multidisciplinary teams,¹³ creating emergency Choice appointment tiers to ensure wait time targets for both children in crisis or not in crisis,⁶⁸ creating care bundles⁴⁰ or enhancing supports for less-experienced clinicians to conduct Choice appointments, such as by pairing with more experienced clinicians or providing training.^{15 17} In two instances, adaptations of CAPA such as those requiring all clients to be seen by a psychiatrist¹⁶ or limiting the number of sessions with clients⁶² were incompatible with the CAPA model.

Key themes related to CAPA implementation observed across the evaluations emerged, including facilitative or engaged leadership, data-informed planning and monitoring and training in CAPA. Facilitative leadership was identified as a key contributor to successful implementation.^{15 17 30 40 43 60 65} While full commitment from senior leadership was identified to be important,^{40 60 65} the need for consistent, clinically informed leadership was deemed critical to successful implementation.^{15 17 65} Clinical leads and managers with clinical backgrounds offered credibility and the ability to liaise effectively with all team members^{15 17} as a starting point, but alignment of the services' senior leadership was critical for consistent messaging and ongoing support during system transformation.⁶⁵ Champions or change leaders in management were noted to be influential by promoting staff buy-in,^{17 43 65} but they needed to be well respected, knowledgeable about CAPA, responsive to staff concerns¹⁷ and represent all parties involved⁴³ to be effective.

Engagement of leadership was operationalized in various ways, including through the collaboration of clinical leads or senior clinicians and service managers,^{17 60 68}

weekly meetings of clinical team leaders,¹³ and regular email updates and weekly drop-in sessions discussion of general CAPA issues to bridge the gap between once monthly meetings.⁴³ Pressure to implement CAPA from senior management outside the team could lead to inadequate preparation (in terms of lack of time and/or resources, or adequately prepared team management) for implementation, which in turn may have caused resistance from the teams themselves.^{17 65}

Team away days, one of the 11 core components of CAPA, were noted to provide opportunities for implementation planning, reflection and evaluation of CAPA to improve the service,^{17 60 65 66 68} while monitoring and feedback to teams were deemed essential for identifying 'teething problems'¹⁷ or 'drift'⁶⁵ during implementation, very few evaluations (n=2) reported ongoing quality monitoring activities, such as robust information and data collection systems within teams or processes for review.^{42 65} Monitoring was supported by the development of process goals and metrics^{13 65} but was noted to be done largely manually by teams¹⁷ or as individual audits.^{15 35 36 40 68} Lack of feedback was identified as a barrier to implementation.¹⁷

CAPA training was reported to be important for supporting successful implementation^{13 17 36 43 58 60 66} but was noted to be variable in intensity between services.¹⁷ Importantly, training was identified as a means of providing opportunities to address misconceptions of the model,¹⁷ which included the common misunderstanding that CAPA limits the number of sessions per client,^{17 33 62} and the assertion that the model is based on averages without means for adjustment.¹⁶

Mechanisms—CAPA components and fidelity to the CAPA model

From a realist lens, Pawson and Tilley conceptualised mechanisms as a combination of both resources and stakeholders' reasoning in response.²³ Accordingly, we sought to capture the reporting of the 11 key components of CAPA both in terms of resources and responses.

Of the 11 key components of CAPA, the Choice components, Choice framework^{13–17 30 34 35 38 40 43 60 61 65 66 68} and 'handle demand'^{15 17 28 36 38 40 41 43 60 68} were most often

cited, while the Choice component 'language' was cited less frequently.^{15 17 38 60 68} One evaluation noted that while a change in language was met with mixed views by clinicians, particularly more experienced clinicians who held on to the traditional language of assessment and treatment, inclusive language was identified as a core theme related to successfully moving from a model of diagnostic assessment to one of joint formulations and goal development.⁶⁸

Few evaluations reported fidelity to the CAPA model (n=9/36); those that did either counted the number of the 11 key components implemented,^{15 17 28 29 65 71} or scored the CAPA Component Rating Scale (CAPA-CRS).^{13 45 48 53–55 72} None reported full fidelity. In the evaluation of CAPA across England, of 53 CAMHS teams who implemented CAPA and responded to follow-up questionnaires, 28 were self-reported 'medium implementers' (implemented 5–7 of the 11 components) and 18 were 'high implementers' (implemented 8+components).¹⁵

Context and mechanisms of implementation

Figure 2 consists of a heat map that depicts the frequency by which the key components and fidelity to CAPA were reported by the five CFIR domains at the level of evaluations (to avoid upweighting cells by 'double counting' reports). Cells with higher intensity shading represent larger numbers of evaluations in that cell. Outer setting factors were most often described, and characteristics of individuals were least often described in evaluations of the implementation of CAPA.

Services that reported outer setting pressures (eg, needing to reduce wait times or increase throughput) often reported implementation of the process-related components of CAPA, such as handle demand, Choice framework, care planning and job planning. Fewer reported the more philosophically oriented components such as language, peer group discussion or Team away days.

Each of the five CFIR domains consists of several constructs. To further examine each of the CFIR domains, we also mapped the frequency by which the key CAPA components and fidelity to CAPA were reported

CFIR Domain	CAPA Key Component										Fidelity to CAPA measured
	Leadership and Management	Language	Handle Demand	Choice Framework	Full Booking to Partnership	Selecting Partnership Clinician by Skill	Core and Specific Partnership Work	Job Plans	Goal Setting and Care Planning	Peer Group Discussion	Team Away Days
Intervention Characteristics											
Outer Setting											
Inner Setting											
Characteristics of Individuals											
Process of Implementation											

Figure 2 Heat map depicting frequencies of evaluation reporting key components of CAPA by CFIR domains. CAPA, Choice and Partnership Approach; CFIR, Consolidated Framework for Implementation Research.

CFIR Domain	CFIR Construct	CAPA Key Component											Fidelity to CAPA measured
		Leadership and Management	Language	Handle Demand	Choice Framework	Full Booking to Partnership	Selecting Partnership Clinician by Skill	Core and Specific Partnership Work	Job Plans	Goal Setting and Care Planning	Peer Group Discussion	Team Away Days	
Intervention Characteristics	Efficiency												
	Client-centred care												
	Measure/match demand												
	Evidence/support for model												
	Care quality												
Outer Setting	Improve accessibility												
	External targets/policies												
	Cultural considerations												
	Specialized client population												
	Wait times/wait lists												
	Hard to access care												
	High demand/ referrals												
	Stressed resources												
Inner Setting	Rural												
	Urban/Cosmopolitan												
	Multidisciplinary team												
Characteristics of Individuals	Staff stress, burnout												
	Staff pressures, morale												
	Lack of staff buy-in												
Process of Implementation	Staff willingness to change												
	Staff skills												
	Leadership												
	Formal training												
	Waitlist blitz												
	Implementation team												
	Adapting processes												
	Regular meetings												

Figure 3 Heat map depicting frequencies of evaluations reporting key components of CAPA by CFIR constructs. CAPA, Choice and Partnership Approach; CFIR, Consolidated Framework for Implementation Research.

by individual CFIR constructs (see figure 3; heat map). With respect to intervention characteristics, the efficiency of CAPA (eg, clear procedures, lean thinking, queuing theory or flow through service) was the most commonly reported construct, followed by client-centred care or client choice. Those evaluations citing the efficiency of CAPA most often implemented the Choice framework, job planning and goal planning/care planning components. In terms of outer setting constructs, government endorsement, external targets or external review and long wait times were the most frequently cited and most often reported the implementation of the leadership and management, Choice framework, job planning and goal setting/care planning components. Within inner contexts, staff pressure, shortage or morale were most often cited.

Reporting of the characteristics of individuals within teams or services (eg, knowledge and beliefs about the model, staff buy-in, personal stage of change, staff skills) was notably absent; however, staff skills were reported in one evaluation that implemented all CAPA key components.⁶⁸

Several constructs associated with the process of implementation were reported, most commonly relating to leadership, formal training of team members, dedicated implementation teams and regular meetings. Less frequently, teams reported service-specific adaptations such as the addition of emergency Choice streams or single access points to the service. As with other CFIR constructs, these were most often reported with the implementation of Choice frameworks.

Outcomes of implementation

The most frequently reported outcomes were related to the health system (n=28/36 evaluations)^{13-17,28-32,36,38-40,43-45,48,50-55,57-61,63-69,71} and workforce (n=19/36 evaluations).^{13,15-17,28-32,36,38,40,43,46,48,51,53,54,58-61,63,66,68,69} Health system outcomes included numbers of clients seen by the team or service (including numbers of accepted referrals and first visits or Choice appointments),^{13,14,16,17,28,29,36,42,46,61,65} proportions of clients going on to attend second visits or referred elsewhere,^{14,17,35,36,41,43,45,46,60,66} wait times to first appointment (Choice appointment),^{13-17,28,29,31,36,40-43,45-48,50,54-61,63-66,68,71} wait times from Choice to first Partnership appointment or between Partnership appointments,^{13,15-17,28,29,41,46,48,51,58,61,63,65} wait time targets,^{28,29,38,42,43,53,71} waiting lists^{17,37,56,58,68,69} and 'no-show' or 'did not attend' rates.^{13,17,28,29,31,41,43,46,58,60,66}

Workforce outcomes included job satisfaction, staff stress, morale, confidence or engagement,^{15,17,28-30,32,38,40,43,46,48,53,54,65,66,69} efficiency or provider productivity,^{13,46,59,61,66} collaborative teamwork or team cohesion,^{15,17,28-30,32,38,59,60,66} caseloads^{46,60,66,68} and transparency or accountability between clinicians or with clients.^{17,36,59,65}

Acceptability of CAPA was captured (n=16/36 evaluations) from the perspectives of children, young people and families.^{13,17,28-31,36,39,44,45,47-50,58,60,64,66,67} Measures of client and family experience included the Experience of Service Questionnaire^{13,30,31,36,39,47,63,73} and the locally developed CAPA or Choice Experience Questionnaires.^{30,36,47} Clinical outcomes were infrequently captured (n=7/36 evaluations)^{14,30,31,36,41,64,66} and reported only in child and adolescent services, with teams measuring service effectiveness through the capture of treatment

goals,^{36 41 64 66} the Health of the Nation Outcome Scales for Children and Adolescents,^{14 74} the Child Behaviour Checklist,^{66 75} the Strengths and Difficulties Questionnaire^{31 76} and an adapted clinician-rated Clinical Global Impressions Scale.^{36 77} Only three evaluations reported pre-CAPA/post-CAPA changes in clinical outcomes.^{14 31 36}

Follow-up periods were short, with the longest follow-up of health system outcomes reported to be 18 months following implementation,⁶⁸ and clinical outcomes to the point of closure or transfer or from the service.^{14 36} The national evaluation of CAPA implementation in England included perspectives of clinicians in services with an average of 18 months following implementation (range 7–30 months).^{15 17}

DISCUSSION

In this comprehensive scoping review, we identified 48 reports stemming from 36 unique evaluations of the implementation of CAPA. CAPA has been implemented in countries with differing health systems and opportunities for private/public health insurance. However, regardless of country of implementation, the transformation of mental health services through the implementation of CAPA is often undertaken by small teams without the resources to conduct formal evaluations or research. As such, we recognised the need for an inclusive search strategy to accurately capture the scope of implementation and to identify important considerations regarding context that may not appear in the formal literature. Accordingly, we did not restrict our search by methodology, quality of evidence, outcomes, the stage of CAPA implementation, report type, language or country of publication. While we did not assess the quality of included reports in order to include all relevant literature and provide a comprehensive overview of the scope of implementation, we recognise that this may have limited our ability to assess gaps in the literature.⁷⁸ We are also aware of the possibility of publication bias introduced through over-representation of positive experiences.

Evaluations of CAPA implementation were exclusively observational in design, with some (n=10/36 evaluations) considering baseline or pre-CAPA data for comparison.^{13 14 31 36 43 45–47 54 58 60 61 63 68} At a minimum, the routine inclusion of both pre-CAPA and post-CAPA implementation data would strengthen the evidence base. As CAPA is a highly complex intervention intended to be adapted to meet the needs of individual services that function in different contexts and health systems, often with limited research and/or data resources, randomised controlled trials are likely infeasible and may not capture noteworthy contextual considerations necessary for successful generalisability and implementation.⁷⁹ More pragmatic designs that capture important sources of heterogeneity, such as well-designed controlled before-and-after, interrupted time series, or stepped wedge cluster trial designs—provided resources are available to support the latter's complex conduct and analysis—are likely more useful for

informing policy recommendations.^{80 81} Mixed methods approaches would offer the opportunity for triangulation of theory, data and previous evaluations.

Demand and capacity concepts,^{82 83} lean thinking principles⁸⁴ and queuing theory⁸⁵ all suggest that tracking demand and service capacity within a quality improvement framework to support review allow for better planning and more efficient use of resources. However, the lack of data for providing feedback to clinicians and staff and for monitoring ongoing service performance and client outcomes was identified as a common barrier. Meaningful and timely data collection is noted to be a considerable gap for many mental health services, and particularly so for small, often under-resourced teams with little access to administrative or database infrastructure or supports. A recent systematic review revealed that despite the benefits of data-driven learning health systems, there remain significant challenges in uptake in healthcare more broadly due to barriers related to governance and regulatory systems, and technical, quality and interoperability problems.⁸⁶

Meaningful evaluation of CAPA implementation would also be strengthened by consideration of fidelity to the model. Our review captured inaccuracies in the interpretation and application of CAPA, which likely contribute to unsuccessful implementation.^{16 17 33 62} The architects of CAPA strongly encourage implementation of all 11 key components; noting that 'using CAPA principles' or implementing 'CAPA-lite' is unlikely to lead to meaningful system transformation or may reflect reluctance to change.¹¹ However, few evaluations reported fidelity to the model. This may reflect the state of change at the time of measurement or incomplete implementation. Future evaluations should include measurement of fidelity to CAPA to ensure that the accuracy of outcomes attributed to the model (both positive and negative) and to support ongoing monitoring to help prevent falling into previous ways of working. Without measuring and reporting on the fidelity to the CAPA components, it is impossible to know what in the implementation of 'CAPA' was changed in the way the service was organised and what the client and family may have experienced in their care. Incomplete or unsuccessful implementation that results in poor outcomes may be incorrectly reported as CAPA 'doesn't work'. Measurement tools designed to assess fidelity to the CAPA model include the CAPA-CRS,⁷² CAPA Pragmatics Rating Scale⁸⁷ and the CAPA FACE: The Fidelity Assessment and Component Evaluation.⁸⁸

Our review offers important insights into considerations of context in implementation efforts. Most evaluations reported CFIR constructs falling under the 'intervention characteristics', 'outer setting' and 'implementation process' domains. There was limited information available regarding the inner context (eg, team composition or service milieu) or the characteristics of individuals (eg, staff buy-in or skills). This is notable, as the implementation of CAPA often requires significant service transformation at the heart of which clinicians and staff are

required to change, which may include shifting from a known way of working (typically introduced in training) and embracing new identities and new tasks in an unfamiliar system and often while a system is under stress.^{89 90} Future evaluations would be strengthened by attention to and measurement of constructs associated with the characteristics of the service team and individual members, and leadership and change processes to support the analysis of their impact on successful implementation.

The stance of CAPA, while centred on the client and family experience of care, was not reported to be the primary motivator for teams in selecting this approach to care as system accessibility problems are typically the focus for initiating change of this magnitude. While services in the UK and New Zealand cited government directives intended to improve service delivery, our review demonstrates that CAPA implementation efforts, regardless of setting, were largely motivated by needs to reduce wait times and to improve efficiency of services. As it is possible to improve initial waits to Choice (first) appointments at the expense of waits to or between Partnership appointments, it is essential to consider all wait times throughout the client experience of care.^{15 17} Because improved wait times are often an outcome of CAPA implementation, further exploration of teams' understanding of the client experience as a motivator may provide additional valuable implementation guidance.

Perhaps stemming from the motivation for implementation, or the relative ease of capture, the most commonly reported outcomes were those related to the health system (eg, wait times, percentage of clients seen within target time periods, or attended visits) and workforce outcomes (eg, staff experiences). While some evaluations benefited from pre-CAPA and post-CAPA implementation audits supported by service data, an important limitation of administrative data is that attended sessions do not necessarily represent those required to meet client needs, so may underestimate need.³⁴ A critical problem in the evaluation of CAPA, and of mental health services in general, is in the lack of measurement of client outcomes. In our review, only seven evaluations reported clinical outcomes, all reporting positive findings.^{14 30 31 36 41 64 66} However, only three measured changes from baseline.^{14 31 36} Patient-reported outcome measures, such as the Revised Children's Anxiety and Depression Scales or Goal Based Outcome Tool, while recommended by healthcare systems internationally and demonstrated to benefit shared decision-making,⁹¹ were not often reported. Of the four evaluations that reported whether goals were set,^{36 41 64 66} only one captured post-treatment ratings, for which only half of the clients with baseline goals had post-treatment ratings for analysis.³⁶ The paucity in measurement and reporting of client outcomes is commensurate with existing literature,⁹² and within mental healthcare has been a particular challenge as there is no standard for outcome measurement in clinical practice and recent standardisation of measures for research have the potential to introduce unintended consequences, including

lack of transferability and narrowness of scope.⁹³ Importantly, meaningful outcome measurement requires an understanding of the nuances or potential differences between measuring what matters to clients and families and what is often required for reporting to governments or other payers.

Similarly, the views of families or caregivers were under-represented among our findings. In the national evaluation of CAPA implementation in England, a key challenge identified was that of accessing the views of families.¹⁷ The authors noted that few attended the focus groups, and among those who did, none had heard of CAPA.¹⁷ They posit that the topic area may not be of relevance to families, or recruitment may have been hampered by Research Ethics Committee restrictions on direct recruitment by research teams. It would also be reasonable to consider that families may not know what 'CAPA' is as for them, it may just be the way a team works, which may be a function of how we talk with families about the way that services work both in their delivery and evaluation.

CONCLUSIONS

The transformation of mental health services to those that place clients and families at the centre of care can measure client-centred outcomes, tailor care and actively engage clients and families in the care process as aligned with the CAPA model, often requires major philosophical and organisational shifts in the way services are delivered and evaluated. Evaluations of implementation of CAPA in the face of complex system change would benefit from the consideration and capture of contextual factors to support its adaptation to different settings, measurement of fidelity to the model to ensure the validity and reliability of findings and to provide feedback during ongoing implementation, consideration of constructs related to the inner contexts of services (eg, team composition, staff pressures) and characteristics of the individuals involved in or affected by implementation (eg, staff buy-in for the model, skills and readiness for change) and the consistent capture of outcomes of importance to clients and families. Equally important are avenues for sharing experiences between teams, identifying facilitators and barriers to successful implementation, creating reliable evaluation and research metrics and sharing practice challenges that appear to be common during mental health service transformation within western healthcare systems.

Author affiliations

¹Department of Community Health and Epidemiology, Dalhousie University, Halifax, Nova Scotia, Canada

²Department of Psychiatry, IWK Health, Halifax, Nova Scotia, Canada

³Department of Psychiatry, Dalhousie University, Halifax, Nova Scotia, Canada

⁴Mental Health and Addictions, IWK Health, Halifax, Nova Scotia, Canada

⁵Mental Health and Addictions, Nova Scotia Health, Halifax, Nova Scotia, Canada

⁶Research, Innovation, and Discovery, Nova Scotia Health, Halifax, Nova Scotia, Canada

⁷School of Occupational Therapy, Dalhousie University, Halifax, Nova Scotia, Canada

Twitter Sharon E Clark @sharon13clark, Debbie Emberly @debbie_emberly and Grace Warner @GraceWarner_dal

Acknowledgements We are grateful for the funding from Research Nova Scotia (formerly Nova Scotia Health Research Foundation) Establishment grant number PSO-EST-2018-1564 to support this work and to Ms. Kathleen MacNabb for assistance with data management and copy editing and Ms. Kirstie Smith for reference management. The literature search was supported by Evidence Synthesis staff with the Maritime SPOR SUPPORT Unit. We thank them for their support.

Contributors All authors meet the ICMJE criteria for authorship. LAC, SEC, JC, DE, JM, AM, GW and LW collaborated on the proposal and methodology. LAC and SEC jointly extracted data. LAC and SEC conducted the data analysis and initial interpretation. LAC wrote the original draft and all authors reviewed and contributed to the revision of the manuscript. LAC is the guarantor and accepts responsibility for the work and decision to publish.

Funding This work was supported by Research Nova Scotia (formerly Nova Scotia Health Research Foundation) Establishment grant number PSO-EST-2018-1564.

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design or conduct of this research; please see the Methods section for details.

Patient consent for publication Not applicable.

Ethics approval The IWK Health Research Ethics Board approved the overarching research project, including this review (Title: Transforming Care in Nova Scotia: Implementation of Health System Change in Child and Adolescent Mental Health and Addictions, Project #: 1024356).

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement Data sharing not applicable as no datasets generated and/or analysed for this study. The reports included in this scoping review are available via the citations.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Leslie Anne Campbell <http://orcid.org/0000-0003-2534-0450>

Sharon E Clark <http://orcid.org/0000-0002-0923-1783>

Jill Chorney <http://orcid.org/0000-0002-6137-049X>

Debbie Emberly <http://orcid.org/0000-0003-0114-1211>

Julie MacDonald <http://orcid.org/0000-0001-9584-8618>

Adrian MacKenzie <http://orcid.org/0000-0002-8690-9113>

Grace Warner <http://orcid.org/0000-0001-9865-865X>

Lori Wozney <http://orcid.org/0000-0003-4280-3322>

REFERENCES

- Georgiades K, Duncan L, Wang L, et al. Six-month prevalence of mental disorders and service contacts among children and youth in Ontario: evidence from the 2014 Ontario child health study. *Can J Psychiatry* 2019;64:246–55.
- Waddell C, Offord DR, Shepherd CA, et al. Child psychiatric epidemiology and Canadian public policy-making: the state of the science and the art of the possible. *Can J Psychiatry* 2002;47:825–32.
- Waddell C, McEwan K, Shepherd CA, et al. A public health strategy to improve the mental health of Canadian children. *Can J Psychiatry* 2005;50:226–33.
- Lawrence D, Johnson S, Hafekost J, et al. *The mental health of children and adolescents. in: report on the second Australian child and adolescent survey OG mental health and wellbeing*. Canberra, 2015. <https://www.health.gov.au/resources/publications/the-mental-health-of-children-and-adolescents>
- Sadler K, Vizard T, Ford T, et al. Mental health of children and young people in England, 2020. Available: <https://digital.nhs.uk/data-and-information/publications/statistical/mental-health-of-children-and-young-people-in-england/2020-wave-1-follow-up>
- Kowalewski K, McLennan JD, McGrath PJ. A preliminary investigation of wait times for child and adolescent mental health services in Canada. *J Can Acad Child Adolesc Psychiatry* 2011;20:112–9.
- Steinman KJ, Shoben AB, Dembe AE, et al. How long do adolescents wait for psychiatry appointments? *Community Ment Health J* 2015;51:782–9.
- Farmer EMZ, Burns BJ, Phillips SD, et al. Pathways into and through mental health services for children and adolescents. *Psychiatr Serv* 2003;54:60–6.
- Health D. *National service framework for children, young people and maternity services*. London: Core standards, 2004.
- McGorry PD, Purcell R, Goldstone S, et al. Age of onset and timing of treatment for mental and substance use disorders: implications for preventive intervention strategies and models of care. *Curr Opin Psychiatry* 2011;24:301–6.
- York A, Kingsbury S. *The choice and partnership approach: a transformational service model*. 3rd ed. CAPA Systems Limited, 2013.
- Mazzocato P, Savage C, Brommels M, et al. Lean thinking in healthcare: a realist review of the literature. *Qual Saf Health Care* 2010;19:376–82.
- Clark S, Emberly D, Pajer K, et al. Improving access to child and adolescent mental health care: the choice and partnership approach. *J Can Acad Child Adolesc Psychiatry* 2018;27:5–14.
- Naughton JNL, Carroll M, Basu S, et al. Clinical change after the implementation of the choice and partnership approach within an Australian child and adolescent mental health service. *Child Adolesc Ment Health* 2018;23:50–6.
- Robotham D, James K, Cyhlarova E. Managing demand and capacity within child and adolescent mental health services: an evaluation of the choice and partnership approach. *Ment Health Rev J* 2010;15:22–30.
- Quintana MAM. *Simulation modeling of constrained resource allocation using the activity based conceptual modeling methodology*. Ottawa: Telfer School of Management, 2017. <https://ruor.uottawa.ca/handle/10393/37101>
- Robotham D, James K. Evaluation of the choice and partnership approach in child and adolescent mental health services in England, 2009. Available: https://www.mentalhealth.org.uk/sites/default/files/CAPA_PDF.pdf
- Peters MDJ, Godfrey CM, Khalil H, et al. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc* 2015;13:141–6.
- Campbell LA, Clark SE, Ayn C, et al. The choice and partnership approach to community mental health and addictions services: a realist-informed scoping review protocol. *BMJ Open* 2019;9:e033247.
- Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- Levac D, Colquhoun H, O'Brien KK. Scoping studies: advancing the methodology. *Implement Sci* 2010;5:69.
- Damschroder LJ, Aron DC, Keith RE, et al. Fostering implementation of health services research findings into practice: a consolidated framework for advancing implementation science. *Implement Sci* 2009;4:50.
- Pawson R, Tilley N. *Realist evaluation*. Thousand Oaks: SAGE Publications, 1997: 235.
- Emmel N, Greenhalgh J, Manzano A. *Doing realist research*. 1st ed. Los Angeles: Sage, 2018: 251.
- Tricco AC, Lillie E, Zarin W, et al. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med* 2018;169:467–73.
- Wong G, Greenhalgh T, Westhorp G, et al. RAMESES publication standards: meta-narrative reviews. *J Adv Nurs* 2013;69:987–1004.
- Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71.
- York A, Kingsbury S. Choice and partnership approach: summary of research and evaluation to; 2010: 28. <http://www.camhsnetwork.co.uk/powerpoint/shows/CAPA%20research.pps>
- York A. Choice, access and what matters to all of us- Creating services we all want to use and work. In: 23 York Gd round. 73, 2015.

- 30 Kingsbury S, York A. East Herts CAMHS choice Questionnaire- audit of 100 families, 2006. Available: <http://www.camhsnetwork.co.uk/Evaluation/evaluation-east-herts-user-capa.htm>
- 31 Jenkin W. Bridgeton, Glasgow CAMHS, 2006. Available: <https://slidetodoc.com/capa-choice-and-partnership-approach-summary-of-research/> [Accessed 27 Jul 2022].
- 32 Kingsbury S. East Herts Clinicians' views. Available: <http://www.camhsnetwork.co.uk/Evaluation/evaluation-east-herts-clinicians-views.htm> [Accessed 01 Feb 2022].
- 33 Johnstone M, Brown C, Ross N. The McDonaldization of social work: a critical analysis of mental health care services using the choice and partnership approach (CAPA) in Canada. *J Progress Hum Serv* 2022;1–21.
- 34 Cooney G, Howison J, McCluskey J. Attended sessions and client complexity in a learning disability CAMHS service with reference to the choice and partnership approach. *Clin Psychol Forum* 2019;317:31–2.
- 35 Wilson S, Metcalfe J, McLeod S. Comparing choice and partnership approach assumptions to child and adolescent mental health services in NHS greater Glasgow and Clyde. *Int J Health Care Qual Assur* 2015;28:812–25.
- 36 Fuggle P, McHugh A, Gore L, et al. Can we improve service efficiency in CAMHS using the CapA approach without reducing treatment effectiveness? *J Child Health Care* 2016;20:195–204.
- 37 Chugg R. Managed networks and integrated children's services - case study of Devon. *J Integr Care* 2009;17:37–45.
- 38 Department for Children, Schools, and Families, Department of Health. Improving access to child and adolescent mental health services: reducing waiting times policy and practice guide (including guidance on the 18 weeks referral to treatment standard, 2009. Available: <https://lx.iriss.org.uk/sites/default/files/resources/Improving%20access%20to%20child.pdf>
- 39 Taylor E, Duffy F. Service-user evaluation in two outpatient CAMHS teams, 2010. Edinburgh. Available: https://www.pure.ed.ac.uk/ws/portalfiles/portal/14418749/TAYLOR_Service_user_Evaluation_in_Two_Outpatient_CAMHS_Teams.pdf
- 40 Curtis J, Green S, Jones A. The Choice and Partnership Approach (CAPA) in a specialist community learning disability child and adolescent mental health service. In: LD CAMHS CAPA.pdf [Internet], 2010. Available: <http://www.camhsnetwork.co.uk/Evaluation/audits/Northumberland>
- 41 Perry M, Hussain S, Choice LR. Partnership approach (CAPA) in Greenwich CAMHS: transparent analysis of the service. London; 2014. http://oxleas.nhs.uk/site-media/cms-downloads/POSTER_v5_Ryan_Lord.pdf
- 42 Boyd L, Wilson S. Sustainability of CAMHS performance to the RTT heat target, 2016. Glasgow
- 43 Jones V. Eating disorders: attitudes towards emotional expression and prevalence in weight-category sports. Birmingham University of Birmingham; 2012. https://etheses.bham.ac.uk/id/eprint/3913/1/Jones_12_ClinPsyD_vol1.pdf
- 44 New Ways of Working. Richmond user experience of service questionnaire - user and carer involvement in service redesign, 2008. Available: <http://www.camhsnetwork.co.uk/Evaluation/evaluation-richmond-user-chi.htm>
- 45 Stockbridge TLCAMHS. Lincolnshire CAMHS, 2007. Available: <http://www.camhsnetwork.co.uk/Servicestories/lincoln.htm> [Accessed 01 Feb 2022].
- 46 Chaloub N. Sheffield CAMHS, 2009. Available: <http://www.camhsnetwork.co.uk/powerpoint/shows/CAPA%20research.pps> [Accessed 27 Jul 2022].
- 47 Barnes V. Small scale service related project: an evaluation of a CAMHS CapA service, 2009. Exeter. Available: <http://www.camhsnetwork.co.uk/powerpoint/shows/CAPA%20research.pps>
- 48 Burhouse A. Gloucester CAMHS, 2013. Available: <http://www.camhsnetwork.co.uk/Servicestories/gloucester13.htm> [Accessed 01 Feb 2022].
- 49 Botros M, York A. Richmond CAMHS, 2009. Available: <http://www.camhsnetwork.co.uk/powerpoint/shows/CAPA%20research.pps>
- 50 Thorpe H, Yadav V. Richmond CAMHS, 2010. Available: <http://www.camhsnetwork.co.uk/powerpoint/shows/CAPA%20research.pps>
- 51 Fell C. *Southmead CAMHS: choice to partnership transition in CapA process*. 18, 2010. <http://www.camhsnetwork.co.uk/Evaluation/local-camhs-audit.htm>
- 52 Stapley EN. Somerset CAMHS, 2007. Available: <http://www.camhsnetwork.co.uk/powerpoint/shows/CAPA%20research.pps>
- 53 Splevins. Stockton CAMHS, 2007. Available: <http://www.camhsnetwork.co.uk/Servicestories/stockton.htm> [Accessed 01 Feb 2020].
- 54 Unknown. Stockport CAMHS, 2008. Available: <http://www.camhsnetwork.co.uk/Servicestories/stockport.htm> [Accessed 20 Aug 2021].
- 55 Fitzpatrick H, Wynne S. Implementation of CapA in North Wales child and adult mental health services. Comisiwn BEVAN Commission. Available: <https://www.bevancommission.org/projects/implementation-of-capa-in-north-wales-child-and-adult-mental-health-services/?cn-reloaded=1&cn-reloaded=1> [Accessed 27 Jul 2022].
- 56 Trafford Council, NHS Trafford Clinical Commissioning Group. Trafford's Local Transformation Plan for Children and Young People's Mental Health and Well-being – 16/17 Refresh (Draft). Available: <https://democratic.trafford.gov.uk/documents/s16207/Item%206.c%20Trafford%20LTP%20for%20CYP%20DRAFT.pdf> [Accessed 27 Jul 2022].
- 57 Jones A. Implementing Choice and Partnership. In: *Learn Disabil today*, 2011: 32–5.
- 58 Clark S, Emberly D. Reimagining a system of mental health care for children and youth: the implementation of the choice and partnership approach at the IWK health centre. *Psynopsis Mag Candian Psychol Assoc* 2012;34:16–17.
- 59 Abidi S. Choice and partnership approach (CAPA): building collaborations with primary care in Nova Scotia. Toronto; 2014. [http://www.shared-care.ca/files/1F_-_Innovative_child_and_youth_mental_health_models_\(Spenser\).pdf](http://www.shared-care.ca/files/1F_-_Innovative_child_and_youth_mental_health_models_(Spenser).pdf)
- 60 Murphy D, Hone M, Gravelle F, et al. Implementing the choice and partnership approach (CAPA): how and innovative service delivery model is transforming the delivery of child and youth mental health care in Ottawa. Ottawa. Available: https://www.cmho.org/images/2017%20Conference%20Presentations/Tuesday%20Workshops/TP%20Sessions/TP7_CAPA%20CMHO%20Presentation%202017%20FINAL.pdf
- 61 Gardner W, Clark S, Emberly D, et al. The choice and partnership approach (CAPA): improving access to mental health care, 2016. Can Assoc health Serv policy Res TOR. Available: http://cahspr.ca/wp-content/uploads/2019/09/2016-05-09_Final_Program.pdf
- 62 Brown C, Johnstone M, Ross N. Repositioning social work practice in mental health in Nova Scotia, 2021. Halifax. Available: <https://nscsw.org/wp-content/uploads/2021/01/NSCSW-Repositioning-Social-Work-Practice-in-Mental-Health-in-Nova-Scotia-Report-2021.pdf>
- 63 Clark S, Pajer K. The choice and partnership approach (CAPA): improving the delivery of mental health care. Halifax, NS Canadian Association of Pediatric Health Centres Annual Symposium; 2016. https://www.slideshare.net/CAPHC_ACCSP/oct-25-caphc-concurrent-symposium-mental-health-dr-sharon-clark-and-dr-kathleen-pajer-70280360 [Accessed 27 Jul 2022].
- 64 York A, Kingbury S, Wilson T. Choice and partnership approach (CAPA), a clinical system for mental health services at both ends of the globe. In: *Neuropsychiatr Enfance Adolesc*, 2012.
- 65 Falconer L, Milnes A. Choice and partnership approach e-survey results, 2016. Available: <https://werryworkforce.org/sites/default/files/documents/CAPA/CAPA>
- 66 Black A, Barton Y. *The CAPA Experience: The Choice and Partnership Approach as experienced by the Green Team at Child & Family Specialty Service*. 21. Christchurch: Whakatata House.
- 67 Greaney B. Youth perspectives on CAPA. Wellington Capital & Coast District Health Board; 2009: 12. <http://www.camhsnetwork.co.uk/Evaluation/local-camhs-audit.htm>
- 68 Naughton J, Basu S, O'Dowd F, et al. Improving quality of a rural CAMHS service using the choice and partnership approach. *Australas Psychiatry* 2015;23:561–5.
- 69 Hong S, Golling R, Percy M. Choice and partnership: transforming a child and adolescent mental health service. *Australian & New Zealand Journal of Psychiatry* 2014;52–4.
- 70 CAMHS Network. The waiting list blitz, 2013. Available: <http://www.camhsnetwork.co.uk/Implementation/waitinglistblitz.htm>
- 71 Kingsbury S, York A. Implementation of the key components of CAPA, 2007. Available: <http://www.camhsnetwork.co.uk/Evaluation/evaluation-web-survey-2007.htm>
- 72 CAMHS Network. The CAPA component rating scale (CAPA-CRS). Available: <http://www.camhsnetwork.co.uk/Evaluation/CAPA-CRS.htm>
- 73 Brown A, Ford T, Deighton J, et al. Satisfaction in child and adolescent mental health services: translating users' feedback into measurement. *Adm Policy Ment Health* 2014;41:434–46.
- 74 Gowers SG, Harrington RC, Whitton A, et al. Brief scale for measuring the outcomes of emotional and behavioural disorders in children. health of the nation outcome scales for children and adolescents (HoNOSCA). *Br J Psychiatry* 1999;174:413–6.

- 75 Achenbach TA, Rescorla L. *Manual for the ASEBA school-age forms & profiles: An integrated system of multi-informant assessment*. 1st ed. Burlington: University of Vermont, Research Center for Children, Youth & Families, 2001: 178.
- 76 Youth in Mind. What is the SDQ? Available: <https://www.sdqinfo.org/a0.html> [Accessed 22 Mar 2022].
- 77 Guy W. *ECDEU assessment manual for psychopharmacology*. Rockville, MD: U.S. Department of Health, Education, and Welfare, 1976: 603.
- 78 Pham MT, Rajić A, Greig JD, *et al*. A scoping review of scoping reviews: advancing the approach and enhancing the consistency. *Res Synth Methods* 2014;5:371–85.
- 79 Barnish MS, Turner S. The value of pragmatic and observational studies in health care and public health. *Pragmat Obs Res* 2017;8:49–55.
- 80 Hemming K, Haines TP, Chilton PJ, *et al*. The stepped wedge cluster randomised trial: rationale, design, analysis, and reporting. *BMJ* 2015;350:h391.
- 81 Copas AJ, Lewis JJ, Thompson JA, *et al*. Designing a stepped wedge trial: three main designs, carry-over effects and randomisation approaches. *Trials* 2015;16:352.
- 82 NHS Institute for Innovation and Improvement. Demand and capacity: a comprehensive guide. Available: https://webarchive.nationalarchives.gov.uk/ukgwa/20121116070602/https://www.institute.nhs.uk/quality_and_service_improvement_tools/quality_and_service_improvement_tools/demand_and_capacity_-_a_comprehensive_guide.html [Accessed 24 Mar 2022].
- 83 Breen AM, Burton-Houle T, Aron DC. Applying the theory of constraints in health care: part 1--the philosophy. *Qual Manag Health Care* 2002;10:40–6.
- 84 D'Andreanmatteo A, Ianni L, Lega F, *et al*. Lean in healthcare: a comprehensive review. *Health Policy* 2015;119:1197–209.
- 85 Palvannan RK, Teow KL. Queueing for healthcare. *J Med Syst* 2012;36:541–7.
- 86 Enticott J, Johnson A, Teede H. Learning health systems using data to drive healthcare improvement and impact: a systematic review. *BMC Health Serv Res* 2021;21:200.
- 87 CAMHS Network. CAPA Pragmatics Rating Scale, 2021. Available: <http://www.camhsnetwork.co.uk/Evaluation/CAPA-PRS.htm> [Accessed 23 Jul 2021].
- 88 York A, Kingsbury S. CAPA face: the fidelity assessment and component evaluation; 2013.
- 89 Nilsen P, Seing I, Ericsson C, *et al*. Characteristics of successful changes in health care organizations: an interview study with physicians, registered nurses and assistant nurses. *BMC Health Serv Res* 2020;20:147.
- 90 Campbell RJ. Change management in health care. *Health Care Manag* 2020;39:50–65.
- 91 Van Der Wees PJ, Nijhuis-Van Der Sanden MWG, Ayanian JZ, *et al*. Integrating the use of patient-reported outcomes for both clinical practice and performance measurement: views of experts from 3 countries. *Milbank Q* 2014;92:754–75.
- 92 Horn ME, Reinke EK, Mather RC, *et al*. Electronic health record-integrated approach for collection of patient-reported outcome measures: a retrospective evaluation. *BMC Health Serv Res* 2021;21.
- 93 Patalay P, Fried EI. Editorial perspective: prescribing measures: unintended negative consequences of mandating standardized mental health measurement. *J Child Psychol Psychiatry* 2021;62:1032–6.

Supplementary File 1: Search Strategies

The search strategies for all databases are as follow:

MEDLINE (Ovid)

#	Searches	Results
1	("choice and partnership*" adj2 (approach* or model? or program? or programme?)).ti,ab,kf.	10
2	(CAPA and (approach* or model? or program? or programme?)).ti,ab,kf.	138
3	1 or 2	139
4	limit 3 to yr="2005 -Current"	124

Embase (Elsevier)

No.	Query	Results
#1	('choice and partnership*' NEAR/2 (approach* OR model\$ OR program\$ OR programme\$)).ti,ab,kw	15
#2	capa:ti,ab,kw AND (approach*:ti,ab,kw OR model\$:ti,ab,kw OR program\$:ti,ab,kw OR programme\$:ti,ab,kw)	214
#3	#1 OR #2	215
#4	(#1 OR #2) AND [2005-2022]/py	196

CINAHL (EBSCO)

#	Query	Limiters/Expanders	Results
S1	TI (("choice and partnership*" N2 (approach* or model# or program# or programme#))) OR AB (("choice and partnership*" N2 (approach* or model# or program# or programme#)))	Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	11
S2	TI ((CAPA and (approach* or model# or program# or programme#))) OR AB ((CAPA and (approach* or model# or program# or programme#)))	Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	65
S3	S1 OR S2	Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	67
S4	S1 OR S2	Limiters - Published Date: 20050101-20221231 Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	59

PsycINFO (EBSCO)

#	Query	Limiters/Expanders	Results
S1	TI (("choice and partnership*" N2 (approach* or model# or program# or programme#))) OR AB (("choice and partnership*" N2 (approach* or model# or program# or programme#)))	Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	7
S2	TI ((CAPA and (approach* or model# or program# or programme#))) OR AB ((CAPA and (approach* or model# or program# or programme#)))	Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	49
S3	S1 OR S2	Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	49
S4	S1 OR S2	Limiters - Published Date: 20050101-20221231 Expanders - Apply related words; Apply equivalent subjects Search modes - Boolean/Phrase	41

Scopus (Elsevier)

History Count	Search Terms	Results
1	TITLE-ABS-KEY ("choice and partnership*" W/2 (approach* OR model* OR program*))	14 document results
2	TITLE-ABS-KEY (capa AND (approach* OR model* OR program*))	639 document results
3	(TITLE-ABS-KEY ("choice and partnership*" W/2 (approach* OR model* OR program*))) O R (TITLE-ABS-KEY (capa AND (approach* OR model* OR program*)))	641 document results
4	(TITLE-ABS-KEY ("choice and partnership*" W/2 (approach* OR model* OR program*))) O R (TITLE-ABS-KEY (capa AND (approach* OR model* OR program*))) AND (PUBYEAR > 2004)	533 document results

[Google \(Grey Literature\)](#)

History Count	Search Terms	Results
1	("choice and partnership" AND (approach OR model OR program OR programme)) OR ("CAPA" AND (approach OR model OR program OR programme))	About 30,100 results
2	"choice and partnership approach"	About 21,400 results

Supplementary File 2: Codebook for data extraction from included records

INFORMATION EXTRACTED FROM RECORDS	NOTES/INSTRUCTIONS FOR REVIEWERS
Section 1 – DOCUMENT IDENTIFICATION	
Study Number	Enter the identification number of the record.
Authorship	Enter the last name of the first author.
Year	Enter the year the document was published. If the date cannot be determined from the document, write “Not reported.”
Document Type	Select the item from the dropdown menu that best describes the document: <ul style="list-style-type: none"> - journal article - report - dissertation - abstract - book - web page - presentation notes/slideshow - media piece - other
Section 2 – OBJECTIVES	
Does this document include a research or evaluation component?	Select “Yes” from the dropdown menu if the document presents findings from a research or evaluation project. Select “No” from the dropdown menu if the document describes some feature of their implementation of CAPA (eg. their reason for transition or their implementation process) without including a data collection or analysis component.
Purpose of the document	Make a note of what the primary goal or aim of the document was as described by the author. Include the hypotheses, if any. If no aims are explicitly given, reviewers may state this and then make an inference regarding the purpose of the project.

Section 3 – METHODS	
Methodology and study or evaluation design	<p>State whether the project uses a quantitative, qualitative, mixed methods, or review methodology. Then outline the study or evaluation design, as described by the authors. If the design is not described, enter "Not reported." Input a description of the study design based on reviewer inference if possible. Some common designs include:</p> <p>Quantitative:</p> <p>A) Experimental with controls (controlled trial) – allocation can be randomised by individual (RCT) or service/clinic (cluster RCT), quasi-randomized, or not randomised</p> <p>B) Experimental without controls (uncontrolled trial) – allocation can be randomised, quasi-randomised, or non-randomised in group/service without controls</p> <p>C) Observational, including cohort, case-control, cross-sectional, interrupted time series, controlled before and after, controlled post-test, pre- and post-test, or post test.</p> <p>Qualitative:</p> <p>D) Method specified: E.g., ethnography, phenomenology, grounded theory, participatory action research, or case study</p> <p>E) Other – approach not defined, but used focus groups or interviews to collect data, conducted thematic analysis of transcripts, etc.</p> <p>Reviews/Syntheses:</p> <p>F) Systematic review (with or without or meta-analysis), narrative review, scoping review.</p>
Baseline	<p>Did the researchers measure usual care or outcomes BEFORE transitioning to CAPA? Select "Yes" or "No" from the dropdown menu.</p>
Study period	<p>State the period of time over which the observation(s) was (or were) conducted, if applicable.</p>

Stakeholder/participant groups included	<p>List the participant groups engaged/measured in this project. Common groups include:</p> <ul style="list-style-type: none"> - clients/patients, or health records from clients/patients - families, caregivers - clinicians, healthcare providers - managers - administrative staff <p>If no details about the engagement/participants are given, write "Not reported."</p>
Numbers of participants	<p>Provide the reported numbers of participants in each of the stakeholder groups outlined above, where applicable. Be sure to include both pre-and post-test sample sizes, or both control and experimental group sizes, where applicable.</p> <p>If no sample sizes or numbers of participants are given, write "Not reported."</p>
Sampling/population characteristics	<p>If applicable, provide details regarding the sampling strategy (e.g. convenience sample, purposive sample, randomized sample, etc.), as well as any additional participant details (e.g. limitations, participant ages, sex, gender, culture, ethnicity, socioeconomic status, etc.).</p>
Theory	<p>Does the document reference any theories, theoretical frameworks, principles, or models that explain the ways in which CAPA "works"? If so, list and provide a description of these, where applicable. List the references to these theories/frameworks provided by the author(s).</p>
Data analysis	<p>Provide a description of the procedures used to analyze the data collected in the study.</p> <p>If no data were analyzed, write "Not applicable."</p>
Section 4 - CONTEXT	
Country	Enter the country in which the CAPA service or team is located.
Location	Enter any additional information regarding the location of the service(s) or team(s).

Characteristics of Individuals	<p>Outline in point form any key factors described by the author(s) about the characteristics of individuals which comprise the team or service in which CAPA is implemented. Relevant kinds of details may include:</p> <ul style="list-style-type: none"> - the characteristics of the individual staff and teams that impacted implementations (e.g., staff attitudes, buy-in, skills, knowledge of the intervention, etc.)
Inner Setting	<p>Outline in point form any key factors described by the author(s) about the internal setting or environment in which CAPA is implemented (i.e. within the team or service). Relevant kinds of details may include:</p> <ul style="list-style-type: none"> - the service/team/organization's internal culture, communications, and climate that impacted implementation
Outer Setting	<p>Outline in point form any key factors described by the authors about the outer setting (external to the service or team). Relevant characteristics may include:</p> <ul style="list-style-type: none"> - community characteristics (such as urban or rural, socioeconomic characteristics) - client/patient needs - the networking the service/team/organization has with other organizations - the external pressures from other organizations, policies, or incentives that impacted the implementation of CAPA - other social, cultural, or resource considerations
Rationale for choosing CAPA	<p>Provide any description given by the author(s) regarding why CAPA was implemented. This can include a description of the problem(s) or issue(s) CAPA was chosen to address, as well as the process by which CAPA was chosen. If provided, include descriptions of the intervention characteristics that led to selection of CAPA as an appropriate model of care, such as its relative advantage over other models, its level of complexity as an intervention, and/or its cost.</p>
Evidence Strength and Quality	<p>If provided, state any explicit reference made by the authors to the evidence used to select the model. Sources of evidence may include published literature, guidelines,</p>

	anecdotal stories from colleagues, information from a competitor, client experiences, results from a local pilot, and other sources.
Section 5 - IMPLEMENTATION	
Date of Implementation	State the year CAPA was implemented. If not stated in the document, write "Not reported."
Adaptation, planning, and process of implementation	<p>If provided, state the ways in which CAPA was adapted to fit the local context and the rationale provided for these adaptations. This could include additional consultations to determine ways to adapt the model, or other adaptation procedures. If provided, state the process by which implementation of CAPA was planned by the service(s)/team(s) in the document. This may include convening planning committees or teams or conducting large-scale strategic planning procedures.</p> <p>If provided, give a description of the steps and procedures executed in order to implement/transition to CAPA.</p>
Engaging leadership	If provided, give descriptions of any ways in which leaders or "champions" that spearheaded CAPA were attracted to or engaged in the planning and/or implementation of CAPA.
Fidelity to CAPA Model	Provide any description of compliance to the CAPA model that was given by the authors. This may include qualitative descriptions or quantitative measures such as ratings on the Pragmatic Rating Scale (PRS) or other instruments. Include the scoring from any quantitative measures provided by the author(s).
Quality Monitoring and Evaluation	If provided, give a description of how feedback on CAPA is collected and considered. Note that the document under review may itself be part of a quality monitoring or evaluation process.

Key Components Described	<p>Describe the activities mentioned in the document undertaken to adhere to the 11 Key Components, 7 HELPFUL habits, and/or 4/5 Big Ideas of CAPA. The components include:</p> <ul style="list-style-type: none">- Leadership and management- Language - Handle demand- Choice framework- Full booking to partnership- Selecting partnership clinician by skill- Core and specific partnership work- Job plans- Goal setting and care planning- Peer group discussion- Team away days <p>The 7 HELPFUL Habits include:</p> <ul style="list-style-type: none">- Handle Demand- Extend Capacity- Let go of Families- Process Map- Flow Management- Use Care Bundles- Look After Staff <p>The 4 [5] Big Ideas include:</p> <ul style="list-style-type: none">- Choice- Core and Specific Partnership Work- Selecting Core Partnership Clinician- Job Planning- [Peer Group Discussion] <p>If all components are described, write "All Components." If all habits are described, write "All Habits." If no elements are mentioned by name, write "None reported."</p>
--------------------------	---

Relative Importance	If provided, give a description of which components of CAPA were considered more/less important to the overall implementation of CAPA.
Other implementation efforts	Describe any activities undertaken to adhere to CAPA that may not fit into the 11 Key Components, 7 HELPFUL Habits, or 4/5 Big Ideas described above.
Section 6 - OUTCOMES	
Health System Outcomes	E.g., number of patients/visits, wait times, prescription drug use, cost of service, emergency department visits
Acceptability Outcomes	E.g., client/family satisfaction, therapeutic alliance
Clinical Outcomes	E.g., symptoms, diagnostic categories
Emotional Outcomes	E.g., attitudes, feelings, well-being, burnout, values, beliefs; towards self, others
Functioning and Coping Outcomes	E.g., quality of life, self-care, resilience, coping
Relationship Outcomes	E.g., relationship with peers/teachers, family interaction, interpersonal conflict, communication
Compliance/ adherence Outcomes	E.g., appointment attendance
Workforce Outcomes	E.g., staff/clinician rates of turnover, efficiency, engagement, morale, satisfaction
Other Outcomes	Describe any other outcomes used that do not fit into the above categories, e.g., educational, justice outcomes.
Main findings	Write a brief 1-2 sentence describing the main findings, e.g. "The authors found that CAPA reduced waiting times by 25%."
Accounting for demographics	<p>For quantitative analysis: Describes any variables the authors found to predict or explain differences in the outcomes or reveal how CAPA may have impacted different groups in different ways. Typical covariates include gender, age, race, education level, and symptom severity. We are interested in knowing if some groups benefited more than others. Report only those covariates that the authors tested.</p> <p>For qualitative analyses: If applicable, describe the ways in which analyses accounted for the population characteristics of the participants in the research.</p>
Section 7 - Takeaways	

Barriers and Facilitators	What challenges or barriers to successful implementation of CAPA were described? What facilitators or supports to implementation were identified? State any factors the author(s) believed hindered/facilitated the implementation of CAPA. Note that these may be related to the environmental/context details reported in Section 3.
Study Limitations Identified by Authors	Summarize any limitations the authors identified in their methods or project approach, where applicable.
Study Limitations Identified by Reviewers	Summarize any limitations that you as a reviewer identify in the document that may not be discussed by the authors.
Research Recommendations	Summarize any recommendations provided by the author(s) regarding what methods, designs, topics, etc. should be included in future research.
Recommendations for Implementation or Policy	Summarize any recommendations provided by the author(s) regarding how they could have better adhered to CAPA in implementation or policies to support the model.
Congruence with Data	Do the recommendations the authors provide above follow directly from their data and findings, or their review of other evidence? Alternatively, are they based on anecdotes or speculation? Briefly state the source of these recommendations, where applicable.
Notes	Input any additional notes, comments or points of interest that may not be easily captured in the above sections.

Supplementary File 3: Characteristics of Included Records

REPORT ID	COUNTRY	RECORD TYPE	DESIGN	NUMBER/TYPE OF PARTICIPANTS, DATA
Clark et al. 2018 ^{13,a}	Canada	Journal article	Pre-post	154 pre-, 794 post-CAPA client records (wait times) 81 youth, 125 parent ESQ surveys
Wilson et al. 2015 ³⁵	Scotland	Journal article	Descriptive	2896 patient records (appointments)
Naughton et al. 2018 ^{14,b}	Australia	Journal article	Pre-post	33 pre-, 77 post-CAPA clients (Diagnoses and outcomes)
Naughton et al. 2015 ^{68,b}	Australia	Journal article	Pre-post	134 pre-, 338 post-CAPA client records (wait times) Clinician, manager meeting notes
Fuggle et al. ³⁶ 2016	England	Journal article	Pre-post	92 pre-, 66 post-CAPA client outcomes Clinician focus group
Robotham et al. 2010 ^{15,c}	England	Journal article	Descriptive	Phase I: 114 CAMHS teams Phase II: 53 CAMHS teams Phase IIIa: 6 CAMHS teams Phase IIIb: 62 clinicians and staff (Implementation and staff experiences)
York and Wilson 2012 ^{64,d}	New Zealand	Abstract	Not reported	Administrative data (wait times), families' satisfaction
Hong et al. 2014 ⁶⁹	Australia	Abstracts	Descriptive	Administrative data (wait times)
Clark et al. 2012 ^{58,a}	Canada	Report	Pre-post	114 clinicians, 218 parents/caregivers post CAPA Administrative data (wait times)
Chugg 2009 ³⁷	England	Journal article	Not reported	Administrative data (waiting lists)
Department for Children, School and Families 2009 ^{38,g}	England	Policy/practice guideline	Not reported	Administrative data (wait times)
Taylor and Duffy 2010 ³⁹	Scotland	Journal article	Descriptive	133 families (satisfaction)
Abidi 2014 ^{59,a}	Canada	Presentation	Not reported	Administrative data (wait times)
Curtis et al. 2010 ⁴⁰	England	Report	Descriptive	Administrative data (capacity and demand, wait times)
Quintana 2017 ¹⁶	Canada	Thesis	Other	Administrative (HR resources, numbers of session, wait times)

Perry et al. 2014 ⁴¹	England	Presentation	Descriptive	Administrative data (capacity and demand)
Murphy et al. (n.d.) ⁶⁰	Canada	Presentation	Pre-post	Administrative data (waits times, no shows, flow, appointments) Satisfaction, team feedback
Falconer and Milnes 2016 ^{65,d}	New Zealand	Presentation	Descriptive	52 clients Implementation, wait times
Robotham 2009 ^{17,c}	England	Report	Descriptive	Questionnaires: Phase 1a: 213 clinicians, staff Phase 1b: 53 CAMHS teams Phase 1c: 7 CAMHS teams Phase 2: 7 parents, 7 children/youth Focus groups/Interviews: Phase 2: 6 CAMHS teams, 3 parents, 6 children
Gardner et al. (n.d.) ^{61,a}	Canada	Presentation	Pre-post	1521 Administrative data (wait times, referrals)
Boyd and Wilson 2016 ⁴²	Scotland	Report	Descriptive	Administrative data (wait times)
Black (n.d.) ^{66,e}	New Zealand	Presentation	Descriptive	52 children/families Clinician, staff feedback
York and Kingsbury 2010(b) ^{28,c,d,e,h}	Australia, New Zealand, United Kingdom	Presentation	Summary of research	Administrative data (wait times, capacity and demand, referrals) Client/ family feedback (survey, interview) Clinician, staff feedback Referrer feedback
Cooney et al. 2019 ³⁴	Scotland	Journal article	Descriptive	106 clients'/ family's administrative data (wait times, flow)
Brown et al. 2021 ^{62,f}	Canada	Report	Descriptive	116 surveys with clinicians, staff 50 interviews with clinicians, staff, and clients 3 focus groups with 14 service providers
Jones 2012 ⁴³	England	Dissertation	Pre-post	Administrative data (wait times, attendance, referrals, flow) Clinician, staff feedback
Kingsbury and York 2006 ^{30,e,h}	England	Web report	Descriptive	Client feedback from 100 families Focus group with clinician, staff
Kingsbury and York 2008 ^{44,e}	England	Web report	Descriptive	48 client/ family feedback
Kingsbury and York 2007 ^{71,e}	Not reported	Web report	Descriptive	113 clinicians and managers Administrative data (wait times)

Stockbridge and Thompson 2007 ^{45,e}	England	Web report	Pre-post	Administrative data (wait times) Client/ family satisfaction
Jenkin 2006 ^{31,e}	Scotland	Presentation	Pre-post	Administrative data (wait times) Clinician, staff feedback Referrer feedback
Chaloub 2009 ^{46,e}	England	Presentation	Pre-post	Administrative data (wait times, flow) Clinician, staff feedback (3 teams)
Greaney 2009 ^{67,e}	New Zealand	Presentation	Descriptive	Focus groups with 53 clients Youth and youth consumer advisor feedback
Barnes 2009 ^{47,e}	England	Presentation	Pre-post	Administrative data (wait times) Family feedback Referrer feedback
Burhouse 2006 ^{48,e}	England	Web report	Not reported	Administrative data (wait times) Client/ family feedback Clinician, staff feedback
Botros 2009 ^{49,e}	England	Presentation	Descriptive	43 client/ family feedback
Thorpe 2010 ^{50,e}	England	Presentation	Descriptive	132 client/ family feedback
Kingsbury 2006 ^{32,e,h}	England	Web report	Descriptive	ESQ, Choice questionnaire (families) Focus group with clinicians
Fell 2010 ^{51,e}	England	Presentation	Not reported	Administrative data (wait times) 17 clinicians' feedback
Stapley 2007 ^{52,e}	England	Presentation	Not reported	Clients
Splevins 2007 ^{53,e,g}	England	Web report	Descriptive	Clients
Unknown 2008 ^{54,e}	England	Web report	Descriptive	Administrative data (wait times) Clinician, staff feedback
York and Kingsbury 2010(a) ^{28,c,d,e,h}	Australia, New Zealand, United Kingdom	Presentation	Summary of research	Administrative data (wait times) Clinician, staff feedback
Clark and Pajer 2016 ^{63,a}	Canada	Presentation	Descriptive , pre-post	Administrative data (wait times) Client satisfaction
Fitzpatrick and Wynn 2016 ⁵⁵	Wales	Web report	Descriptive	Administrative data (wait times) CAPA Fidelity (CAPA Component Rating Scale)
Johnstone et al. 2022 ^{33,f}	Canada	Journal article	Descriptive	50 interviews (clinicians), focus groups, online survey (115 participants)
Trafford Council (n.d.) ⁵⁶	England	Report/plan	Descriptive	Administrative data

Jones 2011 ^{57,i}	England	Journal article	Descriptive	Administrative data
----------------------------	---------	-----------------	-------------	---------------------

^a Clark et al. 2018, Clark et al. 2012, Abidi 2014, Gardner et al. 2016, and Clark and Pajer 2016 include information from the same evaluation.

^b Naughton et al. 2018 and Naughton et al. 2015 stem from the same evaluation.

^c Robotham et al. 2010 and Robotham 2009 stem from the same evaluation and both are captured in both York and Kingsbury 2010(a) and York and Kingsbury 2010(b)

^d York and Wilson 2012 and Falconer and Milnes 2016 stem from the same evaluation and are both captured in both York and Kingsbury 2010(a) and York and Kingsbury 2010(b)

^e Black (n.d.), Kingsbury and York 2006, Kingsbury and York 2008, Kingsbury and York 2007, Stockbridge and Thompson 2007, Jenkin 2006, Chaloub 2009, Greaney 2009, Barnes 2009, Burhouse 2006, Botros 2009, Thorpe 2010, Kingsbury 2006, Fell 2010, Stapley 2007, Splevins 2007, Unknown 2008, are captured in both York and Kingsbury 2010(a) and York and Kingsbury 2010(b)

^f Johnstone et al. 2022 includes information reported in Brown 2021

^g Splevins 2007 is reported as one of the case studies in Department of Children, Schools and Families 2009.

^h Kingsbury and York 2006 and Kingsbury 2006 report some of the same data and both are captured in both York and Kingsbury 2010(a) and York and Kingsbury 2010(b)

ⁱ Jones 2011 stems from the Curtis et al. 2010 evaluation.