Please rank each item as to whether you <u>1: Strongly Disagree with the statement, 2: Disagree with the statement, 3: Agree with the statement, or 4: Strongly Agree</u> with the statement. There is no right or wrong answer. We only want to learn about your opinions, so please answer each question as honestly as you can.

		Strongly Disagree	Disagree	Agree	Strongly Agree
1	Unmarried adolescents seeking sexual and reproductive health services should be told to abstain when they ask for contraceptives.	1	2	3	4
2	If a girl asks me a question about sex, I should answer the question honestly	1	2	3	4
3	Adolescent boys should be taught that masturbation is dangerous.	1	2	3	4
4	Health care providers should pressure on clients to make them admit that they have been a victim of sexual or gender-based violence	1	2	3	4
5	Boys and girls should not be given information about puberty because it will encourage them to engage in sexual behavior.	1	2	3	4
5	Only girls should be given information about sexual and reproductive health because they are the ones who have the most issues related to sexual behavior.	1	2	3	4
7	Discussing sexual intercourse with unmarried women and men is shameful.	1	2	3	4
8	Unmarried youth should never be asked about reproductive health concerns because they are not sexually active.	1	2	3	4
9	If a girl has irregular periods, I will suspect she is sexually active.	1	2	3	4
10	The best way to prevent unmarried adolescents from becoming sexually active is to keep them in the dark about these issues.	1	2	3	4
11	Educating youth on reproductive health topics leads to sexual immorality.	1	2	3	4
12	Youth who are out of school are more likely to be sexually promiscuous than youth in school.	1	2	3	4
L3	If a boy or a girl has a genital ulcer, it is because he or she is promiscuous.	1	2	3	4
14	If a girl has irregular periods, her parents should be informed.	1	2	3	4
.5	I would feel comfortable counseling a young man showing symptoms of STIs.	1	2	3	4
16	I would feel comfortable treating an unmarried girl with an ovarian cyst.	1	2	3	4
17	I would treat an unmarried woman showing symptoms of STIs without judging her.	1	2	3	4

BMJ	Open
-----	------

18	Contraceptives should not be given to young women who suffer reproductive health issues because it will negatively affect their future fertility.	1	2	3	4
19	Girls should not receive any information about contraceptives before they are married because it will cause them to become sexually active.	1	2	3	4
20	Asking youth if they are victims of any kind of violence is considered interfering with their personal or family issues.	1	2	3	4
21	Boys should be taught how to use a condom	1	2	3	4
22	Unmarried adolescents should not be provided with contraceptives because culture and religion prohibit engagement in premarital sex.	1	2	3	4
23	Youth should learn about contraceptives before marriage	1	2	3	4
24	Teaching unmarried youth about contraceptives is acceptable.	1	2	3	4
25	Healthcare providers should provide both married and unmarried adolescents with contraceptives if they ask for them.	1	2	3	4
26	An unmarried girl should never be given contraceptives to treat menstrual cramps or irregular periods.	1	2	3	4
27	If a boy asks for condoms, it shows responsibility.	1	2	3	4
28	I feel comfortable providing adolescent girls with contraceptives for any reason	1	2	3	4
29	In my culture, it is wrong for adolescents to use contraceptives	1	2	3	4
30	I would scold an unmarried adolescent if he or she asks for contraceptives.	1	2	3	4
31	I would refuse to provide contraceptives for adolescents before marriage.	1	2	3	4
32	Parents should be informed if their unmarried daughters come to a health facility to seek reproductive health services	1	2	3	4
33	Youth should be given the same level of confidentiality when receiving sexual and reproductive health services as adults	1	2	3	4
34	Reproductive health services are not necessary for boys.	1	2	3	4
35	The concerns that youth have regarding reproductive health are not important	1	2	3	4
36	Reproductive health services are only available for married women	1	2	3	4
37	If a young woman comes into a health facility and says she has been the victim of sexual assault, she probably did something to deserve it.	1	2	3	4

Supplemental material

38	Women and men of all ages should be welcomed into the clinic for sexual and reproductive health services if they seek them.	1	2	3	4
39	Parents need to provide permission for their daughters to receive any reproductive health services.	1	2	3	4
40	It is important to make sure that any services provided to youth are done so privately so no one else in the clinic can hear.	1	2	3	4
41	Educational materials on sexual and reproductive health should be openly available to unmarried boys and girls.	1	2	3	4
42	Schools and health facilities should work together to provide reproductive health information and services to youth.	1	2	3	4
43	If a young woman says that she has experienced sexual or gender-based violence, I will call official institutions to help her.	1	2	3	4
44	My personal beliefs guide the way I provide health services to adolescents	1	2	3	4
45	My religion supports the provision of sexual and reproductive health information and services to youth, regardless of their marital status.	1	2	3	4
46	I am afraid that I would be punished if I provide any reproductive health services to unmarried adolescents.	1	2	3	4
47	I am not trained to address the reproductive health needs of youth.	1	2	3	4
48	Health workers play an important role in reducing sexual and reproductive health problems among pre- marital adolescents.	1	2	3	4
49	I would feel annoyed if a young, unmarried woman came to me with symptoms of induced abortion.	1	2	3	4
50	Sexual and gender-based violence among youth should receive governmental attention as a significant social issue.	1	2	3	4
51	Sexual and gender-based violence among youth should receive governmental attention as a significant social issue.	1	2	3	4
52	Sexual and gender-based violence among youth should receive governmental attention as a significant social issue.	1	2	3	4