Correction: Behavioral factors associated with SARS-CoV-2 infection. Results from a web-based case-control survey in the Capital Region of Denmark

Cajar MD, Tan FCC, Boisen MK, et al. Behavioral factors associated with SARS-CoV-2 infection. Results from a web-based case-control survey in the Capital Region of Denmark. *BMJ Open* 2022;12:e056393. doi: 10.1136/bmjopen-2021-056393

The article was erroneously published without the full title as *Behavioral factors associ*ated with SARS-CoV-2 infection. The title has been amended to *Behavioral factors associated* with SARS-CoV-2 infection. Results from a web-based case-control survey in the Capital Region of Denmark.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

BMJ Open 2022;12:e056393corr1. doi:10.1136/bmjopen-2021-056393corr1

