

BMJ Open

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email info.bmjopen@bmj.com

BMJ Open

**“Meaningful Activities 4 All (MA4A)”
A Human Centered Design Protocol to Support Human
Service Workers in Enabling People with Intellectual
Disabilities to Engage in Meaningful Activities**

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2022-061736
Article Type:	Protocol
Date Submitted by the Author:	04-Feb-2022
Complete List of Authors:	Wille, Christophe; Ghent University, Department of Rehabilitation Sciences and Physiotherapy; Artevelde University College, Health and Care De Clercq, Ine; Artevelde University College, Health and Care Van Hove, Geert; Ghent University, Special Needs Education Van Loon, Jos; Ghent University, Special Needs Education Van de Velde, Dominique; Ghent University, Department of Rehabilitation Sciences and Physiotherapy; Artevelde University College, Health and Care De Vriendt, Patricia; Vrije Universiteit Brussel, Department of Gerontology and Frailty in Ageing Research Group; Artevelde University College, Health and Care
Keywords:	REHABILITATION MEDICINE, Quality in health care < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, SOCIAL MEDICINE

SCHOLARONE™
Manuscripts

“Meaningful Activities 4 All (MA4A)”**A Human Centered Design Protocol to Support Human Service Workers in Enabling
People with Intellectual Disabilities to Engage in Meaningful Activities****CORRESPONDING AUTHOR**

Christophe Wille

Corneel Heymanslaan 10

9000 Gent

Belgium

<https://orcid.org/0000-0002-2138-6200>

chriwill.Wille@UGent.be

AUTHORS

Drs. Christophe Wille | 1-2

ORCID 0000-0002-2138-6200

Dr. Ine De Clercq | 1

ORCID 0000-0003-2159-7777

Prof. Dr. Geert van Hove | 4

ORCID 0000-0003-3266-0524

Prof. Dr. Jos van Loon | 4

ORCID 0000-0002-0218-9594

Prof. Dr. Dominique Van de Velde | 1-2

ORCID 0000-0001-6982-1075

Prof. Dr. Patricia de Vriendt | 1-2-3

ORCID 0000-0003-4861-7838

1 Occupational Therapy Department
Faculty Health and Care
Artevelde University of Applied Sciences
Ghent
Belgium

2 Department of Rehabilitation Sciences and Physiotherapy
Faculty of Medicine and Health Sciences
Ghent University
Ghent
Belgium

3 Department Gerontology, Frailty in Ageing (FRIA) research group and Mental Health and
Wellbeing (Ment) research group
Faculty of Medicine and Pharmacy
Vrije Universiteit Brussel
Brussels
Belgium

1
2
3 4 Department of Special Needs Education
4 Faculty of Psychology and Educational Sciences
5
6 Ghent University
7
8 Ghent
9
10 Belgium
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

ABSTRACT

INTRODUCTION

Meaningful activities have a positive impact on identity, well-being and the degree of participation and inclusion. People with intellectual disabilities attending day-care centres in Flanders depend heavily on their human service workers (HSW) to engage in meaningful activities. HSW on their part are also in need of support, and struggle to enable meaningful activities. Moreover, little is known about the quality HSW offer, about their needs, and what could enable them to provide more qualitative support.

METHODS AND ANALYSIS

In order to develop a solution based on the specific needs of HSW, an innovative and iterative approach is needed. A human centered design protocol is constructed, combined with the strengths of traditional research methods. In a first phase (INSPIRATION phase), the needs of HSW will be mapped based on qualitative and quantitative approaches. In a second creative phase (IDEATION phase), in co-creation with the HSW, people with intellectual disabilities and other stakeholders, a solution will be developed based on the insights of phase one. In the third and final phase, the solution will be tested in the field by means of living labs and a realist evaluation (IMPLEMENTATION phase). By adopting this unique protocol, the functionality, quality, usability, and acceptance is expected to increase, which in turn should result in a decrease of product or service failure. In contrast to other HCD-protocols, this protocol adopts all phases of the HCD process. Moreover, this protocol shows the complementarity of HCD with more traditional research methods. People with intellectual disabilities and the HSW will benefit as the end-result is truly grounded in their specific needs and wishes. This protocol could inspire researchers in other challenging intervention development.

ETHICS AND DISSEMINATION

This study was approved by the Ethics Committee of the University Hospital Ghent, Belgium. The results of this study will be published and presented.

KEYWORDS

Accredited care providers | Disability policy | Innovation | Support Needs | Disability Support Worker

STRENGTHS AND LIMITATIONS

- The support needs of human service workers, working in day-care centres for people with intellectual disabilities, to date, have not been thoroughly investigated and this study will fill that void.
- This study is the first study using the complete Human Centered Design process combining it with the strengths of traditional research methods.
- The involvement of the end-user in research is increasingly encouraged. This protocol aims to become a reference protocol in performing 'human centered design research'.
- By adopting Human Centered Design, the results of this study should be of high quality, functional, applicable, grounded in the needs of the end-users, and therefore be widely and more easily accepted.
- Human Centered Design is relatively new in comparison to traditional research methods and therefore could still be open to some scepticism or criticism.

“Meaningful Activities 4 All (MA4A):

A Human Centered Design Protocol to Support Human Service Workers in Enabling People with Intellectual Disabilities to Engage in Meaningful Activities

INTRODUCTION

It is generally assumed that the prevalence of people with intellectual disabilities (ID) worldwide varies from 1% to 3% based on income, age, origin, with the highest rates to be found in low- and middle-income countries (1). The most widely adopted definition on ID is the one from the American Association on Intellectual and Developmental Disabilities (AAIDD) (2,3): *“Intellectual disability is a disability characterised by significant limitations in both intellectual functioning and in adaptive behaviour, which covers many everyday social and practical skills. This disability originates before the age of 18 (4)”*. The AAIDD emphasises the multi-dimensionality of ID (3–5), enabling Human Service Workers (HSWs) to get a more comprehensive understanding of ID, and allowing them to establish a more purposeful approach towards people with ID (2).

People with ID have been excluded for a long time from society due to their limited abilities in both intellectual capacities and adaptive behaviour (6). People with ID need continuous additional support to participate in society as equal citizens (3,7). Therefore, people with ID who are not adequately supported, are at risk of being excluded from society (6). In addition, life expectancy of people with ID increased significantly over the last decade’s (8,9). Consequently, nearly half of the people in day-care facilities are of older age (9), and have a life expectancy close to that of people without disabilities. Most people with ID lack age-specific support and when they age this can potentially lead to inappropriate placement and loss of social networks (8).

One of the most important and influential conventions that address this inequality is the *‘United Nations Convention on the Rights of Persons with Disabilities’* (UNCRPD) (6). By signing the convention, all member states agree to implement the convention in their national policy on ID (6,10). Since the convention was adopted, 164 countries signed the convention (11) and 94 ratified both the convention and the optional protocol (12). The Flemish Agency for Persons with Disabilities (VAPH) has developed a policy in accordance with the UN Convention and the current vision on ID (13). The *‘quality of life supports model paradigm’* (14,15), comprised out of four core values (equity, inclusion, self-determination and empowerment) is at the heart of the policy. In Flanders, the Flemish part of Belgium with an autonomous government, (at the end of 2018) 7,100 young people received professional help and 24,677 adults with disabilities received a personal budget (17). Around 15.000 people with a disability are still on a waiting list for care and support.

1
2
3 Despite the fact that article 27 of the UN Convention states that all people with disabilities have the
4 right to work and employment, the majority of people with ID do not work in the regular labour
5 market due to their complex needs associated with their disability. Day-care is an alternative for
6 those people. The VAPH defines day-care as "*assistance and permanence in group during the day, for*
7 *a number of days per week or a whole week*" (18). The focus within those centres is on enabling
8 people with ID to participate in meaningful activities (MA). This is important since activities are
9 assumed to be essential for all humans to achieve goals in life and to influence their state of health
10 (19–24). One important prerequisite for having an impact on the state of one's health is the fact that
11 these activities should be meaningful for the individual (25,26) and since every person is unique, he
12 or she makes different choices for activities (27). Engagement in MA is also crucial to improve the
13 QOL of people with ID (28,29). By participating in MA, they gain a better grip on their own lives,
14 become more independent and have more opportunities to participate in society. If not, people with
15 ID are experiencing deprivation, which is detrimental for their health and well-being (30). Although
16 every person has the right to participate in MA (32–34), this is not always the case for people with ID
17 (35).

26 In recent years the personal goals, needs and wishes of people with ID became increasingly
27 important in enabling MA (9,35,36). It is globally accepted that in a person-centred support system,
28 there should be an alignment between the wishes and goals of a person, his or her support needs,
29 the support given and his or her quality-of-life outcome (36), yet not all people with ID are able to
30 explicitly communicate their goals (9,35). Too often people with ID are dependent on HSWs' abilities
31 to communicate at their level and understand them. Therefore HSWs need to depend on their own
32 experience and those of others (family or other proxies) to understand what is meaningful for the
33 person with ID in order to tailor and adapt activities to each individual with ID (9,35). The quality of
34 the communication between HSWs and people with ID is associated with engagement of people with
35 ID in MA. More specifically, good communication is associated with higher levels of engagement (37).
36 Unfortunately, the bigger the organisation, the lower the commitment in MA (29). Furthermore,
37 people with ID experience activities more meaningfully when they are treated respectfully and as
38 adults (30).

46 In recent years, support for people with ID has improved significantly. Despite this favourable
47 evolution, many people with ID still remain segregated from society and have fewer opportunities for
48 personal development, participation, and inclusion (38). In addition, it is imperative to understand
49 that people with ID depend upon the quality of support they receive from HSWs (29). More specific,
50 the higher the quality of the HSW, the more personal outcomes for people with ID (39). Sadly, people
51 with ID stay under engaged in MA and research on the topic is scarce. More research is needed in
52 order to establish and understand factors that enable or hinder MA (30). HSWs seems to be left to
53 fend for themselves too often, which results in poor quality of support (29). Furthermore, a sizeable
54 portion of HSWs are not qualified adequately to provide the required effective support (40). In
55 addition, HSW's are confronted with a great heterogeneity of ID and various roles, duties and tasks

1
2
3 that are typically determined by the centre in which they are employed. Depending on their
4 educational background, it is difficult for HSW's to acquire all skills, knowledge and abilities that are
5 required to effectively perform their roles (41). In addition, there is a disconnection between EBP and
6 the competencies of HSW's (40). However, it is important to underline that working with people with
7 ID is very challenging for every HSW's due to the complex nature of ID (42,43), resulting in HSW's
8 being exhausted and not being able to meet the demands related to their job, and even resulting into
9 burnout (44).
10
11
12
13
14

15 The overall objective of this study is to develop a more qualitative support for people with ID,
16 enabling them to participate more in meaningful activities and by extension in society. The foregoing
17 results in the following research question for this study: "What do human service workers, working in
18 day-care centres, need to enabling people with ID to engage more in meaningful activities?" The
19 desired outcome for this study is a tool or service that is tailored to the specific needs and wishes of
20 the human service workers. In doing so, HSW's will be able to meet the complex demands, inherent
21 to working with people with ID. In order to develop such a tool or service, a specific co-creative and
22 innovative research method is needed.
23
24
25
26
27
28

29 **METHODS AND ANALYSIS**

30
31
32 Research constantly produces new insights from which products or services emerge. It is generally
33 assumed that only half of these are implemented in practice and that it takes 17 years on average
34 before their use becomes routine (45,46). It can be concluded that there is still a research-to-practice
35 gap (45,47). To overcome that problem new approaches to develop complex interventions are
36 needed and should have key principles such as being dynamic, iterative, creative, open to change and
37 pro-active (47). Therefore, this study is based on *'The field guide to human-centered design (HCD)'*
38 developed by IDEO in 2015. IDEO is a global design company that has launched products, services,
39 and experiences for the profit sector for decades, focusing on the human perspective, where needs
40 are assessed, and solutions are evaluated based on understanding the needs of customers and
41 getting feedback from them (48). In recent years, IDEO has also focused on the non-profit sector
42 because it felt the social sector was ripe for innovation, and needed an approach that has the
43 potential to unlock true impact (49). HCD is nowadays increasingly accepted in the human services
44 sector (50–52), however, when used, it is not used standardised or reduced to using some features of
45 HCD (53,54). Furthermore, there is no consensus definition (53). Therefore, HCD can best be labelled
46 an 'umbrella term' (54) for all approaches grounded in the needs of their target population, also
47 called the end-user, while developing products or services (50,55,56). In essence, HCD puts the
48 needs, expectations, desires and experiences of the end-user central (53,54,57) and explicitly
49 searches for the 'deep story' (48). In addition, it especially helps in developing a comprehensive
50 understanding of the context in which the service or tool will be implemented, and thus helps in
51 facilitating implementation (52). By adopting these methods in health care, one clearly steps away
52
53
54
55
56
57
58
59
60

1
2
3 from 'one size fits all-thinking' which is reflected in the six principles that characterise HCD (54): (I)
4 The design is explicitly based on the understanding of the end-user. (II) The end-user is involved in
5 the complete process of design and development. (III) The design is refined by the feedback of the
6 end-users. (IV) HCD is an iterative process. (V) The design is an answer to the entire user experience.
7 (VI) Including the context. Understanding the HCD process is one thing, living it and being able to
8 apply it is another. To fully exploit the benefits of HCD, it is important researchers embrace the
9 mindsets of HCD. Ideally, the design team consists of multidisciplinary skills and perspectives. IDEO
10 describes seven mindsets that a human-centered designer should master: empathy, optimism,
11 creative self-confidence, making, embracing ambiguity, and learning from failure. In addition, it is
12 important one understands and accepts that HCD is not a linear process. No two processes are the
13 same, however, each process consists out of the same three phases: inspiration, ideation, and
14 implementation (48–50). Each phase has specific tools that can be used to better understand the
15 end-user (49).

16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
HCD should not be seen as a strict alternative to other approaches but as a complementary strategy
that adds value (48). In this study HCD will therefore be combined with the strengths of several
traditional research methods.

What follows is the concrete HCD protocol for this MA4A-study.

Research team

The HCD research team consists out of one lead researcher (first author), supported by two senior
researchers (last two authors). The lead researcher can rely on 7 junior researchers per HCD-phase to
prevent researcher bias and to enhance credibility (58,59). Depending on the needs at the time, the
research team will be supplemented with specific profiles. A statistical expert joins the research team
in phase 1B, for advice in the construction of the survey and analysis of the data. In addition, the lead
researcher followed an intensive training on HCD, to learn to master the process and apply it in
practice. In phase 2A second author participate to facilitate the ideation phase. The third and fourth
authors will actively participate in the complete process as experts on ID.

End-users

In this study, the HSWs are seen as the end-users because people with ID are dependent on their
quality of care and support. The desired outcome of this study is effective support for HSWs in
enabling MA for people with ID. The HSWs in this study are all working in accredited care facilities in
Flanders (Belgium), more specifically in day-care centres. The profile of HSWs working in day-care are
very diverse since the current vacancies do not seek specific education, but rather people who can
identify with the job profile. People with a degree in occupational therapy, education, social work,
and many more can apply for a vacant position. Both people who have completed their secondary
education and people with a bachelor's or master's degree are employed in day-care centres. In
addition to the HSWs as the end-users, the most important stakeholders, the people with ID, should

not be forgotten in this process. Their voice counts every step of the way and therefore we include them in the development process step by step, by means of a sounding board, a member of the development team, and as the most important partner in the implementation phase.

Phase 1 | INSPIRATION

This first phase, the inspiration phase, consists of two major parts, part 1A is a qualitative approach, and part 1B, a quantitative approach. In 1A, a wide variety of insights on enabling MA will be sought. In 1B, these insights will be tested in a larger sample.

Sample

In phase 1A, based on a purposive criteria-based sampling, a minimum of 12 respondents will be retained and maximum variation will be strived for. Criteria on which participants will be selected are 1) working in day-care for people with ID, 2) minimal 70% of the job description is focused on enabling meaningful activities and 3) minimal experience of 1 year. No criteria are set based on age and diploma. Final selection will be made in consultation with the immediate superior to guarantee the continuity of daytime activities. Furthermore, extra attention will be paid to recruit a diverse population; new colleagues, recent graduates, experienced colleagues, and working with different levels of ID. In phase 1B, the quantitative phase, the same criteria will be applied but the percentage of job description is reduced from 70% to a minimum of 50% to allow more HSWs to complete the survey.

Phase 1 A

Participatory observations, combined with in-depth interviews, will be conducted in two day-care centres in Flanders (accredited care providers by the VAPH). A conscious decision was made to include the two most common forms of day-care centres in Flanders. The so called 'traditional approach with workshops' (organisation 2) and the more 'inclusive approach' (organisation 1). In Organisation 1, situated in the province of Antwerp, activities can be observed in the mornings (12h). In Organisation 2, in the province of East Flanders, there are no restrictions, and the researchers have free access to each workshop (24h). The interviews and observations will be performed by the 7 junior researchers, under supervision of the lead researcher. The qualitative research protocol, the interview guide, and participatory observation forms are prepared by the lead researcher in continuous alignment with the two senior researchers.

The qualitative in-depth interviews and observations will be analysed in Nvivo, using an Interpretive Phenomenological Analysis (IPA), since this method is suitable for both qualitative in-depth interviews and for the analysis of observations of small samples (58). In addition, IPA is concerned about how individuals experience phenomena and the psychological interpretation about their experiences (58,59). Both junior researchers and the lead researcher will perform data analysis

1
2
3 independently, in continuous alignment with the senior researchers. Member check and peer
4 debriefing is scheduled after data analysis. The final report will be written by the lead researcher
5 (with feedback all authors) and will be used as a basis for the start of the quantitative part of the
6 inspiration phase (1B).
7
8
9

10 *Phase 1 B*

11 Based on the data from the qualitative part of the inspiration phase (1A), a web-based online survey
12 will be prepared using Qualtrics. The survey will be distributed, accompanied with a cover letter, to
13 all accredited care providers specialised in day-care (n=260). The survey will be pilot tested. In total,
14 24 respondents will fill in the pilot questionnaire, 8 HSWs working in day-care, 8 healthcare students
15 and 8 laymen. The data analysis will be carried out via IBM SPSS statistics 27 by the lead and junior
16 researchers, under supervision of the senior researchers, and in assistance of the statistical expert.
17 Final report will be written by the lead researcher (again with feedback of all authors).
18
19
20
21
22
23
24

25 **Phase 2 | IDEATION**

26
27
28 This phase, must be as 'restriction-free' as possible, mainly to give free rein to the creativity needed
29 at this stage (49). By means of a purposive criterion-based sampling, the development team will be
30 composed. Recruitment of the team will start in the survey (1B). HSWs will be asked whether they
31 are willing to cooperate in this phase. Specific extra profiles will be sought that are assumed to make
32 a unique contribution to the project. Which ones depend on the ideas and concepts that arise in this
33 phase. I.e., for the brainstorm profiles will be selected that have nothing to do with healthcare. In
34 doing so, the development team welcomes people who are unbiased and more likely to come up
35 with wild, new, and innovative ideas.
36
37
38
39
40

41 The ideation phase consists of three major phases. First (2A) a World Café (WC) will be organised for
42 a wide variety of stakeholders (see table 1) as it is a suitable way to enhance a collaborative dialogue
43 around questions that matter (60,61). It facilitates on open and intimate discussion within a larger
44 group of people (60). Different topics inherent to the design challenge will be discussed, guided by
45 the World Café reference Guide (61). Before the start of the WC, the insights from the inspiration
46 phase (both 1A and 1B) are shared with the participants of the WC (n=24) to make sure they are
47 aware of the needs and wishes of the end-users, a basic premise before the search for opportunities
48 begins. The major aim of the WC is to further elaborate on the insights of phase 1, and to tune it to
49 every important stakeholder. In the second part (2B), a brainstorm will be held to generate lots of
50 ideas, using de GPS-method (62). Based on the selected ideas in the GPS-brainstorm, the third and
51 last part of this phase (2C) consists of building prototypes in co creation sessions with the end-users
52 and stakeholders. The prototypes will be presented very quick to the end-users. This fast way of
53 asking for feedback is essential and inherent to HCD . "You'll keep iterating, refining, and building
54 until you're ready to get your solution out into the world" (IDEO, 2015, p75).
55
56
57
58
59
60

2A WORLD CAFE	2B GPS-BRAINSTORM	2C CO-CREATION
Description and criteria	Description and criteria	Description and criteria
HSWs (n=8) <ul style="list-style-type: none"> Working in day-care for adults with ID, Minimal 50% of the job description is focused on enabling meaningful activities Experience >2 year 	HSWs (n=2) <ul style="list-style-type: none"> Working in day-care for adults with ID, Minimal 50% of the job description is focused on enabling meaningful activities Experience >2 year 	HSWs (n=2) <ul style="list-style-type: none"> Working in day-care for adults with ID, Minimal 50% of the job description is focused on enabling meaningful activities Experience >2 year
Supervisor of HSWs (n=4) <ul style="list-style-type: none"> Supervising Human service worker working in daycare Experience >2 year 	Supervisor of HSWs (n=2) <ul style="list-style-type: none"> Supervising Human service worker working in daycare Experience >2 year 	Supervisor of HSWs (n=2) <ul style="list-style-type: none"> Supervising Human service worker working in daycare Experience >2 year
Expert in ID and daycare (n=4) <ul style="list-style-type: none"> Expert in ID policy Expert in day-care 	Expert in ID and daycare (n=2) <ul style="list-style-type: none"> Expert in ID policy Expert in day-care 	Expert in ID and daycare (n=2) <ul style="list-style-type: none"> Expert in ID policy Expert in day-care
Person with ID (n=4) <ul style="list-style-type: none"> Full-time attendee daycare Experience > 1 year 	Expert in Meaningful Activities (n=2)	Expert in Meaningful Activities (n=2)
Expert in Meaningful Activities (n=4)	Person who has no connection with daycare or ID (n=2) <ul style="list-style-type: none"> Affinity with creative thinking and brainstorming 	
Total n=24	Total n=10	Total n=8

Table 1 – Participants in phase 2

Once the team is assembled, an inspiring and nurturing environment will be sought, an environment that welcomes and stimulates creativity. For this study, the entire top floor of the building of the Artevelde University of Applied Sciences (AUAS) will be used for that purpose. In addition, the FABLAB (a makers lab), which is also situated in that building, can be used at all times. The complete phase 2 will be facilitated by lead and junior researchers. More specifically in the WC, the lead researcher will be the 'café host' and the junior researchers will be the 'table hosts'. The lead

1
2
3 researcher will facilitate both the brainstorm and the co-creation sessions. Also, the final report will
4 be written by the lead researcher (with feedback of all authors).
5
6
7
8

9 **Phase 3 | IMPLEMENTATION**

10
11 Based on the insights of phase 1 and 2, in this final phase, the prototype comes to life and will be
12 taken to the end-user in a real world context (48,49,63). In the form of a 'live prototype', the product
13 or service will be tested, followed by a 'pilot', which is a longer test than the live prototype and is one
14 of the final iterations (49). In order to realise a working and sustainable end product or service a
15 prolonged test is needed. Therefore, living labs will be created as they are very suitable in fostering
16 partnerships, validation and sustainability (64). There is no agreed upon definition on living labs but it
17 could be best defined as both an environment and an approach that enables researchers to co-create
18 and develop with the end users and stakeholders (64,65). Both organisation 1 and 2, if necessary
19 supplemented with two other organisations from different provinces in Flanders, will serve as living
20 labs. As those living labs are social environments they are subject to human volitions, culture and
21 language (66,67) and therefore a realist evaluation (RE) is chosen to understand how contextual
22 factors influence our health interventions. Even though a RE is time-consuming, intensive and
23 challenging, it has proven to be a method that provides a deeper understanding of how, when, and
24 for whom a program works (67). Based on scientific literature, the data of previous phases (1A and
25 1B), the ideas and prototype of (2A, 2B and 2C), an Initial Program Theory (IPT) will be created. More
26 specific, contextual factors (C), mechanisms (M) and outcomes (O) will be mapped into a CMO-
27 configuration (66) in order to get a better understanding of how, when and for whom the outcome of
28 this HCD-process (figure 1) works.
29
30
31
32
33
34
35
36
37
38

39 **Patient and Public Involvement**

40
41 HCD carries patient and public involvement in the core of its approach. In this protocol, we took all
42 possible steps to involve people with ID and the HSW. Firstly, the researchers have all a long-lasting
43 connection with clinical practice and the reason why this study is undertaken is based on concrete
44 questions we received from clinical practice. People with ID, who have a strong and trustful relation
45 with the HSW, indicated that they did not always have access to MA. Contact with Flemish day-care
46 centres showed indeed that HSW needed support in enabling MA. The HSW advocated the patients'
47 wishes with the researchers and from these perspectives the person with ID, as well as the HSW
48 were involved in the overall design of the study. The results of the study will therefore be grounded
49 in their specific wishes and the results will have high potential of being tailored to their needs. All
50 results will be shared with all Flemish day-care centres, from the beginning, during and at the end of
51 the study.
52
53
54
55
56
57
58
59
60

ETHICS AND DISSEMINATION

Ethical application was submitted to the Ethics Committee University Hospital Ghent (Belgium) and approved on 06/02/2020. Reference numbers are B670202042983 and PA2021-091. Data collection (1A) started in March 2020. The complete process is expected to continue until August 2023. All participants will sign a written informed consent. To ensure confidentiality, all data obtained from the participants, will be processed pseudonymised. Study results will be written and published. This protocol at all times takes in account guiding principles concerning the rights of people with intellectual disabilities.

DISCUSSION

Developing an intervention is often very complex and calls for a specific approach (47). This HCD research protocol answers to that call and really puts the end-users at the heart of the development process, which is the main aim of HCD (53,55,56,68–70). Research into the application of HCD is not evident as it is constantly used interchangeably with other (similar) methods, which systematically complicates research (53,69). Studies however show that by using HCD in a right way, the functionality, quality, usability and acceptability increases, which ultimately also causes a decrease in product failure (48,51). HCD is very intense and challenging (48,63) and that is why this protocol is so carefully planned. In addition, it is enriched with traditional research methods to reduce bias and enhance credibility. By performing this protocol, not only will the future support for HSWs be grounded in their own wishes and needs, but it will also be established by means of an innovative co-creative approach. An approach that is more likely to be adopted in practice, in comparison to the output of traditional research methods. People with ID will benefit, and other researchers will have a reference protocol that will guide them in their own research. Ultimately, HSWs will receive the proper support they deserve. Because in the end, they are key in enabling people with ID to engage in meaningful activities.

CONTRIBUTORSHIP STATEMENT

CW, DVdV and PDV initiated the study, conceptualised the study and designed the first draft of the study protocol. IDC, GVH and JVL reviewed the study protocol and provided feedback for the refinement of the protocol. CW wrote the first draft of the final version of the manuscript. All authors read the manuscript, provided feedback, and approved the final version.

COMPETING INTERESTS

There are no competing interests to be reported.

FUNDING

This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.

REFERENCES

1. Maulik PK, Mascarenhas MN, Mathers CD, Dua T, Saxena S. Prevalence of intellectual disability: A meta-analysis of population-based studies. *Res Dev Disabil.* 2011;32(2):419–36.
2. Schalock RL, Luckasson R. A systematic approach to subgroup classification in intellectual disability. *Intellect Dev Disabil.* 2015;53(5):358–66.
3. Broekaert E, Van Hove G, Vandevelde S, Soyez V, Vanderplasschen W. *Handbook Special Orthopedagogy.* Antwerpen: Garant; 2012. 515 p.
4. AAIDD. Definition of Intellectual Disability [Internet]. 2020 [cited 2020 Mar 16]. Available from: <https://www.aidd.org/intellectual-disability/definition>
5. APA. Intellectual disability [Internet]. 2013 [cited 2020 Mar 16]. Available from: <https://www.psychiatry.org/psychiatrists/practice/dsm/educational-resources/dsm-5-fact-sheets>
6. Matheis M. Philosophy of Care. In: Matson JL, editor. *Handbook of Intellectual Disabilities.* Springer; 2020. p. 1133.
7. Van Gennep A. Living with dignity with disabilities, about changes in the assistance to people with disabilities in their mental abilities. Garant; 2007.
8. Schepens HRMM, Van Puyenbroeck J, Maes B. How to improve the quality of life of elderly people with intellectual disability: A systematic literature review of support strategies. *J Appl Res Intellect Disabil* [Internet]. 2019;32(3):483–521. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/jar.12559>
9. Albuquerque CP, Carvalho AC. Identification of Needs of Older Adults With Intellectual Disabilities. *J Policy Pract Intellect Disabil.* 2020;17(2):123–31.
10. United Nations. Convention on the Rights of Persons with Disabilities (CRPD) [Internet]. 2006 [cited 2020 Feb 27]. Available from: <https://www.un.org/development/desa/disabilities/convention-on-the-rights-of-persons-with-disabilities.html>
11. United Nations. United Nations Treaty Collection, Chapter 4 - 15 [Internet]. 2020 [cited 2021 Feb 15]. Available from: https://treaties.un.org/Pages/ViewDetails.aspx?src=TREATY&mtdsg_no=IV-15&chapter=4&clang=_en
12. United Nations. United Nations Treaty Collection, Chapter 4 - 15.a. [Internet]. 2020 [cited 2020 Feb 15]. Available from: https://treaties.un.org/Pages/ViewDetails.aspx?src=TREATY&mtdsg_no=IV-15-a&chapter=4&clang=_en
13. Beke W. Beleidsnota 2019-2024 Welfare, Public Health, Family and Poverty Reduction [Internet]. 2019 [cited 2020 Feb 2]. Available from: <https://www.vlaanderen.be/publicaties/beleidsnota-2019-2024-welzijn-volksgezondheid-gezin-en-armoedebestrijding>
14. Gómez LE, Schalock RL, Verdugo MÁ. A new paradigm in the field of intellectual and developmental disabilities: Characteristics and evaluation. *Psicothema.* 2021;33(1):28–35.
15. Gómez LE, Schalock RL, Verdugo MÁ. A quality of life supports model: Six research-focused steps to evaluate the model and enhance research practices in the field of IDD. *Res Dev Disabil.* 2021;119(November).
16. Vandeurzen J. Perspective 2020 new support policy for people with disabilities [Internet]. 2010 [cited 2019 Oct 19]. p. 77. Available from: <https://www.vaph.be/sites/default/files/documents/perspectiefplan-2020-nieuw-ondersteuningsplan-voor-personen-met-een-handicap-9-juli-2010/perspectiefplan-2020-nieuw-ondersteuningsbeleid-voor-pmh.pdf>
17. Statistics Flanders. Flanders Data [Internet]. 2018 [cited 2020 Feb 2]. Available from: <https://www.statistiekvlaanderen.be/nl/personen-met-handicap-met-persoonsvolgend->

- budget
18. VAPH. Day support [Internet]. [cited 2021 Mar 15]. Available from: <https://www.vaph.be/persoonlijke-budgetten/pvb/ondersteuning>
 19. Christiansen CH, Townsend EA. *Introduction to Occupation: The Art of Science and living*. New Intern. Pearson Education Limited; 2014. 376 p.
 20. Iwama M, Turpin M. Using occupational therapy models in practice a field guide. 2011;1–195.
 21. Kielhofner G. *Conceptual Foundations of Occupational Therapy Practice*. 4th ed. Philadelphia: F.A. Davis Company; 2009. 352 p.
 22. Townsend EA, Polatajko HJ. *Enabling Occupation 2: advancing an occupational therapy vision for health, well-being, & justice through occupation*. Ottawa, Ontario: CAOT Publications ACE; 2007. 418 p.
 23. Reilly M. Occupational therapy can be one of the great ideas of the 20 century. *American journal occupational therapy*. 1962;XVI(1):16 (1-): 1-9.
 24. Meyer A. The Philosophy of Occupation Therapy. Vol. 31, *The American journal of occupational therapy*. 1922. p. 639–42.
 25. De Vriendt P, Gauwe V, Van de Velde D. Clever set goals in primary care; Meaningful activities as leverage to facilitate goal oriented care. *Arteveldehogeschool Gent*, editor. Uitgeverij Politeia NV; 2019. 174 p.
 26. Christiansen CH, Baum CM. *Occupational Therapy Performance, Participation, and Well-Being*. Vol. 52. Slack Incorporated; 2005. 070101 p.
 27. Cornelis E, Vanbosseghem R, Desmet V, de Vriendt P. *Meaningful activity method*. Uitgeverij Politeia NV; 2018. 192 p.
 28. Mansell J, Elliott T, Beadle-Brown J, Ashman B, Macdonald S. Engagement in meaningful activity and “active support” of people with intellectual disabilities in residential care. *Res Dev Disabil* [Internet]. 2002;23(5):342–52. Available from: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L36158859>
 29. Mansell J, Beadle-Brown J. *Active Support: enabling and empowering people with intellectual disabilities*. Philadelphia: Jessica Kingsley Publishers; 2012. 224 p.
 30. Mahoney W, Roberts E. Co-occupation in a day program for adults with developmental disabilities. *J Occup Sci* [Internet]. 2009 Oct;16(3):170–9. Available from: <http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=105326349&site=ehost-live&scope=site>
 31. Matson JL. *Handbook of Intellectual Disabilities*. Springer nature Switzerland AG 2019; 2019.
 32. United Nations. *The United Nations convention on the rights of persons with disabilities* [Internet]. 2006 [cited 2021 Feb 15]. p. 28. Available from: <http://www.un.org/esa/socdev/enable/rights/convtexte.htm>
 33. Treanor DP. *Intellectual Disability and Social Policies of Inclusion*. *Intellectual Disability and Social Policies of Inclusion*. 2020.
 34. Sheerin F, Curits EA. *Leadership for Intellectual Disability Service, Motivating Change and Improvement*. Taylor & Francis; 2019.
 35. Munde VS, Vlaskamp C. Individuals with Profound Intellectual and Multiple Disabilities at Work?! Activities in Special Day Service Centers in Germany. *J Policy Pract Intellect Disabil*. 2019;16(3):232–8.
 36. van Loon JHM. Guidelines in Supporting People with Intellectual Disabilities. It’s all About Values. *Glob J Intellect Dev Disabil*. 2020;7(1):1–5.
 37. Iacono T, Bould E, Beadle-Brown J, Bigby C. An exploration of communication within active support for adults with high and low support needs. *J Appl Res Intellect Disabil* [Internet]. 2019 Jan;32(1):61–70. Available from: <http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=133443313&site=ehost-live&scope=site>
 38. Schalock RL, Van Loon J, Mostert R. a Systematic Approach To Enhancing the Personal Well-Being of Children and Adolescents. *Int J Child, Youth Fam Stud*. 2018;9(4):188–205.


- 1
- 2
- 3 39. Friedman C. The Impact of Human Service Provider Quality on the Personal Outcomes of
- 4 People With Intellectual and Developmental Disabilities. 2022;2(January):1–10.
- 5 40. Gormley L, Healy O, O’Sullivan B, O’Regan D, Grey I, Bracken M. The impact of behavioural
- 6 skills training on the knowledge, skills and well-being of front line staff in the intellectual
- 7 disability sector: a clustered randomised control trial. *J Intellect Disabil Res* [Internet].
- 8 2019;63(11):1291–304. Available from:
- 9 <https://onlinelibrary.wiley.com/doi/abs/10.1111/jir.12630>
- 10 41. Nankervis KL, Vassos M V. Agencies and Professions in the Provision of Care. In: Matson JL,
- 11 editor. *Handbook of Intellectual Disabilities*2. Springer; 2020. p. 1133.
- 12 42. Noonan PM, Gaumer Erickson AS. Multidisciplinary Teams. In: Matson JL, editor. *Handbook of*
- 13 *Intellectual Disabilities*. Springer; 2020. p. 1133.
- 14 43. Devereux J, Hastings R, Noone S. Staff stress and burnout in intellectual disability services:
- 15 Work stress theory and its application. *J Appl Res Intellect Disabil*. 2009;22(6):561–73.
- 16 44. Kozak A, Kersten M, Schillmöller Z, Nienhaus A. Psychosocial work-related predictors and
- 17 consequences of personal burnout among staff working with people with intellectual
- 18 disabilities. *Res Dev Disabil*. 2013;34(1):102–15.
- 19 45. Bauer MS, Damschroder L, Hagedorn H, Smith J, Kilbourne AM. An introduction to
- 20 implementation science for the non-specialist. *BMC Psychol* [Internet]. 2015;3(1):1–12.
- 21 Available from: <http://dx.doi.org/10.1186/s40359-015-0089-9>
- 22 46. Pozen R, Kline H. Defining Success for Translational Research Organizations.
- 23 [wwwScienceTranslationalMedicine.org](http://www.ScienceTranslationalMedicine.org). 2011;3(94):1–5.
- 24 47. O’Cathain A, Croot L, Duncan E, Rousseau N, Sworn K, Turner KM, et al. Guidance on how to
- 25 develop complex interventions to improve health and healthcare. *BMJ Open*. 2019;9(8):1–9.
- 26 48. Hartung H, Rottenberg S. Human-Centered Design: Understanding Customers’ Needs Through
- 27 Discovery and Interviewing. *Acad Entrep Med Heal Sci* [Internet]. 2019;1(4-Article 5):1–9.
- 28 Available from: <https://repository.upenn.edu/ace/vol1/iss4/5>
- 29 49. IDEO. *The Field Guide to Human-Centered Design*. 1st ed. San Fransisco: IDEO.org; 2015. 192
- 30 p.
- 31 50. Brown T, Wyatt J. Design Thinking for Social Innovation. *Dev Outreach*. 2010;Special re.
- 32 51. Moody L. User-centred health design: Reflections on D4Ds experiences and challenges. *J Med*
- 33 *Eng Technol*. 2015 Oct 3;39(7):395–403.
- 34 52. Nurjono M, Shrestha P, Lee A, Lim XY, Shiraz F, Tan S, et al. Realist evaluation of a complex
- 35 integrated care programme: Protocol for a mixed methods study. *BMJ Open*. 2018;8(3).
- 36 53. Bazzano AN, Martin J, Hicks E, Faughnan M, Murphy L. Human-centred design in global health:
- 37 A scoping review of applications and contexts. *PLoS One*. 2017 Nov 1;12(11).
- 38 54. Holeman I, Kane D. Human-centered design for global health equity. *Inf Technol Dev*. 2019;
- 39 55. Altman M, Huang TTK, Breland JY. Design thinking in health care. *Prev Chronic Dis*. 2018 Sep
- 40 1;15(9).
- 41 56. Ku B, Lupton E. *Health Design Thinking*. New York: Cooper Hewitt, Smithsonian Design
- 42 Museum; 2020. 223 p.
- 43 57. Adam M, McMahan SA, Prober C, Bärnighausen T. Human-Centered Design of Video-Based
- 44 Health Education: An Iterative, Collaborative, Community-Based Approach. *J Med Internet*
- 45 *Res*. 2019 Jan 30;21(1):e12128.
- 46 58. Howitt D. *Qualitative Research Methods in Psychology*. Third edit. United Kingdom: Pearson
- 47 Education Limited; 2016. 578 p.
- 48 59. Taylor RR. *Research in occupational therapy: methods of inquiry for enhancing practice*.
- 49 second edi. Philadelphia: F.A. Davis Company; 2017. 547 p.
- 50 60. Löhr K, Weinhardt M, Sieber S. The “World Café” as a Participatory Method for Collecting
- 51 Qualitative Data. *Int J Qual Methods*. 2020;19:1–15.
- 52 61. The World Café Community Foundation Creative Commons Attribution. *A Quick Reference*
- 53 *Guide for Hosting World Café What are World Café Conversations ?* 2015; Available from:
- 54 <http://www.theworldcafe.com/wp-content/uploads/2015/07/Cafe-To-Go-Revised.pdf>
- 55
- 56
- 57
- 58
- 59
- 60

62. Flanders DC. GPS-manual. Leuven: Flanders District Of Creativity vzw; 2015. p. 23.
63. Brown T. Change by design. New York: HarperCollins Publishers; 2019. 294 p.
64. Kim J, Kim YL, Jang H, Cho M, Lee M, Kim J, et al. Living labs for health: An integrative literature review. *Eur J Public Health*. 2020;30(1):55–63.
65. Ståhlbröst A, Holst M. The Living Lab Methodology Handbook. Luleå Univ Technol CDT – Cent Distance-spanning Technol [Internet]. 2012;76. Available from: http://www.ltu.se/cms_fs/1.101555!/file/LivingLabsMethodologyBook_web.pdf
66. Gilmore B, McAuliffe E, Power J, Vallières F. Data Analysis and Synthesis Within a Realist Evaluation: Toward More Transparent Methodological Approaches. *Int J Qual Methods*. 2019;18:1–11.
67. Fick F, Muhajarine N. First steps: creating an initial program theory for a realist evaluation of Healthy Start-Départ Santé intervention in childcare centres. *Int J Soc Res Methodol* [Internet]. 2019;22(6):545–56. Available from: <https://doi.org/10.1080/13645579.2019.1595375>
68. Foley SM. Service design for delivery of user centered products and services in healthcare. *J Commer Biotechnol*. 2018;24(1):69–77.
69. Ghazali M, Ariffin NAM, Omar R. User Centered Design Practices in Healthcare: A Systematic Review. *User Centered Design Practices in Healthcare: A Systematic Review*. 2014.
70. Naar L, Zimmermann A, Bobinet K, Sklar A. The human-centered health system: Transforming healthcare with design. Doha, Qatar: World Innovation Summit for Health; 2018.

FIGURE LEGEND

Figure 1 - Overview of the HCD-protocol

open-2022-061736 on 17 August 2022. Downloaded from <http://bmjopen.bmj.com/> on October 30, 2024 by guest. Protected by copyright.



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44

BMJ Open

Supporting direct support professionals in enabling people with intellectual disabilities to engage in meaningful activities: protocol for the Meaningful Activities 4 All (MA4A) study based on the human-centred design process

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2022-061736.R1
Article Type:	Protocol
Date Submitted by the Author:	23-Jun-2022
Complete List of Authors:	Wille, Christophe; Ghent University, Department of Rehabilitation Sciences and Physiotherapy; Artevelde University College, Health and Care De Clercq, Ine; Artevelde University College, Health and Care Van Hove, Geert; Ghent University, Special Needs Education Van Loon, Jos; Ghent University, Special Needs Education Van de Velde, Dominique; Ghent University, Department of Rehabilitation Sciences and Physiotherapy; Artevelde University College, Health and Care De Vriendt, Patricia; Vrije Universiteit Brussel, Department of Gerontology and Frailty in Ageing Research Group; Artevelde University College, Health and Care
Primary Subject Heading:	Research methods
Secondary Subject Heading:	Health services research, Patient-centred medicine, Rehabilitation medicine
Keywords:	REHABILITATION MEDICINE, Quality in health care < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, SOCIAL MEDICINE

SCHOLARONE™
Manuscripts

1
2
3 **Supporting direct support professionals in enabling people with intellectual disabilities**
4 **to engage in meaningful activities: protocol for the Meaningful Activities 4 All (MA4A)**
5
6 **study based on the human-centred design process**
7
8

9 **AUTHORS AND AFFILIATIONS:**

10 Drs. Christophe Wille | 1-2 ORCID 0000-0002-2138-6200
11 Dr. Ine De Clercq | 1 ORCID 0000-0003-2159-7777
12 Prof. Dr. Geert van Hove | 4 ORCID 0000-0003-3266-0524
13 Prof. Dr. Jos van Loon | 4 ORCID 0000-0002-0218-9594
14 Prof. Dr. Dominique Van de Velde | 1-2 ORCID 0000-0001-6982-1075
15 Prof. Dr. Patricia de Vriendt | 1-2-3 ORCID 0000-0003-4861-7838
16
17
18
19

20
21 1 Occupational Therapy Department
22 Faculty Health and Care
23 Artevelde University of Applied Sciences
24 Ghent
25 Belgium
26
27
28

29
30 2 Department of Rehabilitation Sciences and Physiotherapy
31 Faculty of Medicine and Health Sciences
32 Ghent University
33 Ghent
34 Belgium
35
36
37

38 3 Department Gerontology, Frailty in Older (FRIA) research group and Mental Health and
39 Wellbeing (Ment) research group
40 Faculty of Medicine and Pharmacy
41 Vrije Universiteit Brussel
42 Brussels
43 Belgium
44
45
46
47

48 4 Department of Special Needs Education
49 Faculty of Psychology and Educational Sciences
50 Ghent University
51 Ghent
52 Belgium
53
54
55

56
57 **CORRESPONDENCE TO:**

58 Christophe Wille
59
60

1
2
3 Corneel Heymanslaan 10
4 9000 Gent
5 Belgium
6
7 <https://orcid.org/0000-0002-2138-6200>
8
9 chriwill.Wille@UGent.be
10

11 12 13 **ABSTRACT**

14 **INTRODUCTION**

15
16 Meaningful activities (MA) have a positive impact on identity, well-being, participation, and inclusion.
17 Although people with intellectual disabilities (PID) depend on their direct support professionals (DSPs)
18 to engage in MA, the DSPs need support which could enable them to offer more qualitative care and
19 support.
20
21

22 **METHODS AND ANALYSIS**

23
24 To identify DSPs' needs, and to develop a tool/service, an innovative and iterative approach is
25 developed, based on the human-centred design (HCD) process, combined with traditional qualitative
26 and quantitative research methods. In the inspiration phase (needs analysis) in-depth interviews will
27 be conducted in two day-care centres in Flanders using an Interpretative Phenomenological Analyses,
28 one with a supply-driven-approach and the other with a demand-driven approach, followed by a
29 survey sent to all Flemish day-care centres. In the ideation phase, the insights of phase one will guide
30 a co-creation process (comprising a world cafe, brainstorm, and prototype sessions) with the DSPs, PID
31 and other stakeholders. In the implementation phase, the solution will be tested in the two day-care
32 centres from phase 1 by means of living labs and a realist evaluation. By adopting this protocol, the
33 functionality, quality, usability, and acceptance is expected to increase. This protocol adopts all phases
34 of the HCD process and shows the complementarity of HCD with traditional research methods. PID and
35 the DSPs will benefit as the end-result is truly grounded in their specific needs and wishes.
36
37

38 **ETHICS AND DISSEMINATION**

39
40 Ethical approval by the Ethics Committee of the University Hospital Ghent, Belgium (Reference
41 numbers B670202042983 and PA2021-091). All participants will sign informed consent forms. Results
42 of this study will be submitted for publication in relevant peer-reviewed journals and will be presented
43 at relevant conferences.
44
45
46
47
48
49

50 **KEYWORDS**

51 Accredited care providers, Disability policy, Innovation, Support needs, Disability support worker
52
53
54
55
56
57
58
59
60

STRENGTHS AND LIMITATIONS OF THIS STUDY

- This Meaningful Activities 4 All study protocol uses a complete human-centred design process and combines it with the strengths of traditional research methods.
- The end-users will be involved in the whole project from the outset.
- Co-creation with people with intellectual disabilities is challenging and required accessible co-creation tools and specific support.
- Sample sizes are difficult to determine as there are no exact numbers of direct support professionals working in day-care facilities.
- Prolonged engagement in practice through living labs facilitates further development and refinement.

INTRODUCTION

It is generally assumed that the prevalence of people with intellectual disabilities (PID) worldwide varies from 1% to 3% based on income, age and origin, with the highest rates to be found in low- and middle-income countries (1). The most widely adopted definition of ID is taken from the American Association on Intellectual and Developmental Disabilities (AAIDD) (2,3): *“Intellectual disability is a disability characterised by significant limitations in both intellectual functioning and in adaptive behaviour, which covers many everyday social and practical skills. This disability originates before the age of 18 (4)”*. The AAIDD emphasises the multi-dimensionality of ID (3–5), enabling Direct support professionals (DSPs) to get a more comprehensive understanding of ID, and allowing them to establish a more purposeful approach towards PID (2). DSPs are called many names such as human service workers, disability support workers, and personal care aids (6). DSPs are a group of paid workers who provide care for PID (7). DSPs work in a variety of settings and provide a wide range of complex services which include helping people with activities of daily living and promoting physical and emotional well-being. *“DSPs are the ‘backbone’ of long-term services and supports”* (6) and have an important role in health promotion and influencing healthy behaviour (7).

PID have been excluded from society for a long time due to their limited abilities in both their intellectual capacities and adaptive behaviour (8). Even though PID living in communities are associated with having higher levels of Quality of Life (QOL) (9), they still need continuous additional support to participate in society as equal citizens (3,10). Therefore, PID when not adequately supported, are at risk of being excluded from society (8). In addition, life expectancy of PID increased significantly over the last decade’s (11,12). Older PID represent nearly half of all PID (12). Consequently, nearly half of the people in day-care facilities are of older age (12) and have a life expectancy close to that of people without disabilities. Most PID lack age-specific support and when they age this can potentially lead to inappropriate placement and loss of social networks (11). Older PID are a profoundly diverse group with different and complex needs, (12,13) which requires specific

1
2
3 assessment and person-centred planning and support (12). Although specific risk factors such as
4 different life course trajectories, older prejudices, networks falling apart and age-related health
5 problems exist, older PID can be supported in an active way, with specific interventions adapted to
6 their individual needs (11).
7
8
9

10 One of the most important and influential conventions that addresses inequality is the *'United Nations*
11 *Convention on the Rights of Persons with Disabilities'* (UNCRPD) (8). By signing the convention, all
12 member states agree to implement the convention in their national policy on ID (8,14). Since the
13 convention was adopted, 164 countries signed the convention (15) and 94 ratified both the convention
14 and the optional protocol (16). The Flemish Agency for Persons with Disabilities (VAPH) has developed
15 a policy in accordance with the UN Convention and the current vision on ID (17). The 'quality of life
16 supports model paradigm' (18,19), comprised out of four core values (equity, inclusion, self-
17 determination and empowerment) is at the heart of the policy. In Flanders, the Flemish part of Belgium
18 with an autonomous government, (at the end of 2018) 7,100 young people received professional help
19 and 24,677 adults with disabilities received a personal budget (20,21). Around 15.000 people with a
20 disability are still on a waiting list for care and support.
21
22
23
24
25
26
27

28 Despite the fact that article 27 of the UN Convention states that all people with disabilities have the
29 right to work and employment, the majority of PID do not work in the regular labour market due to
30 their complex needs associated with their disability. Day-care is an alternative for those people. The
31 VAPH defines day-care as *"assistance and permanence in group during the day, for a number of days*
32 *per week or a whole week"* (22). The focus within those centres is on enabling PID to participate in
33 activities. This is important since activities are assumed to be essential for all humans to achieve goals
34 in life and to influence their state of health (23–25). One important prerequisite for having an impact
35 on the state of one's health is the fact that these activities should be meaningful for the individual
36 (26,27). Meaningful Activities (MA) are activities that an individual consciously engages in to achieve a
37 personal sense of meaning and fulfilment (28,29) by means of choice, control, and belonging (24). MA
38 are associated with the personal interests of people and are enjoyable by nature (28,30). MA occur in
39 a specific social, family, and cultural context and define one as a person and provide us with a sense of
40 identity (28). People who experience meaning in their activities have a greater sense of well-being (24).
41 Engagement in MA of older people specifically enables them to feel more productive and connected
42 with society (31) and is also crucial to improve the QOL of PID (32,33). By participating in MA, they gain
43 a better grip on their own lives, become more independent and have more opportunities to participate
44 in society. If not, PID are experiencing deprivation, which is detrimental for their health and well-being
45 (34). Although every person has the right to participate in MA (32–34), this is not always the case for
46 PID (35).
47
48
49
50
51
52
53
54
55
56

57 In recent years the personal goals, needs and wishes of PID became increasingly important in enabling
58 MA (12,35,36). It is globally accepted that in a person-centred support system, there should be an
59 alignment between the wishes and goals of a person, his or her support needs, the support given and
60

1
2
3 his or her quality-of-life outcome (36), yet not all PID are able to explicitly communicate their goals
4 (13,35). Too often PID are dependent on DSPs' abilities to communicate at their level and understand
5 them. Therefore, DSPs need to depend on their own experience and those of others (family or other
6 proxies) to understand what is meaningful for the PID in order to tailor and adapt activities to each
7 individual with ID (12,35). The quality of the communication between DSPs and PID is associated with
8 engagement of PID in MA. More specifically, good communication is associated with higher levels of
9 engagement (37). Unfortunately, the bigger the organisation, the lower the commitment in MA (33).

10
11
12
13
14
15 When asked, PID suggest that quality of care is related to their immediate situation in receiving care
16 and services, such as the relationship with the DSPs. In particular, the consistent fulfilment of promises
17 and commitments made by the DSPs. In addition, PID value ambiance and cosiness, tailor-made care,
18 and being taken seriously regarding their wishes and competencies (38). Furthermore, PID experience
19 activities more meaningfully when they are treated respectfully and as adults (34). In essence, the
20 relationship between the PID and the DSPs is fundamental for providing a high quality of care,
21 especially in long-term care (39).

22
23
24
25
26 In recent years, support for PID has improved significantly. Despite this favourable evolution, many PID
27 still remain segregated from society and have fewer opportunities for personal development,
28 participation, and inclusion (40). In addition, it is imperative to understand that PID depend upon the
29 quality of support they receive from DSPs (33). More specifically, the higher the quality of the DSP, the
30 more personal outcomes for PID (41). Sadly, PID remain under engaged in MA and research on the
31 topic is scarce. More research is needed in order to establish and understand factors that enable or
32 hinder MA (34). DSPs seem to be left to fend for themselves too often, which results in poor quality
33 of support (33). Furthermore, a sizeable portion of DSPs are not qualified adequately to provide the
34 required effective support (41). In addition, DSP's are confronted with a great heterogeneity of ID and
35 various roles, duties and tasks that are typically determined by the centre in which they are employed.
36 Depending on their educational background, it is difficult for DSP's to acquire all skills, knowledge and
37 abilities that are required to effectively perform their roles (42). In addition, there is a disconnection
38 between evidence-based practice and the competencies of DSP's (41). However, it is important to
39 underline that working with PID is very challenging for all DSP's due to the complex nature of ID (43,44),
40 resulting in DSP's being exhausted and not being able to meet the demands related to their job, and
41 even resulting in burnout (45).

42
43
44
45
46
47
48
49
50
51 The overall objective of this study is to develop a more qualitative support for PID, enabling them to
52 participate more in meaningful activities and by extension in society. The aforementioned results in
53 the following research question for this study: "What do DSPs, working in day-care centres, need to
54 enable PID to engage more in meaningful activities?" The desired outcome for this study is a tool or
55 service that is tailored to the specific needs and wishes of the DSPs. In doing so, DSP's will be able to
56 meet the complex demands, inherent to working with PID. In order to develop such a tool or service,
57 a specific co-creative and innovative research method is needed.

METHODS AND ANALYSIS

Research constantly produces new insights from which products or services emerge. It is generally assumed that only half of these are implemented in practice and that it takes 17 years on average before their use becomes routine (46,47). It can be concluded that there is still a research-to-practice gap (46,48). To overcome that problem new approaches to develop complex interventions are needed and should have key principles such as being dynamic, iterative, creative, open to change and proactive (48). Therefore, this Meaningful Activities 4 All (MA4A) study protocol is based on *'The field guide to human-centered design (HCD)'* developed by IDEO in 2015. IDEO is a global design company that has launched products, services, and experiences for the profit sector for decades, focusing on the human perspective, where needs are assessed, and solutions are evaluated based on understanding the needs of customers and getting feedback from them (49). In recent years, IDEO has also focused on the non-profit sector because it felt the social sector was ripe for innovation and needed an approach that has the potential to unlock true impact (50). HCD is nowadays increasingly accepted in the human services sector (51–53), however, when used, it is not used in a standardised way or is reduced to using some features of HCD (54,55). Furthermore, there is no consensus definition (56). Therefore, HCD can be labelled as an 'umbrella term' (55) for all approaches grounded in the needs of their target population, also called the end-user, while developing products or services (51,56,57). Despite the fact that HCD is sometimes still reduced to a buzzword, there is clear agreement that the 'human' part refers to the participation of stakeholders, and that there is a real commitment and focus on human value (55). That, and also the fact that HCD really does focus on equity, has led to make the HCD process central to this MA4A-protocol. In essence, HCD puts the needs, expectations, desires, and experiences of the end-user central (54,55,58) and explicitly searches for the 'deep story' (49). In addition, it especially helps in developing a comprehensive understanding of the context in which the service or tool will be implemented, and thus helps in facilitating implementation (53). By adopting these methods in health care, one clearly steps away from 'one size fits all-thinking' which is reflected in the six principles that characterise HCD (55): (I) The design is explicitly based on the understanding of the end-user. (II) The end-user is involved in the complete process of design and development. (III) The design is refined by the feedback of the end-users. (IV) HCD is an iterative process. (V) The design is an answer to the entire user experience. (VI) Including the context. Understanding the HCD process is one thing, living it and being able to apply it is another. To fully exploit the benefits of HCD, it is important researchers embrace the mindsets of HCD. Ideally, the design team consists of multidisciplinary skills and perspectives. IDEO describes seven mindsets that a human-centred designer should master: empathy, optimism, creative self-confidence, making, embracing ambiguity, and learning from failure. In addition, it is important one understands and accepts that HCD is not a linear process. No two processes are the same, however, each process consists out of the same three phases: inspiration, ideation, and implementation (49–51). Each phase has specific tools that can be used to better understand the end-user (50).

1
2
3 HCD should not be seen as a strict alternative to other approaches but as a complementary strategy
4 that adds value (49). In this MA4A-study protocol, HCD will therefore be combined with the strengths
5 of several traditional research methods.
6
7

8 9 *Research team*

10 The HCD research team consists out of one lead researcher (first author), supported by two senior
11 researchers (last two authors). The lead researcher can rely on 7 junior researchers per HCD-phase to
12 prevent researcher bias and to enhance credibility (59,60). Depending on the needs at the time, the
13 research team will be supplemented with specific profiles. A statistical expert joins the research team
14 in phase 1B, for advice in the construction of the survey and analysis of the data. In addition, the lead
15 researcher followed an intensive training on HCD, to learn to master the process and apply it in
16 practice. In phase 2A the second author participates to facilitate the ideation phase. The third and
17 fourth authors will actively participate in the complete process as experts on ID.
18
19
20
21
22

23 24 *End-users*

25 In this study, the DSPs are seen as the end-users because PID are dependent on their quality of care
26 and support. The desired outcome of this study is effective support for DSPs in enabling MA for PID.
27 The DSPs in this study are all working in accredited care facilities in Flanders (Belgium), more
28 specifically in day-care centres. The profile of DSPs working in day-care are very diverse since the
29 current vacancies do not seek specific education, but rather people who can identify with the job
30 profile. People with a degree in occupational therapy, education, social work, and many more can
31 apply for a vacant position. Both people who have completed their secondary education and people
32 with a bachelor's or master's degree are employed in day-care centres. In addition to the DSPs as the
33 end-users, the most important stakeholders, the PID, should not be forgotten in this process. Their
34 voice counts every step of the way and therefore we include them in the development process step by
35 step, by means of a sounding board, a member of the development team, and as the most important
36 partner in the implementation phase.
37
38
39
40
41
42
43
44

45 46 **Phase 1: Inspiration**

47
48 This first phase, the inspiration phase, consists of two major parts, part 1A is a qualitative approach,
49 and part 1B, a quantitative approach. In 1A, a wide variety of insights on enabling MA will be sought.
50 In 1B, these insights will be tested in a larger sample.
51
52
53

54 55 *Sample*

56 In phase 1A, based on a purposive criteria-based sampling, a minimum of 12 respondents will be
57 retained and maximum variation will be strived for. Criteria on which participants will be selected are
58 1) working in day-care for PID, 2) minimal 70% of the job description is focused on enabling meaningful
59 activities and 3) minimal experience of 1 year. No criteria are set based on age and qualification. Final
60

1
2
3 selection will be made in consultation with the immediate superior to guarantee the continuity of
4 daytime activities. Furthermore, extra attention will be paid to recruit a diverse population; new
5 colleagues, recent graduates, experienced colleagues, and working with different levels of ID. In phase
6 1B, the quantitative phase, the same criteria will be applied but the percentage of job description is
7 reduced from 70% to a minimum of 50% to allow more DSPs to complete the survey.
8
9

10 11 12 *Phase 1 A*

13 Participatory observations, combined with in-depth interviews, will be conducted in two day-care
14 centres in Flanders (accredited care providers by the VAPH). A conscious decision was made to include
15 the two most common forms of day-care centres in Flanders. The so called 'traditional approach' (more
16 supply-driven) with workshops (organisation 2) and the more 'inclusive approach' (which is more
17 demand-driven) (organisation 1). In Organisation 1, situated in the province of Antwerp, activities can
18 be observed in the mornings (12 hours in total). In Organisation 2, in the province of East Flanders,
19 there are no restrictions, and the researchers have free access to each workshop (24 hours in total).
20 The interviews and observations will be performed by the 7 junior researchers, under supervision of
21 the lead researcher. The qualitative research protocol, the interview guide, and participatory
22 observation forms are prepared by the lead researcher in continuous alignment with the two senior
23 researchers. The topics that will be addressed within the in-depth interviews are related to how DSPs
24 experience enabling MA, which fostering or obstructing factors there exist, and which support needs
25 they have in enabling MA. The complete interview guide can be consulted in supplementary material
26 1.
27
28
29
30
31
32
33
34

35 The qualitative in-depth interviews and observations will be analysed in NVivo, using an Interpretive
36 Phenomenological Analysis (IPA), since this method is suitable for both qualitative in-depth interviews
37 and for the analysis of observations of small samples (59). In addition, IPA is concerned about how
38 individuals experience phenomena and the psychological interpretation of their experiences (59,60).
39 Both junior researchers and the lead researcher will perform data analysis independently, in
40 continuous alignment with the senior researchers. Member check and peer debriefing is scheduled
41 after data analysis. The final report will be written by the lead researcher (with feedback from all
42 authors) and will be used as a basis for the start of the quantitative part of the inspiration phase (1B).
43
44
45
46
47

48 49 50 *Phase 1 B*

51 Based on the data from the qualitative part of the inspiration phase (1A), a web-based online survey
52 will be prepared using Qualtrics. The survey will be distributed, accompanied with a cover letter, to all
53 accredited care providers specialised in day-care (n=260). The survey will be pilot tested. In total, 24
54 respondents will fill in the pilot questionnaire, 8 DSPs working in day-care, 8 healthcare students and
55 8 laymen. The data analysis will be carried out via IBM SPSS statistics 27 by the lead and junior
56 researchers, under supervision of the senior researchers, and with assistance from the statistical
57 expert. Final report will be written by the lead researcher (again with feedback from all authors).
58
59
60

Phase 2: Ideation

This phase must be as 'restriction-free' as possible, mainly to give a free rein to the creativity needed at this stage (50). By means of a purposive criterion-based sampling, the development team will be composed. Recruitment of the team will start in the survey (1B). DSPs will be asked whether they are willing to cooperate in this phase. Specific extra profiles will be sought that are assumed to make a unique contribution to the project. Which profiles depend on the ideas and concepts that arise in this phase. I.e., for the brainstorm profiles will be selected that have nothing to do with healthcare. In doing so, the development team welcomes people who are unbiased and more likely to come up with new and innovative ideas.

The ideation phase consists of three major phases. First (2A) a World Cafe will be organised for a wide variety of stakeholders (see table 1) as it is a suitable way to enhance a collaborative dialogue around questions that matter (61,62). It facilitates an open and intimate discussion within a larger group of people (61). Different topics inherent to the design challenge will be discussed, guided by the World Cafe reference Guide (62). Before the start of the World Cafe, the insights from the inspiration phase (both 1A and 1B) are shared with the participants of the World Cafe (n=24) to make sure they are aware of the needs and wishes of the end-users, a basic premise before the search for opportunities begins. The major aim of the World Cafe is to further elaborate on the insights of phase 1, and to tune it to every important stakeholder. In the second part (2B), a guided brainstorm (63) will be held. The guided brainstorm is structured in time and approach. It starts with generating ideas, followed by selecting the best ideas. In the final step the ideas are translated into a project sheet. Based on the project sheet from the guided brainstorm, the third and last part of this phase (2C) starts and consists of building prototypes in co-creation sessions with the end-users and stakeholders. The prototypes will be presented very quickly to the end-users. This fast way of asking for feedback is essential and inherent to HCD. *"You'll keep iterating, refining, and building until you're ready to get your solution out into the world"* (IDEO, 2015, p75).

2A WORLD CAFÉ	2B GUIDED BRAINSTORM	2C CO-CREATION
Description and criteria	Description and criteria	Description and criteria
DSPs (n=8) <ul style="list-style-type: none"> • Working in day-care for adults with ID, • Minimal 50% of the job description is focused on enabling meaningful activities • Experience >2 year 	DSPs (n=2) <ul style="list-style-type: none"> • Working in day-care for adults with ID, • Minimal 50% of the job description is focused on enabling meaningful activities • Experience >2 year 	DSPs (n=2) <ul style="list-style-type: none"> • Working in day-care for adults with ID, • Minimal 50% of the job description is focused on enabling meaningful activities • Experience >2 year

Supervisor of DSPs (n=4) <ul style="list-style-type: none"> Supervising Human service worker working in day-care Experience >2 year 	Supervisor of DSPs (n=2) <ul style="list-style-type: none"> Supervising Human service worker working in day-care Experience >2 year 	Supervisor of DSPs (n=2) <ul style="list-style-type: none"> Supervising Human service worker working in day-care Experience >2 year
Expert in ID and day-care (n=4) <ul style="list-style-type: none"> Expert in ID policy Expert in day-care 	Expert in ID and day-care (n=2) <ul style="list-style-type: none"> Expert in ID policy Expert in day-care 	Expert in ID and day-care (n=2) <ul style="list-style-type: none"> Expert in ID policy Expert in day-care
PID (n=4) <ul style="list-style-type: none"> Full-time attendee day-care Experience > 1 year 	PID (n=2) <ul style="list-style-type: none"> Full-time attendee day-care Experience > 1 year 	
Expert in Meaningful Activities (n=4)	Expert in Meaningful Activities (n=2)	Expert in Meaningful Activities (n=2)
	Person who has no connection with day-care or ID (n=2) <ul style="list-style-type: none"> Affinity with creative thinking and brainstorms 	
Total n=24	Total n=12	Total n=8

Table 1: Participants in phase 2

Based on the ideal numbers to really get co-creation going, to generate as many ideas as possible, and to keep the creative process going, the guidelines of each specific method were consulted. The World Cafe will have 4, no more than 5, participants per table (62,64). The brainstorm preferably is organised with 12 participants (65) and the co-creation sessions should have a minimum of 6 participants (57).

Once the team is assembled, an inspiring and nurturing environment will be sought, an environment that welcomes and stimulates creativity. For this study, the entire top floor of the building of the Artevelde University of Applied Sciences (AUAS) will be used for that purpose. In addition, the FabLab (a makers lab), which is also situated in that building, can be used at all times. The complete phase 2 will be facilitated by lead and junior researchers. More specifically in the World Cafe, the lead researcher will be the 'cafe host' and the junior researchers will be the 'table hosts'. The lead researcher will facilitate both the brainstorm and the co-creation sessions. Also, the final report will be written by the lead researcher (with feedback from all authors).

Phase 3: Implementation

Based on the insights of phases 1 and 2, in this final phase, the prototype comes to life and will be taken to the end-user in a real-world context (49,50,66). In the form of a 'live prototype', the product or service will be tested, followed by a 'pilot', which is a longer test than the live prototype and is one of the final iterations (50). In order to realise a working and sustainable end product or service a prolonged test is needed. Therefore, living labs will be created as they are very suitable in fostering partnerships, validation and sustainability (67). There is no agreed upon definition of living labs, but it could be best defined as both an environment and an approach that enables researchers to co-create and develop with the end users and stakeholders (67,68). Both organisations 1 and 2, and if necessary supplemented by two other organisations from different provinces in Flanders, will serve as living labs. As those living labs are social environments, they are subject to human volitions, culture and language (69,70) and therefore a realist evaluation (RE) is chosen to understand how contextual factors influence our interventions. Even though a RE is time-consuming, intensive and challenging, it has proven to be a method that provides a deeper understanding of how, when, and for whom a programme works (70). Based on scientific literature, the data of previous phases (1A and 1B), the ideas and prototype of (2A, 2B and 2C), an Initial Program Theory (IPT) will be created. More specifically, contextual factors (C), mechanisms (M) and outcomes (O) will be mapped into a CMO-configuration (69) in order to get a better understanding of how, when and for whom the outcome of this HCD-process (figure 1) works.

Developing a tool or service is often very complex and calls for a specific approach (48). This MA4A-study protocol answers that call and really puts the end-users at the heart of the development process (54,56,57,71–73). Within this study, the DSPs are seen as the end-users and the PID as the most important beneficiary or stakeholder, which made it difficult to determine the role of PID and to what extent they should be involved in the process. Working with PID in research can be challenging and asks for accessible co-creation tools (74). In addition, to maximise and optimise the input of PID a solid 'architecture of involvement' is needed and pre-planning and training of PID is essential to avoid tokenistic involvement (75). Within this MA4A-study protocol PID will be actively involved from phase 2, starting with the World Cafe. Concerning the World Cafe, no specific training is prepared. However, measures will be taken to make the World Cafe accessible for PID. At all times, a visual harvester will be present to visualise the output of the World Cafe. Every participant on the World Cafe is given placemats, which can be drawn or doodled on. This can be helpful for PID who have difficulties communicating in a verbal manner. Each participant with ID can bring a DSP to support them during the World Cafe. The table hosts will be given the explicit instruction to address the PID, rather than his DSP. In phase 3 the PID will be at the centre of the research as the study uses a living lab methodology. Since the organisation of the living labs can only be prepared once the tool or service is known, a specific pre-planning and training programme for PID can be developed for phase 3 if needed. In addition, the PID will be in their natural environment, which makes it more familiar and predictable.

1
2
3 Finally, research shows the benefits for PID to participate in co-creation (75) and it also leads to better
4 well-being and job satisfaction for DSPs when they work together with PID (76).
5
6

7
8 Research into the application of the HCD process is not evident as it is constantly used interchangeably
9 with other (similar) methods, which systematically complicates research (54,72). Studies however
10 show that by using a HCD process in the correct way, the functionality, quality, usability and
11 acceptability increases, which ultimately also causes a decrease in product failure (49,52). An HCD
12 process is very intense and challenging (49,66) and that is why this MA4A-study protocol is so carefully
13 planned. In addition, it is enriched with traditional research methods to reduce bias and enhance
14 credibility. The use of traditional research approaches imply that researchers follow a research
15 protocol, such as determining sample sizes and response rates. Within the qualitative part (1A) of the
16 study it is difficult to determine sample size as priori because exploratory research looks to explore
17 phenomena in relation to themes one cannot identify in advance (77). Thus, within phase 1A no
18 estimate of sample size can be calculated. The concept of saturation (59) is more appropriate within
19 phase 1A and therefore the aim is to interview until nothing new is being learnt. In phase 1B, for the
20 web-based online survey, it is difficult to determine the response rate needed to prevent sampling bias
21 because there are no exact numbers of DSPs working in day-care facilities. In Flanders there are 257
22 licenced care providers but there are no available figures of the total amount of DSPs. The exact
23 number of DSPs depends on the degree of care the person with ID needs (the support budget one
24 receives increases with the degree of support needed) and this in combination with the level of
25 education of the DSPs (the higher educated the DSP, the higher the cost). In short, each organisation
26 is free to fill in the available vacancies, which means it is impossible to know how many DSPs there are
27 in Flanders at any particular point in time (78). After the survey is sent, follow-up mail will be sent to
28 enhance response-rates (79). In addition, findings from the survey will be benchmarked with other
29 published data in order to deal with the fact that analysis prior to sending out the survey is not possible
30 due to the lack of available data (80).
31
32
33
34
35
36
37
38
39
40
41

42 By performing this MA4A-study protocol, not only will the future support for DSPs be grounded in their
43 own wishes and needs, but it will also be established by means of an innovative co-creative approach.
44 An approach that is more likely to be adopted in practice, in comparison to the output of traditional
45 research methods. PID will benefit, and fellow researchers in the field will have a reference protocol
46 that will guide them in their own research. Ultimately, DSPs will receive the proper support they
47 deserve. Because in the end, they are key in enabling PID to engage in meaningful activities.
48
49
50
51

52 **Patient and public involvement**

53 HCD carries patient and public involvement in the core of its approach. In this protocol, we took all
54 possible steps to involve PID and the DSP. Firstly, the researchers have all a long-lasting connection
55 with clinical practice and the reason why this study is undertaken is based on concrete questions we
56 received from clinical practice. PID, who have a strong and trustful relationship with the DSP, indicated
57 that they did not always have access to MA. Contact with Flemish day-care centres showed indeed
58
59
60

1
2
3 that DSP needed support in enabling MA. The DSP advocated the patients' wishes with the researchers
4 and from these perspectives the PID, as well as the DSP were involved in the overall design of the
5 study. The results of the study will therefore be grounded in their specific wishes and the results will
6 have high potential of being tailored to their needs. All results will be shared with all Flemish day-care
7 centres, from the beginning, during and at the end of the study.
8
9
10

11 12 **ETHICS AND DISSEMINATION**

13
14
15 Ethical application was submitted to the Ethics Committee University Hospital Ghent (Belgium) and
16 approved on 06/02/2020. Reference numbers are B670202042983 and PA2021-091. Data collection
17 (1A) started in March 2020. The complete process is expected to continue until August 2023. All
18 participants will sign a written informed consent form. To ensure confidentiality, all data obtained from
19 the participants, will be processed and pseudonymised. The results of this study will be submitted for
20 publication in relevant peer-reviewed journals and will be presented at relevant conferences. This
21 protocol takes into account the guiding principles concerning the rights of people with intellectual
22 disabilities at all times.
23
24
25
26
27
28

29 **CONTRIBUTORS**

30 CW, DVdV, and PDV initiated the study, conceptualised the study and designed the first draft of the
31 study protocol. IDC, GVH and JVL reviewed the study protocol and provided feedback for the
32 refinement of the protocol. CW wrote the first draft of the final version of the manuscript. All authors
33 read the manuscript, provided feedback, and approved the final version.
34
35
36
37

38 **ACKNOWLEDGMENTS**

39 We are indebted to Mike Jarrey for linguistic advice and for proofreading the final manuscript.
40
41

42 **COMPETING INTERESTS**

43 There are no competing interests to be reported.
44
45
46

47 **FUNDING**

48 This research received no specific grant from any funding agency in the public, commercial or not-for-
49 profit sectors.
50
51

52 **REFERENCES**

- 53 1. Maulik PK, Mascarenhas MN, Mathers CD, Dua T, Saxena S. Prevalence of intellectual
54 disability: A meta-analysis of population-based studies. *Res Dev Disabil.* 2011;32(2):419–36.
- 55 2. Schalock RL, Luckasson R. A systematic approach to subgroup classification in intellectual
56 disability. *Intellect Dev Disabil.* 2015;53(5):358–66.
- 57 3. Broekaert E, Van Hove G, Vandevelde S, Soyez V, Vanderplasschen W. *Handboek Bijzondere*
58 *Orthopedagogiek.* Antwerpen: Garant; 2012. 515 p.
59
60

- 1
- 2
- 3
4. AAIDD. Definition of Intellectual Disability [Internet]. 2020 [cited 2020 Mar 16]. Available from: <https://www.aaidd.org/intellectual-disability/definition>
5. APA. Intellectual disability [Internet]. 2013 [cited 2020 Mar 16]. Available from: <https://www.psychiatry.org/psychiatrists/practice/dsm/educational-resources/dsm-5-fact-sheets>
6. Friedman C. Direct Support Professionals and quality of life of people with intellectual and developmental disabilities. *Intellect Dev Disabil*. 2018;56(4):234–50.
7. Leser KA, Pirie PL, Ferketich AK, Haverkamp SM, Wewers ME. The perceived role of direct support professionals in the health promotion efforts of adults with developmental disabilities receiving support services. *Intellect Dev Disabil*. 2018 Feb 1;56(1):40–55.
8. Matheis M. Philosophy of Care. In: Matson JL, editor. *Handbook of Intellectual Disabilities*. Springer; 2020. p. 1133.
9. McCarron M, Lombard-Vance R, Murphy E, May P, Webb N, Sheaf G, et al. Effect of deinstitutionalisation on quality of life for adults with intellectual disabilities: A systematic review. *BMJ Open*. 2019;9(4).
10. Van Gennepe A. Waardig leven met beperkingen, over veranderingen in de hulpverlening aan mensen met beperkingen in hun verstandelijke mogelijkheden. *Garant*; 2007.
11. Schepens HRMM, Van Puyenbroeck J, Maes B. How to improve the quality of life of elderly people with intellectual disability: A systematic literature review of support strategies. *J Appl Res Intellect Disabil* [Internet]. 2019;32(3):483–521. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/jar.12559>
12. Albuquerque CP, Carvalho AC. Identification of Needs of Older Adults With Intellectual Disabilities. *J Policy Pract Intellect Disabil*. 2020;17(2):123–31.
13. McCausland D, Guerin S, Tyrrell J, Donohoe C, O'Donoghue I, Dodd P. A qualitative study of the needs of older adults with intellectual disabilities. *J Appl Res Intellect Disabil*. 2021 Nov 1;34(6):1560–8.
14. United Nations. Convention on the Rights of Persons with Disabilities (CRPD) [Internet]. 2006 [cited 2020 Feb 27]. Available from: <https://www.un.org/development/desa/disabilities/convention-on-the-rights-of-persons-with-disabilities.html>
15. United Nations. United Nations Treaty Collection, Chapter 4 - 15 [Internet]. 2020 [cited 2021 Feb 15]. Available from: https://treaties.un.org/Pages/ViewDetails.aspx?src=TREATY&mtdsg_no=IV-15&chapter=4&clang=_en
16. United Nations. United Nations Treaty Collection, Chapter 4 - 15.a. [Internet]. 2020 [cited 2020 Feb 15]. Available from: https://treaties.un.org/Pages/ViewDetails.aspx?src=TREATY&mtdsg_no=IV-15-a&chapter=4&clang=_en
17. Beke W. Beleidsnota 2019-2024 Welzijn, Volksgezondheid, Gezin en Armoedebestrijding [Internet]. 2019 [cited 2020 Feb 2]. Available from: <https://www.vlaanderen.be/publicaties/beleidsnota-2019-2024-welzijn-volksgezondheid-gezin-en-armoedebestrijding>
18. Gomez LE, Schalock RL, Verdugo MÁ. A new paradigm in the field of intellectual and developmental disabilities: Characteristics and evaluation. *Psicothema*. 2021;33(1):28–35.
19. Gomez LE, Schalock RL, Verdugo MÁ. A quality of life supports model: Six research-focused steps to evaluate the model and enhance research practices in the field of IDD. *Res Dev Disabil*. 2021;119(November).
20. Vandeurzen J. Perspectief 2020 nieuw ondersteuningsbeleid voor personen met een handicap [Internet]. 2010 [cited 2019 Oct 19]. p. 77. Available from: <https://www.vaph.be/sites/default/files/documents/perspectiefplan-2020-nieuw-ondersteuningsplan-voor-personen-met-een-handicap-9-juli-2010/perspectiefplan-2020-nieuw-ondersteuningsbeleid-voor-pmh.pdf>


- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
 - 24
 - 25
 - 26
 - 27
 - 28
 - 29
 - 30
 - 31
 - 32
 - 33
 - 34
 - 35
 - 36
 - 37
 - 38
 - 39
 - 40
 - 41
 - 42
 - 43
 - 44
 - 45
 - 46
 - 47
 - 48
 - 49
 - 50
 - 51
 - 52
 - 53
 - 54
 - 55
 - 56
 - 57
 - 58
 - 59
 - 60
21. Statistiek Vlaanderen. Statistiek Vlaanderen [Internet]. 2018 [cited 2020 Feb 2]. Available from: <https://www.statistiekvlaanderen.be/nl/personen-met-handicap-met-persoonsvolgend-budget>
22. VAPH. Dagondersteuning [Internet]. [cited 2021 Mar 15]. Available from: <https://www.vaph.be/persoonlijke-budgetten/pvb/ondersteuning>
23. Christiansen CH, Townsend EA. Introduction to Occupation: The Art of Science and living. New Intern. Pearson Education Limited; 2014. 376 p.
24. Hooker SA, Masters KS, Vagnini KM, Rush CL. Engaging in personally meaningful activities is associated with meaning salience and psychological well-being. *J Posit Psychol* [Internet]. 2020;15(6):821–31. Available from: <https://doi.org/10.1080/17439760.2019.1651895>
25. Pentland W, Mary I, Mccoll A. Volume 75 I Number 3 I Canadian Journal of Occupational Therapy. 2008;135.
26. De Vriendt P, Gauwe V, Van de Velde D. Clever doelen bepalen in de eerste lijn; Betekenisvolle activiteiten als hefboom om doelgerichte zorg te faciliteren. Arteveldehogeschool Gent, editor. Uitgeverij Politeia NV; 2019. 174 p.
27. Christiansen CH, Baum CM. Occupational Therapy Performance, Participation, and Well-Being. Vol. 52. Slack Incorporated; 2005. 070101 p.
28. Roberts AEK, Bannigan K. Dimensions of personal meaning from engagement in occupations: A metasynthesis. *Can J Occup Ther*. 2018;85(5):386–96.
29. Townsend EA, Polatajko HJ. Enabling Occupation 2: advancing an occupational therapy vision for health, well-being, & justice through occupation. Ottawa, Ontario: CAOT Publications ACE; 2007. 418 p.
30. Oh A, Gan S, Boscardin WJ, Allison TA, Barnes DE, Covinsky KE, et al. Engagement in Meaningful Activities Among Older Adults With Disability, Dementia, and Depression. Vol. 181, *JAMA Internal Medicine*. American Medical Association; 2021. p. 560–2.
31. Fesko SL, Hall AC, Quinlan J, Jockell C. Active aging for individuals with intellectual disability: Meaningful community participation through employment, retirement, service, and volunteerism. *Am J Intellect Dev Disabil*. 2012;117(6):497–508.
32. Mansell J, Elliott T, Beadle-Brown J, Ashman B, Macdonald S. Engagement in meaningful activity and “active support” of people with intellectual disabilities in residential care. *Res Dev Disabil* [Internet]. 2002;23(5):342–52. Available from: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L36158859>
33. Mansell J, Beadle-Brown J. Active Support: enabling and empowering people with intellectual disabilities. Philadelphia: Jessica Kingsley Publishers; 2012. 224 p.
34. Mahoney W, Roberts E. Co-occupation in a day program for adults with developmental disabilities. *J Occup Sci* [Internet]. 2009 Oct;16(3):170–9. Available from: <http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=105326349&site=ehost-live&scope=site>
35. Munde VS, Vlaskamp C. Individuals with Profound Intellectual and Multiple Disabilities at Work?! Activities in Special Day Service Centers in Germany. *J Policy Pract Intellect Disabil*. 2019;16(3):232–8.
36. van Loon JHM. Guidelines in Supporting People with Intellectual Disabilities.It’s all About Values. *Glob J Intellect Dev Disabil*. 2020;7(1):1–5.
37. Iacono T, Bould E, Beadle-Brown J, Bigby C. An exploration of communication within active support for adults with high and low support needs. *J Appl Res Intellect Disabil* [Internet]. 2019;32(1):61–70. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/jar.12502>
38. Barelds A, van de Goor I, van Heck G, Schols J. Quality of care and service trajectories for people with intellectual disabilities: Defining the aspects of quality from the client’s perspective. *Scand J Caring Sci*. 2010;24(1):164–74.
39. Scheffelaar A, Hendriks M, Bos N, Luijkx K, Van Dulmen S. Determinants of the quality of care relationships in long-term care - A participatory study. *BMC Health Serv Res*. 2019;19(1):1–23.
40. Schalock RL, Van Loon J, Mostert R. a Systematic Approach To Enhancing the Personal Well-

- Being of Children and Adolescents. *Int J Child, Youth Fam Stud*. 2018;9(4):188–205.
41. Gormley L, Healy O, O'Sullivan B, O'Regan D, Grey I, Bracken M. The impact of behavioural skills training on the knowledge, skills and well-being of front line staff in the intellectual disability sector: a clustered randomised control trial. *J Intellect Disabil Res [Internet]*. 2019;63(11):1291–304. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/jir.12630>
 42. Nankervis KL, Vassos M V. Agencies and Professions in the Provision of Care. In: Matson JL, editor. *Handbook of Intellectual Disabilities 2*. Springer; 2020. p. 1133.
 43. Noonan PM, Gaumer Erickson AS. Multidisciplinary Teams. In: Matson JL, editor. *Handbook of Intellectual Disabilities*. Springer; 2020. p. 1133.
 44. Devereux J, Hastings R, Noone S. Staff stress and burnout in intellectual disability services: Work stress theory and its application. *J Appl Res Intellect Disabil*. 2009;22(6):561–73.
 45. Kozak A, Kersten M, Schillmöller Z, Nienhaus A. Psychosocial work-related predictors and consequences of personal burnout among staff working with people with intellectual disabilities. *Res Dev Disabil*. 2013;34(1):102–15.
 46. Bauer MS, Damschroder L, Hagedorn H, Smith J, Kilbourne AM. An introduction to implementation science for the non-specialist. *BMC Psychol [Internet]*. 2015;3(1):1–12. Available from: <http://dx.doi.org/10.1186/s40359-015-0089-9>
 47. Pozen R, Kline H. Defining Success for Translational Research Organizations. www.ScienceTranslationalMedicine.org. 2011;3(94):1–5.
 48. O'Cathain A, Croot L, Duncan E, Rousseau N, Sworn K, Turner KM, et al. Guidance on how to develop complex interventions to improve health and healthcare. *BMJ Open*. 2019;9(8):1–9.
 49. Hartung H, Rottenberg S. Human-Centered Design: Understanding Customers' Needs Through Discovery and Interviewing. *Acad Entrep Med Heal Sci [Internet]*. 2019;1(4-Article 5):1–9. Available from: <https://repository.upenn.edu/ace/vol1/iss4/5>
 50. IDEO. *The Field Guide to Human-Centered Design*. 1st ed. San Francisco: IDEO.org; 2015. 192 p.
 51. Brown T, Wyatt J. Design Thinking for Social Innovation. *Dev Outreach*. 2010;Special re.
 52. Moody L. User-centred health design: Reflections on D4Ds experiences and challenges. *J Med Eng Technol*. 2015 Oct 3;39(7):395–403.
 53. Nurjono M, Shrestha P, Lee A, Lim XY, Shiraz F, Tan S, et al. Realist evaluation of a complex integrated care programme: Protocol for a mixed methods study. *BMJ Open*. 2018;8(3).
 54. Bazzano AN, Martin J, Hicks E, Faughnan M, Murphy L. Human-centred design in global health: A scoping review of applications and contexts. *PLoS One*. 2017 Nov 1;12(11).
 55. Holeman I, Kane D. Human-centered design for global health equity. *Inf Technol Dev [Internet]*. 2020;26(3):477–505. Available from: <https://doi.org/10.1080/02681102.2019.1667289>
 56. Altman M, Huang TTK, Breland JY. Design thinking in health care. *Prev Chronic Dis*. 2018 Sep 1;15(9).
 57. Ku B, Lupton E. *Health Design Thinking*. New York: Cooper Hewitt, Smithsonian Design Museum; 2020. 223 p.
 58. Adam M, McMahon SA, Prober C, Bärnighausen T. Human-Centered Design of Video-Based Health Education: An Iterative, Collaborative, Community-Based Approach. *J Med Internet Res*. 2019 Jan 30;21(1):e12128.
 59. Howitt D. *Qualitative Research Methods in Psychology*. Third edit. United Kingdom: Pearson Education Limited; 2016. 578 p.
 60. Taylor RR. *Research in occupational therapy: methods of inquiry for enhancing practice*. second edit. Philadelphia: F.A. Davis Company; 2017. 547 p.
 61. Löhr K, Weinhardt M, Sieber S. The "World Café" as a Participatory Method for Collecting Qualitative Data. *Int J Qual Methods*. 2020;19.
 62. The World Café Community Foundation. *A Quick Reference Guide for Hosting World Café What are World Café Conversations ?* 2015; Available from:

- 1
2
3 <http://www.theworldcafe.com/wp-content/uploads/2015/07/Cafe-To-Go-Revised.pdf>
4 63. Flanders DC. GPS-manual. Leuven: Flanders District Of Creativity vzw; 2015. p. 23.
5 64. Brown J, Isaacs D, The World Café Community. The World Café. Berret-Koehler Publishers;
6 2005. 264 p.
7 65. Flanders DC. GPS-brainstormkit.
8 66. Brown T. Change by design. New York: HarperCollins Publishers; 2019. 294 p.
9 67. Kim J, Kim YL, Jang H, Cho M, Lee M, Kim J, et al. Living labs for health: An integrative
10 literature review. *Eur J Public Health*. 2020;30(1):55–63.
11 68. Ståhlbröst A, Holst M. The Living Lab Methodology Handbook. Luleå Univ Technol CDT – Cent
12 Distance-spanning Technol [Internet]. 2012;76. Available from:
13 http://www.ltu.se/cms_fs/1.101555!/file/LivingLabsMethodologyBook_web.pdf
14 69. Gilmore B, McAuliffe E, Power J, Vallières F. Data Analysis and Synthesis Within a Realist
15 Evaluation: Toward More Transparent Methodological Approaches. *Int J Qual Methods*.
16 2019;18:1–11.
17 70. Fick F, Muhajarine N. First steps: creating an initial program theory for a realist evaluation of
18 Healthy Start-Départ Santé intervention in childcare centres. *Int J Soc Res Methodol*
19 [Internet]. 2019;22(6):545–56. Available from:
20 <https://doi.org/10.1080/13645579.2019.1595375>
21 71. Foley SM. Service design for delivery of user centered products and services in healthcare. *J*
22 *Commer Biotechnol*. 2018;24(1):69–77.
23 72. Ghazali M, Ariffin NAM, Omar R. User Centered Design Practices in Healthcare: A Systematic
24 Review. *User Centered Design Practices in Healthcare: A Systematic Review*. 2014.
25 73. Naar L, Zimmermann A, Bobinet K, Sklar A. The human-centered health system: Transforming
26 healthcare with design. Doha, Qatar: World Innovation Summit for Health; 2018.
27 74. Almeida R, Losada Durán R, Cid Bartolomé T, Giaretta A, Segalina A, Bessegato A, et al.
28 Accesible co-creation tools for people with intellectual disabilities: working for and with end-
29 users. 2020;(December).
30 75. Di Lorito C, Bosco A, Birt L, Hassiotis A. Co-research with adults with intellectual disability: A
31 systematic review. *J Appl Res Intellect Disabil*. 2018;31(5):669–86.
32 76. van der Meer L, Nieboer AP, Finkenflügel H, Cramm JM. The importance of person-centred
33 care and co-creation of care for the well-being and job satisfaction of professionals working
34 with people with intellectual disabilities. *Scand J Caring Sci*. 2018;32(1):76–81.
35 77. Sim J, Saunders B, Waterfield J, Kingstone T. Can sample size in qualitative research be
36 determined a priori? *Int J Soc Res Methodol*. 2018;21(5):619–34.
37 78. VAPH. The Flemish Agency for people with a disability in numbers. 2021; Available from:
38 https://www.vaph.be/sites/default/files/documents/17929/het_vaph_in_cijfers_-_2020.pdf
39 79. Polit DF, Beck CT. *Nursing Research - Generating and Assessing Evidence for Nursing Practice*.
40 Tenth Edit. Philadelphia: Wolters Kluwer Belgium NV; 2017. 784 p.
41 80. Halbesleben JRB, Whitman M V. Evaluating survey quality in health services research: A
42 decision framework for assessing nonresponse bias. *Health Serv Res*. 2013;48(3):913–30.
43
44
45
46
47
48
49
50

FIGURE TITLE

Figure 1: Overview of the MA4A study protocol



open-2022-061736 on 17 August 2022. Downloaded from <http://bmjopen.bmj.com/> on October 30, 2024 by guest. Protected by copyright.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44

INTERVIEW GUIDE

Important: when answering the questions, think about an average day. Do not think of a special day that only goes on once a year.

Introduction question

- Can you introduce yourself briefly?
- Can you briefly present the organisation you work for?
 - *If the function and job description are not clear; "Can you describe your job within the organisation?"*

Transition question

- How did you end up in an organisation for adults with intellectual disabilities?
 - *If length of employment was not mentioned, "How long do you work with people with intellectual disabilities?"*
 - *Have you consciously chosen for people with intellectual disabilities? Why did you or why didn't you?*

Key questions

- How would you describe your job?
 - *Can you give an example of an average day?*
- How do you experience working with adults with intellectual disabilities?
 - *What roles do you take on as a professional caregiver?*
- What do you think your interventions/activities mean for the person with intellectual disabilities?
 - *Can you give an example of a situation in which this is reflected?*
- What are ideal activities for persons with intellectual disabilities according to you?
 - *What conditions should be met to describe it as meaningful daycare?*
- When are activities no longer meaningful?
- What are contributing factors in enabling meaningful activities?
- What are obstructing factors in enabling meaningful activities?
- What support do you need in enabling meaningful activities for adults with intellectual disabilities?
 - *Where do you feel insecure in enabling meaningful activities?*
 - *What information do you still require concerning meaningful activities?*

Final question

- How would you describe 'meaningful activities'?
- Are there things you would like to add to this interview?