




# BMJ Open Reporting of data on participant ethnicity and socioeconomic status in high-impact medical journals: a targeted literature review

Sara C Buttery,<sup>1,2</sup> Keir E J Philip <sup>1,2</sup>, Saeed M Alghamdi,<sup>1,2</sup>  
Parris J Williams <sup>1,2</sup>, Jennifer K Quint <sup>1,2</sup>, Nicholas S Hopkinson<sup>1,2</sup>

**To cite:** Buttery SC, Philip KEJ, Alghamdi SM, *et al.* Reporting of data on participant ethnicity and socioeconomic status in high-impact medical journals: a targeted literature review. *BMJ Open* 2022;**12**:e064276. doi:10.1136/bmjopen-2022-064276

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2022-064276>).

SCB and KEJP are joint first authors.  
JKQ and NSH are joint senior authors.

Received 28 April 2022  
Accepted 18 July 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

<sup>1</sup>National Heart and Lung Institute, Imperial College London, London, UK  
<sup>2</sup>NIHR Imperial Biomedical Research Centre, Imperial College London, London, UK

## Correspondence to

Keir E J Philip;  
[k.philip@imperial.ac.uk](mailto:k.philip@imperial.ac.uk)

## ABSTRACT

**Objectives** To assess the frequency of reporting of ethnicity (or 'race') and socioeconomic status (SES) indicators in high-impact journals.

**Design** Targeted literature review.

**Data sources** The 10 highest ranked general medical journals using Google scholar h5 index.

**Eligibility criteria** Inclusion criteria were, human research, reporting participant level data. Exclusion criteria were non-research article, animal/other non-human participant/subject or no participant characteristics reported.

**Data extraction and synthesis** Working backwards from 19 April 2021 in each journal, two independent reviewers selected the 10 most recent articles meeting inclusion/exclusion criteria, to create a sample of 100 articles. Data on the frequency of reporting of ethnicity (or 'race') and SES indicators were extracted and presented using descriptive statistics.

**Results** Of 100 research articles included, 35 reported ethnicity and 13 SES. By contrast, 99 reported age, and 97 reported sex or gender. Among the articles not reporting ethnicity, only 3 (5%) highlighted this as a limitation, and only 6 (7%) where SES data were missing. Median number of articles reporting ethnicity per journal was 2.5/10 (range 0 to 9). Only two journals explicitly requested reporting of ethnicity (or race), and one requested SES.

**Conclusions** The majority of research published in high-impact medical journals does not include data on the ethnicity and SES of participants, and this omission is rarely acknowledged as a limitation. This situation persists despite the well-established importance of this issue and International Committee of Medical Journal Editors recommendations to include relevant demographic variables to ensure representative samples. Standardised explicit minimum standards are required.

## INTRODUCTION

Information about the ethnicity and socioeconomic status (SES) of participants in clinical research is needed for the interpretation, generalisability and pooling of data as well as to inform discussion around health inequalities. The relevance of ethnicity and SES to health and biomedical research is

## STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ This study included recent studies from a range of the highest impact general medical journals.
- ⇒ Different inclusion/exclusion criteria for articles could be justifiably used, which may have produced different results.
- ⇒ We identified high-impact journals using the google scholar h5 index, however various other equally valid impact metrics exist, which could change the journals considered.
- ⇒ Our analysis focused on *if* ethnicity and/or race was reported, but not *how* they are reported which is an important and related area for discussion and research to that covered in this study.

well established but has been emphasised by the COVID-19 pandemic, during which specific ethnic groups and poorer individuals have been disproportionately affected.<sup>1</sup> The causal pathways driving health disparities are complex and multifactorial, however under-reporting of participant characteristics has been identified as a potential contributory factor.<sup>2-4</sup>


The International Committee of Medical Journal Editors recommendations,<sup>5</sup> and some journal instructions to authors promote inclusion of these data.<sup>6 7</sup> Previous studies have identified that reporting is frequently incomplete with limited progress made over the last three decades.<sup>8-13</sup> Recent years have seen an increased focus on ethnicity and SES in medicine, however there is a lack of research as to whether this has resulted in better reporting.

To evaluate the current situation in this area, we assessed the frequency of reporting of ethnicity (or 'race') and SES indicators in a sample of research articles published in high impact general medical journals in Spring 2021.

## METHODS

We identified the 10 highest ranked journals as per Google scholar ‘Health and Medical (general)’ category up to April 2021. At the time of data collection, these were *The New England Journal of Medicine (NEJM)*, *The Lancet*, *the Journal of the American Medical Association*,<sup>7</sup> *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, *Nature Medicine*, *Public Library of Science One (PLOS One)*, *The British Medical Journal (BMJ)*, *Cochrane*, *Cell Metabolism* and *Science Translational Medicine*. PNAS and PLOS One include a wide range of subject areas therefore the subsections ‘Biological Sciences, Medical Science’ and ‘Clinical Medicine’ were used respectively. From each of these 10 journals, using the journals own websites, we worked backwards from 19 April 2021, selecting the 10 most recent journal articles that met inclusion/exclusion criteria. Inclusion criteria were as follows: research articles, reporting participant level data. Articles were excluded if they were not research (eg, editorial, news, images, etc.), animal/other non-human participant/subject or no participant characteristics reported. Laboratory studies using human-derived tissues or cells were included if donor information was provided. Journal reporting guidance and requirements were also assessed by evaluating author guidelines, websites and contacting the respective editorial/publishing teams. Data were collected on which participant level characteristics were reported and how. Data were also collected on if the absence of reporting these variables was noted as a limitation. The journals’ accessible policies and guidance on reporting these variables was also reviewed. Data collection and analysis was conducted by SCB, KEJP, SMA and PJW. All journals were reviewed and articles selected by at least two researchers independently, who then came together to discuss any inconsistencies with a third researcher.

Ethnicity and race are related yet different constructs and arguably the latter term should be abandoned.<sup>14</sup> However, given the frequent lack of standardisation in the literature and that the terms are in practice often used interchangeably we accepted the use of either term. For the purpose of this study, ethnicity (or race) was defined as variables explicitly stated by the authors as ‘ethnicity’, ‘ethnic group’ or ‘race’, ‘racial group’. Similarly, regarding reporting of SES indicators, various often inconsistent methods are used, therefore we opted to assess both direct measures such as the Index of Multiple Deprivation, but also measures from which SES could be inferred such as educational attainment and job role. The focus being if, rather than how, such measures are reported. Variables were considered to be indicators of SES if they were explicitly stated as being included for this purpose in the studies reporting them, or if not explicitly stated in the study itself, variables that might be considered SES indicators were discussed between researchers and included or excluded based on consensus opinion. Given the potential degree of subjectivity related to this approach, we have provided the specific terms used by included studies in the results section below. The agreed



**Figure 1** Flow diagram of study inclusion/exclusion.

approach was to take a more inclusive approach, so that if these variables were found to be infrequently reported, such findings would not be dismissed as relating to overly stringent inclusion criteria.

## Patient and public involvement

None.

## RESULTS

650 publications were assessed to identify 100 meeting inclusion criteria (see figure 1 and online supplemental tables 1–3). Of 100 research articles included, 35 reported ethnicity (or race) and 13 reported SES. By contrast, 99 reported age, and 97 reported sex or gender (table 1).

Among the articles not reporting ethnicity, only 3 (5%) highlighted this as a limitation, and only 6 (7%) highlighted where SES data were missing. Median number of articles reporting ethnicity per journal was 2.5/10 (range 0/10 (*PLOS One*) to 9/10.<sup>7</sup> Only two journals explicitly requested reporting of participant ethnicity (or race), and one requested SES. Types of research included—interventional studies (n=30), cohort studies (n=35), case–control studies (n=3), systematic reviews and meta-analyses (n=16), epidemiological and surveys (n=3) and other (n=13). Twenty of the 100 were laboratory studies (either observational or involving interventional manipulation of samples) using human samples, of which four reported ethnicities of sample donors (of others, none mentioned as a limitation), and none reported SES.

Among the 24 papers describing clinical trials, 50% reported ethnicity, with none highlighting the absence of these data as a limitation; 12.5% of trials reported an

**Table 1** Reporting of ethnicity and/or race, and socioeconomic status indicators in research articles

| Report participant level characteristics   | N   | Additional notes  |
|--|---|---|
|  | 100   |   |
| Report ethnicity and/or race   | 35/100 report<br>65 not report  | Range per journal: JAMA 9/10, with clear guidance that this information is expected.  |
| Noted in limitations   | 62 of the 65 do not state this as a limitation<br>3 do highlight this as a limitation.  | Some studies identify race and ethnicity as being relevant to the research focus, yet did not provide relevant data on their study participants or highlight this a limitation of their study, for example, <ul style="list-style-type: none"> <li>► <i>in the case of DNA-based mutation testing, poor sensitivity in detecting mutations in infants from ethnic and racial minority groups (DOI: 10.1126/scitranslmed.abd8109)</i></li> <li>► <i>peripheral oxygen saturation can substantially differ from the Sao2 under certain conditions and may be less accurate in Black patients than in White patients (DOI: 10.1056/NEJMoa2032510)</i></li> </ul> |
| Report socioeconomic status indicator  | 13/100 report at a measure of SES (six direct measure, for example, Index of Multiple Deprivation, Poverty income ratio; seven measures from which SES can be inferred, for example, educational attainment, job role)<br>87/100 did not report any indication of SES |   |
| Noted in limitations   | 6/87 identified this as a limitation  |   |
| Age reported   | 99/100  |   |
| Sex or gender reported   | 97/100  |   |
| Percentages not given as most results have 100 as the denominator. SES, socioeconomic study. |   |   |

indicator of SES, with one of the 21 not reporting SES highlighting this absence as a limitation.

Of note, two of the research articles included in our sample identified ethnicity as being relevant to their research topic, yet did not provide relevant data on their study participants or highlight the lack of this data as a limitation of their study *in the case of DNA-based mutation testing, poor sensitivity in detecting mutations in infants from ethnic and racial minority groups, and peripheral oxygen saturation can substantially differ from the SaO<sub>2</sub> under certain conditions and may be less accurate in Black patients than in White patients.*<sup>15</sup>

## DISCUSSION

The majority of research published in high-impact medical journals does not include data on the ethnicity and SES of participants, and this omission is rarely acknowledged as a limitation. This finding echoes related historical research,<sup>8–13</sup> but its persistence is of concern and is surprising given current awareness of such issues.<sup>16 17</sup>

These findings have important implications for the interpretation and application of research findings, both within academia and beyond, with the ongoing omission no longer justifiable as simple oversight. As highlighted by Baker *et al*,<sup>18</sup> in relation to data relating to LGBTQI+

communities, but equally relevant here, *Data are fundamentally political: decisions about which data are collected and which are overlooked both reflect and shape policy and programme priorities.*

Our results could have multiple contributory factors. For some research including secondary data analyses, ethnicity and SES data may not have been available to the researchers, but given the lack of explanation, it remains unclear if these data were unavailable, or available but not included in publications. The low level of reporting in controlled clinical trials suggests issues beyond unavailability of data, as in these studies, such data would be simple to collect. Additionally, given research successfully reporting these data, the justification for these omissions remains unexplained. Non-reporting of ethnicity (or race) and SES data may also result from explicit or implicit racism, or other forms of discrimination such as that based on SES, which could include failing to appreciate the relevance of these factors to the generalisability of findings.

The increased frequency of reporting ethnicity, compared with SES, may indicate differences between the perceived relevance of these variables. This would be in keeping with journal author guidelines and ICMJE recommendations that encourage the inclusion of relevant



demographic variables to ensure representative samples,<sup>5</sup> more often explicitly stating race and/or ethnicity, than SES. The relevance of these factors may not have been apparent to authors and editorial teams, however ICMJE Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly work in Medical Journals<sup>5</sup> states *Because the relevance of such variables as age, sex or ethnicity is not always known at the time of study design, researchers should aim for inclusion of representative populations into all study types and at a minimum provide descriptive data for these and other relevant demographic variables.* Of note, not all of the journals in our sample state that they follow the ICMJE recommendations.<sup>19</sup> However, whether or not the journal states they follow guidance or not, this has no impact on the relevance of these data and the importance of reporting them. Additionally, Maduka *et al*<sup>20</sup> found no difference between journals stating they follow ICMJE recommendations, and those that do not, in the frequency of reporting race and ethnicity in a sample of surgical research publications in 2019.

Certain considerations and limitations require highlighting. First, different approaches to selecting research papers may alter findings. Second, we identified high-impact journals using the google scholar h5 index but acknowledge various other equally valid methods exist. Third, our analysis focused on if ethnicity and/or race was reported, but we acknowledge that these are not synonymous terms. In addition to *if* these variables are reported, *how* they are reported is also an important area for discussion and research. The choice to analyse 100 papers was somewhat arbitrary. We wanted to include an adequate number of articles from the selected journals to provide a representative sample of their original research papers. Furthermore, given the substantial differences in the number of original research papers published between journals, keeping to 10 per journal ensured all included papers were published within a 4-month window. If we had included 100 papers per journal, the sample from some journals might be 2 months, while others nearer 2 years, which could complicate interpretation given the potential for changing levels of reporting over time. The widespread omissions identified by this research suggests a structural problem. Indeed, we the authors have published research which would have met the inclusion criteria and failed to report these specific characteristics. Our intention is to highlight an issue and suggest approaches to address it.

Given that inadequate reporting persists despite research highlighting the issue, author and ICMJE recommendations, and the current sociopolitical climate, there is a clear need for more explicit requirements that are adhered to in practice. This is likely best achieved if steps are integrated into each stage of the research process, from protocol to publication. For example, Fain *et al*<sup>21</sup> compared reporting of race and ethnicity on ClinicalTrials.gov before and after the requirement to report these data (if collected), was introduced, finding that this was associated with

an increase from 42% to 92%. Similar explicit requirements could be taken in Enhancing the Quality and Transparency Of health Research (EQUATOR) guidelines,<sup>22</sup> and research ethic applications. From our sample, the journal *JAMA* had the most explicit guidance for reporting race and ethnicity, and this variable was reported in 9/10 of the articles we reviewed. Of note, from 2022, the *New England Journal of Medicine* will be requiring authors of research articles to provide data on the representativeness of the sample including race or ethnic group,<sup>23</sup> though it is unclear if SES indicators will also be required. Much of the recent literature appears to focus on ethnicity reporting, likely due to the COVID-19 pandemic exposing its disproportionate effects on some ethnic groups.<sup>24</sup> One recent publication in *Nature medicine*<sup>24</sup> suggested that it would require changes at policy level as well as engaging with professionals, patients and the public to communicate the importance of this issue in understanding inequalities. Barriers suggested include problems collecting ethnicity data, whether this be reported by a healthcare professional or self-reported, and in defining ethnic groups where categorisation is inconsistent.<sup>24 25</sup> This is reflected in the diverse terms used to report ethnicity in the papers we reviewed (online supplemental table 3). Future research would be useful investigating changing in reporting overtime, especially in relation to specific actions taken to improve this issue, which could inform research reporting guidelines.

## CONCLUSION

The reporting of ethnicity and socioeconomic status in high-impact medical research remains poor, despite a consensus on its importance. Omission of these participant characteristics limits the interpretation, generalisability and pooling of data that are required to facilitated informed discussion around health inequalities. Guidance and encouragement have so far proven insufficient to change practice in this area. Standardised, explicit, minimum standards are required.

**Twitter** Keir E J Philip @keirphilip, Parris J Williams @ParrisWilliams1 and Nicholas S Hopkinson @COPDdoc

**Contributors** SCB had the original idea for the study. SCB, KEJP, SMA and PJW collected the data. All authors (SCB, KEJP, SMA, PJW, JKQ and NSH) contributed to the design of the study. KEJP analysed the data initially, which was verified by SCB, SMA and PJW. KEJP wrote the first draft of the manuscript. All authors (SCB, KEJP, SMA, PJW, JKQ and NSH) critically appraised the manuscript and approved it for submission and had full access to the data and can take responsibility for the integrity of the data and the accuracy of the data analysis. The corresponding author attests that all listed authors (SCB, KEJP, SMA, PJW, JKQ and NSH) meet authorship criteria and that no others meeting the criteria have been omitted. All authors had access to all information and data included in this study. KEJP is the guarantor.

**Funding** KEJP was supported by the Imperial College Clinician Investigator Scholarship (internal award with no specific grant number/code).

**Competing interests** None declared.

**Patient and public involvement** Patients and/or the public were not involved in the design, or conduct, or reporting or dissemination plans of this research.

**Patient consent for publication** Not required.

**Ethics approval** Not applicable.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Data availability statement** All data relevant to the study are included in the article or uploaded as supplementary information. All data used in this study are publicly available.

**Supplemental material** This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

# ORCID iDs

Keir E J Philip <http://orcid.org/0000-0001-9614-3580>

Parris J Williams <http://orcid.org/0000-0001-8027-1879>

Jennifer K Quint <http://orcid.org/0000-0003-0149-4869>

# REFERENCES

- Williamson EJ, Walker AJ, Bhaskaran K, *et al*. Factors associated with COVID-19-related death using OpenSAFELY. *Nature* 2020;584:430–6. [10.1038/s41586-020-2521-4](https://doi.org/10.1038/s41586-020-2521-4)
- Chastain DB, Osae SP, Henao-Martínez AF, *et al*. Racial Disproportionality in Covid clinical trials. *N Engl J Med Overseas Ed* 2020;383:e59.
- Krieger N, Waterman PD, Chen JT, *et al*. Missing again: US racial and ethnic data for COVID-19 vaccination. *The Lancet* 2021;397:1259–60.
- Webb Hooper M, Nápoles AM, Pérez-Stable EJ. COVID-19 and racial/ethnic disparities. *JAMA* 2020;323:2466–7.
- ICMJE. Recommendations for the conduct, reporting, editing, and publication of scholarly work in medical journals 2019.
- The Lancet. Information for authors, 2021. Available: <https://marlin-prod.literatumonline.com/pb-assets/Lancet/authors/tl-info-for-authors.pdf> [Accessed 02 Sep 2021].
- JAMA. Instructions for authors, 2021. Available: <https://jamanetwork.com/journals/jama/pages/instructions-for-authors> [Accessed 02 Sep 2021].
- Geller SE, Koch A, Pellettieri B, *et al*. Inclusion, analysis, and reporting of sex and race/ethnicity in clinical trials: have we made progress? *J Womens Health* 2011;20:315–20.
- Brahan D, Bauchner H. Changes in reporting of race/ethnicity, socioeconomic status, gender, and age over 10 years. *Pediatrics* 2005;115:e163–6.
- Kanakamedala P, Haga SB. Characterization of clinical study populations by race and ethnicity in biomedical literature. *Ethn Dis* 2012;22:96–101.
- Bokor-Billmann T, Langan EA, Billmann F. The reporting of race and/or ethnicity in the medical literature: a retrospective bibliometric analysis confirmed room for improvement. *J Clin Epidemiol* 2020;119:1–6.
- Lee SJ, Kavanaugh A. A need for greater reporting of socioeconomic status and race in clinical trials. *Ann Rheum Dis* 2004;63:1700–1.
- Ma IWY, Khan NA, Kang A, *et al*. Systematic review identified suboptimal reporting and use of race/ethnicity in general medical journals. *J Clin Epidemiol* 2007;60:572–8.
- Ioannidis JPA, Powe NR, Yancy C. Recalibrating the use of race in medical research. *JAMA* 2021;325:623–4.
- Schjørring OL, Klitgaard TL, Perner A, *et al*. Lower or higher oxygenation targets for acute hypoxemic respiratory failure. *N Engl J Med* 2021;384:1301–11.
- Flanagin A, Frey T, Christiansen SL, *et al*. The reporting of race and ethnicity in medical and science journals. *JAMA* 2021;325:1049–52.
- The New England Journal of Medicine. Race and medicine 2021.
- Baker KE, Streed CG, Durso LE. Ensuring that LGBTQI+ people count — collecting data on sexual orientation, gender identity, and intersex status. *N Engl J Med* 2021;384:1184–6.
- International Committee of Medical Journal Editors. Journals stating that they follow the ICMJE recommendations, 2021. Available: <http://www.icmje.org/journals-following-the-icmje-recommendations/> [Accessed 09 Sep 2021].
- Maduka RC, Broderick M, White EM, *et al*. The reporting of race and ethnicity in surgery literature. *JAMA Surg* 2021;156:1036.
- Fain KM, Nelson JT, Tse T, *et al*. Race and ethnicity reporting for clinical trials in ClinicalTrials.gov and publications. *Contemp Clin Trials* 2021;101:106237.
- EQUATOR network. reporting guidelines 2021, 2021. Available: <https://www.equator-network.org/reporting-guidelines/> [Accessed 04/10/2021].
- Rubin E, Editors. Striving for diversity in research studies. *N Engl J Med* 2021;385:1429–30.
- Routen A, Akbari A, Banerjee A, *et al*. Strategies to record and use ethnicity information in routine health data. *Nat Med* 2022;28:1338–42.
- Khunti K, Routen A, Banerjee A, *et al*. The need for improved collection and coding of ethnicity in health research. *J Public Health* 2021;43:e270–2.

Reporting of data on participant ethnicity and socioeconomic status in high-impact medical journals:  
A targeted literature review: Supplementary Tables

Table 1: Research papers included in the sample

| Journal | Date of pub | Title  | DOI                   | Country of journal | Country of study/Corresponding author | Manuscript type                | Study design                        | Report baseline/participants characteristics (which & how)   |
|---------|-------------|--|-----------------------|--------------------|---------------------------------------|--------------------------------|-------------------------------------|--|
| NEJM    | 15/04/2021  | Hypothermic Machine Perfusion in Liver Transplantation — A Randomized Trial            | 10.1056/NEJMoa2031532 | USA                | Multicentre Europe                    | Original research (full paper) | RCT                                 | Yes: Age, male sex, BMI, preservation of liver measures,   |
| NEJM    | 15/04/2021  | Trial of Psilocybin versus Escitalopram for Depression                                 | 10.1056/NEJMoa2032994 | USA                | UK                                    | Original research (full paper) | RCT                                 | Yes: Age, female sex, white race, employment status, university level education, disease specific variables.                           |
| NEJM    | 15/04/2021  | BNT162b2 mRNA Covid-19 Vaccine in a Nationwide Mass Vaccination Setting                | 10.1056/NEJMoa2101765 | USA                | Israel                                | Original research (full paper) | Case Control                        | Yes: Age, female/male (sex), population sector (general Jewish, Arab, Ultra-orthodox Jewish), comorbidities,                           |
| NEJM    | 15/04/2021  | Dexmedetomidine or Propofol for Sedation in Mechanically Ventilated Adults with Sepsis | 10.1056/NEJMoa2024922 | USA                | USA                                   | Original research (full paper) | RCT                                 | Yes: Age, Female sex %, BMI, 'Race or Ethnic Group' White, Black, Latinx, multiple or other; cognitive decline score; clinical illness |
| NEJM    | 08/04/2021  | Lenvatinib plus Pembrolizumab or Everolimus for Advanced Renal Cell Carcinoma          | 10.1056/NEJMoa2035716 | USA                | Global                                | Original research (full paper) | RCT                                 | Yes: Age, sex (male/female), geographic region,  |
| NEJM    | 08/04/2021  | Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure            | 10.1056/NEJMoa2032510 | USA                | Demark                                | Original research (full paper) | RCT                                 | Yes: Age, sex %male, comorbidities, illness/admission metrics  |
| NEJM    | 08/04/2021  | Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality                | 10.1056/NEJMoa2007123 | USA                | Global                                | Original research (full paper) | Cohort study                        | Yes: Age, sex %male, urban residence, health risk factors, results by continents   |
| NEJM    | 08/04/2021  | Sutimlimab in Cold Agglutinin Disease  | 10.1056/NEJMoa2027760 | USA                | Germany                               | Original research (full paper) | Intervention trial (other than RCT) | Yes: Age, sex %female, geographic location (Europe, Japan, USA, Australia), disease characteristics,                                   |

|            |            |   |                               |     |           |                                |                               |   |
|------------|------------|---|-------------------------------|-----|-----------|--------------------------------|-------------------------------|---|
| NEJM       | 08/04/2021 | Antibody Responses in Seropositive Persons after a Single Dose of SARS-CoV-2 mRNA Vaccine   | 10.1056/NEJMc2101667          | USA | USA       | Original research (letter)     | Cohort study                  | Yes: Age, gender (male, female, prefer not to say,  |
| NEJM       | 01/04/2021 | Adjuvant Nivolumab in Resected Esophageal or Gastroesophageal Junction Cancer   | 10.1056/NEJMoa2032125         | USA | Global    | Original research (full paper) | RCT                           | Yes: Age, male sex %, race (white, Asian, black, other, not reported), Geographic region (Europe, US, Canada, Asia)   |
| The Lancet | 17/04/2021 | Thromboembolism and the Oxford–AstraZeneca COVID-19 vaccine: side-effect or coincidence?  | 10.1016/S0140-6736(21)00762-5 | UK  | Denmark   | Original research (letter)     | Cohort study                  | Yes: age group, female + male numbers   |
| The Lancet | 17/04/2021 | Effect of infusion set replacement intervals on catheter-related bloodstream infections (RSVP): a randomised, controlled, equivalence (central venous access device)–non-inferiority (peripheral arterial catheter) trial         | 10.1016/S0140-6736(21)00351-2 | UK  | Australia | Original research (full paper) | RCT                           | Yes: Age, male/female, disease/hospital stay characteristics  |
| The Lancet | 17/04/2021 | SARS-CoV-2 infection rates of antibody-positive compared with antibody-negative health-care workers in England: a large, multicentre, prospective cohort study (SIREN)  | 10.1016/S0140-6736(21)00675-9 | UK  | England   | Original research (full paper) | Cohort study                  | Yes: Gender (female, male, other); Age; Ethnicity (white, mixed race, Asian, black, Chinese, other, prefer not to say), medical conditions, index of multiple deprivation, region of England. |
| The Lancet | 10/04/2021 | Efficacy of ChAdOx1 nCoV-19 (AZD1222) vaccine against SARS-CoV-2 variant of concern 202012/01 (B.1.1.7): an exploratory analysis of a randomised controlled trial   | 10.1016/S0140-6736(21)00628-0 | UK  | UK        | Original research (full paper) | RCT (Secondary data analysis) | Yes: age, % female, ethnicity white, black, Asian, mixed, other, missing,   |
| The Lancet | 10/04/2021 | The SANAD II study of the effectiveness and cost-effectiveness of levetiracetam, zonisamide, or lamotrigine for newly diagnosed focal epilepsy: an open-label, non-inferiority, multicentre, phase 4, randomised controlled trial | 10.1016/S0140-6736(21)00247-6 | UK  | UK        | Original research (full paper) | RCT                           | Yes: Age, gender (male/female),   |
| The Lancet | 10/04/2021 | The SANAD II study of the effectiveness and cost-effectiveness of valproate versus levetiracetam for newly diagnosed generalised and unclassifiable epilepsy: an open-label, non-   | 10.1016/S0140-6736(21)00246-4 | UK  | UK        | Original research (full paper) | RCT                           | Yes: Age, gender (male/female),   |

|            |            |  |                               |     |              |                                |                                     |   |
|------------|------------|--|-------------------------------|-----|--------------|--------------------------------|-------------------------------------|---|
|            |            | inferiority, multicentre, phase 4, randomised controlled trial   |                               |     |              |                                |                                     |   |
| The Lancet | 03/04/2021 | Efficacy and safety of dolutegravir with emtricitabine and tenofovir alafenamide fumarate or tenofovir disoproxil fumarate, and efavirenz, emtricitabine, and tenofovir disoproxil fumarate HIV antiretroviral therapy regimens started in pregnancy (IMPAACT 2010/VESTED): a multicentre, open-label, randomised, controlled, phase 3 trial | 10.1016/S0140-6736(21)00314-7 | UK  | Global       | Original research (full paper) | RCT                                 | Yes: Age, all female (in pregnancy), Country, race (Black, Asian, White, Other, unknown),   |
| The Lancet | 03/04/2021 | Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial  | 10.1016/S0140-6736(21)00350-0 | UK  | France       | Original research (full paper) | RCT                                 | Yes: Age, sex (female/male), comorbidities  |
| The Lancet | 27/03/2021 | Evaluating Progestogens for Preventing Preterm birth International Collaborative (EPPPIC): meta-analysis of individual participant data from randomised controlled trials  | 10.1016/S0140-6736(21)00217-8 | UK  | Not provided | Original research (full paper) | Systematic review and meta-analysis | Yes: age, all female (in pregnancy) ethnicity (Black, Asian, Hispanic, middle eastern, other, white, unknown), disease variables  |
| The Lancet | 27/03/2021 | Discontinuing $\beta$ -lactam treatment after 3 days for patients with community-acquired pneumonia in non-critical care wards (PTC): a double-blind, randomised, placebo-controlled, non-inferiority trial  | 10.1016/S0140-6736(21)00313-5 | UK  | France       | Original research (full paper) | RCT                                 | Yes: Age, sex (female/male),  |
| JAMA       | 13/04/2021 | Effect of Subcutaneous Semaglutide vs Placebo as an Adjunct to Intensive Behavioural Therapy on Body Weight in Adults With Overweight or Obesity The STEP 3 Randomized Clinical Trial  | 10.1001/jama.2021.1831        | USA | USA/UK       | Original research (full paper) | RCT                                 | Yes: age, sex (women, men), race (white, black or African American, other, Asian, Native Hawaiian or other pacific island, American Indian or Alaska native, Hispanic or Latino ethnic group, body weight, BMI, comorbidities, clinical measurements, |
| JAMA       | 13/04/2021 | Effect of Continued Weekly Subcutaneous Semaglutide vs Placebo on Weight Loss Maintenance in Adults With   | 10.1001/jama.2021.3224        | USA | Global       | Original research (full paper) | RCT                                 | Yes: age, sex (women, men), race (white, black or African American, other, Asian, Hispanic or Latino ethnic group), body weight, BMI,   |



|      |            |   |                        |     |          |                                |                                 |   |
|------|------------|---|------------------------|-----|----------|--------------------------------|---------------------------------|---|
|      |            | Overweight or Obesity The STEP 4 Randomized Clinical Trial  |                        |     |          |                                |                                 | comorbidities, clinical measurements,   |
| JAMA | 13/04/2021 | Effect of Ivermectin on Time to Resolution of Symptoms Among Adults with Mild COVID-19A Randomized Clinical Trial   | 10.1001/jama.2021.3071 | USA | Colombia | Original research (full paper) | RCT                             | Yes: age, sex (male, female), race or ethnic group (mixed race, Black or African American, Colombian native), Health Insurance (private/semiprivate, government subsidised, uninsured), number of people in the household, current smoker, BMI, Comorbidities etc |
| JAMA | 13/04/2021 | Binding and Neutralization Antibody Titers After a Single Vaccine Dose in Health Care Workers Previously Infected With SARS-CoV-2   | 10.1001/jama.2021.3341 | USA | USA      | Original research (Letter)     | Cohort study                    | Yes: age, sex (male , female), race/ethnicity (Black or Black American, White, Asian) vaccine received  |
| JAMA | 13/04/2021 | Discriminant Accuracy of the SOFA Score for Determining the Probable Mortality of Patients With COVID-19 Pneumonia Requiring Mechanical Ventilation   | 10.1001/jama.2021.1545 | USA | USA      | Original research (Letter)     | Cohort study                    | Yes: age, sex (male , female), race/ethnicity (Non-Hispanic white, Hispanic, Native American, Black), BMI, comorbidities, lab results   |
| JAMA | 06/04/2021 | Effect of Low-Intensity vs High-Intensity Home-Based Walking Exercise on Walk Distance in Patients With Peripheral Artery Disease The LITE Randomized Clinical Trial                            | 10.1001/jama.2021.2536 | USA | USA      | Original research (full paper) | RCT                             | Yes: Age, Sex (Male/Female), Race White, Black, Asian, Other), Hispanic ethnicity.  |
| JAMA | 06/04/2021 | Effect of Celecoxib vs Placebo Added to Standard Adjuvant Therapy on Disease-Free Survival Among Patients With Stage III Colon Cancer The CALGB/SWOG 80702 (Alliance) Randomized Clinical Trial | 10.1001/jama.2021.2454 | USA | USA      | Original research (full paper) | RCT                             | Yes: Age, Sex (Men/Women), Race (White, Black or African American, Asian, All others or not reported), Hispanic or Latino %) Disease characteristics  |
| JAMA | 06/04/2021 | Antimicrobial Use in a Cohort of US Nursing Homes, 2017   | 10.1001/jama.2021.2900 | USA | USA      | Original research (full paper) | Cohort study                    | Yes: Age, sex (men/women), race/ethnicity (Other, Hispanic or Latino, Black non-Hispanic, white non-Hispanic, )   |
| JAMA | 06/04/2021 | Trends in Age at Natural Menopause and Reproductive Life Span Among US Women, 1959-2018   | 10.1001/jama.2021.0278 | USA | USA      | Original research (Letter)     | Epidemiologic assessment survey | Yes: Age, (all female), Race/ethnicity (White, Black, Hispanic, non-US born), Educational attainment,   |

|      |            |  |                         |     |             |                                |                                 |   |
|------|------------|--|-------------------------|-----|-------------|--------------------------------|---------------------------------|---|
|      |            |  |                         |     |             |                                |                                 | poverty (Poverty income ratio), other health indicators |
| JAMA | 30/03/2021 | Intubation Practices and Adverse Peri-intubation Events in Critically Ill Patients From 29 Countries   | 10.1001/jama.2021.1727  | USA | Global      | Original research (full paper) | Other observational study       | Yes: Age, Women%, comorbidities                         |
| PNAS | 30/03/2021 | Estrogen receptor $\beta$ and treatment with a phytoestrogen are associated with inhibition of nuclear translocation of EGFR in the prostate | 10.1073/pnas.2011269118 | USA | Sweden      | Original research (full paper) | Cohort study (lab)              | Yes, Sex (all Males), age ethnicity                     |
| PNAS | 30/03/2021 | Health and economic impact of the pneumococcal conjugate vaccine in hindering antimicrobial resistance in China                              | 10.1073/pnas.2004933118 | USA | China       | Original research (full paper) | Other (Mathematical Modelling ) | Yes age   |
| PNAS | 16/03/2021 | Loss of expression of both miR-15/16 loci in CML transition to blast crisis  | 10.1073/pnas.2101566118 | USA | USA         | Original research (full paper) | Cohort study (lab)              | Yes, sex  |
| PNAS | 09/03/2021 | Influence of a COVID-19 vaccine's effectiveness and safety profile on vaccination acceptance   | 10.1073/pnas.2021726118 | USA | USA         | Original research (full paper) | Survey                          | Yes, sex, age, race                                     |
| PNAS | 09/03/2021 | Elevated cerebrospinal fluid cytokine levels in tuberculous meningitis predict survival in response to dexamethasone                         | 10.1073/pnas.2024852118 | USA | USA         | Original research (full paper) | Cohort study (lab/modelling)    | Yes age, (sex/gender not reported)                      |
| PNAS | 02/03/2021 | Glucagon blockade restores functional $\beta$ -cell mass in type 1 diabetic mice and enhances function of human islets                       | 10.1073/pnas.2022142118 | USA | USA         | Original research (full paper) | Interventional (lab)            | Yes Sex, Age  |
| PNAS | 23/03/2021 | Modelling SARS-CoV-2 viral kinetics and association with mortality in hospitalized patients from the French COVID cohort                     | 10.1073/pnas.2017962118 | USA | France      | Original research (full paper) | Cohort study                    | Yes, Gender, Age  |
| PNAS | 09/02/2021 | Arsenic trioxide replacing or reducing chemotherapy in consolidation therapy for acute promyelocytic leukemia (APL2012 trial)                | 10.1073/pnas.2020382118 | USA | China       | Original research (full paper) | RCT                             | Yes, age, sex   |
| PNAS | 02/02/2021 | Efficient detection and post-surgical monitoring of colon cancer with a multi-marker DNA methylation liquid biopsy                           | 10.1073/pnas.2017421118 | USA | China       | Original research (full paper) | Cohort study                    | Yes, Sex, age   |
| PNAS | 05/01/2021 | A data-driven approach to identify risk profiles and protective drugs in COVID-19  | 10.1073/pnas.2016877118 | USA | Switzerland | Original research (full paper) | Cohort study                    | Yes, age, sex   |

|                 |            |  |                               |        |                |  |                                     |  |
|-----------------|------------|--|-------------------------------|--------|----------------|--|-------------------------------------|--|
| Nature Medicine | 15/04/2021 | Integrative microbiomics in bronchiectasis exacerbations   | 10.1016/S0140-6736(21)00313-5 | US     | Asia/Scotland  | Original research (full paper)                 | Cohort study                        | yes; age, gender, geographic origin, aetiology, smoking status, BSI (status/score), BMI, MRC, FEV1)                |
| Nature Medicine | 15/04/2021 | Assessment of medication self-administration using artificial intelligence   | 10.1038/s41591-021-01273-1    | US     | US/ Kosovo     | Original research (full paper)                 | Cohort study                        | yes; gender, and Age   |
| Nature Medicine | 15/04/2021 | Malaria is a cause of iron deficiency in African children  | 10.1038/s41591-021-01238-4    | US     | Africa         | Original research (brief communication/letter) | Cohort study                        | yes; age, gender (female), inflammation, underweight   |
| Nature Medicine | 15/04/2021 | Attributes and predictors of long COVID  | 10.1038/s41591-021-01292-y    | US     | UK, US, Sweden | Original research (brief communication/letter) | Cohort study                        | yes: country, sex, age (years), age group, obese (%), BMI, comorbidities, IMD, hospital visits, symptoms           |
| Nature Medicine | 15/04/2021 | Development of a human skin commensal microbe for bacteriotherapy of atopic dermatitis and use in a phase 1 randomized clinical trial                              | 10.1038/s41591-021-01256-2    | US     | US             | Original research (full paper)                 | RCT                                 | yes; age, sex, ethnicity and race  |
| Nature Medicine | 15/04/2021 | Fetal cranial growth trajectories are associated with growth and neurodevelopment at 2 years of age: INTERBIO-21st Fetal Study                                     | 10.1038/s41591-021-01280-2    | US     | Global         | Original research (brief communication/letter) | Cohort study                        | yes; age. Sex, SES (university education, married/living as married, work outside of home), health status outcomes |
| Nature Medicine | 15/04/2021 | altered perivascular fibroblast activity predicts ALS disease onset  | 10.1038/s41591-021-01295-9    | US     | Europe         | Original research (brief communication/letter) | Interventional other (lab)          | yes; age, gender   |
| Nature Medicine | 15/04/2021 | Homozygous BCMA gene deletion in response to anti-BCMA CAR T cells in a patient with multiple myeloma  | 10.1038/s41591-021-01245-5    | US     | Germany        | Original research (brief communication/letter) | Other Observational (lab)           | yes; age, sex  |
| Nature Medicine | 15/03/2021 | Impaired meningeal lymphatic drainage in patients with idiopathic Parkinson's disease  | 10.1038/s41591-020-01198-1    | US     | China/USA      | Original research (brief communication/letter) | Case control study                  | yes; n (%) female, age,  |
| Nature Medicine | 15/03/2021 | TCR-engineered T cells targeting E7 for patients with metastatic HPV-associated epithelial cancers   | 10.1038/s41591-020-01225-1    | US     | US             | Original research (brief communication/letter) | Interventional trial (not RCT)      | yes; age, sex male/female,   |
| PLOS One        | 19/04/2021 | Effect of dietary treatment and fluid intake on the prevention of recurrent calcium stones and changes in urine composition: A meta-analysis and systematic review | 10.1371/journal.pone.0250257  | USA/UK | China          | Original research (full paper)                 | Systematic review and meta-analysis | Yes: Age, male (n)   |
| PLOS One        | 19/04/2021 | Prognostic value of the postoperative neutrophil-  | 10.1371/journal.pone.0250091  | USA/UK | China          | Original research (full paper)                 | Meta-analysis                       | Yes: age group, male vs female, disease characteristics  |

|          |            |  |                              |        |         |                                |                                      |  |
|----------|------------|--|------------------------------|--------|---------|--------------------------------|--------------------------------------|--|
|          |            | lymphocyte ratio in solid tumors: A meta-analysis  |                              |        |         |                                |                                      |  |
| PLOS One | 19/04/2021 | Predicting poor outcomes in children aged 1–12 with respiratory tract infections: A systematic review  | 10.1371/journal.pone.0249533 | USA/UK | UK      | Original research (full paper) | systematic review (no meta-analysis) | Yes: age only  |
| PLOS One | 16/04/2021 | Effect of smoking status and programmed death-ligand 1 expression on the microenvironment and malignant transformation of oral leukoplakia: A retrospective cohort study | 10.1371/journal.pone.0250359 | USA/UK | Japan   | Original research (full paper) | Cohort study                         | Yes: sex (Male, Female), Age, alcohol drinking, lesion site, disease specific features   |
| PLOS One | 16/04/2021 | A dose-dependent beneficial effect of methotrexate on the risk of interstitial lung disease in rheumatoid arthritis patients   | 10.1371/journal.pone.0250339 | USA/UK | Poland  | Original research (full paper) | Cohort study                         | Yes: Age, male sex, disease specific factors   |
| PLOS One | 16/04/2021 | CT-based determination of excessive visceral adipose tissue is associated with an impaired survival in critically ill patients   | 10.1371/journal.pone.0250321 | USA/UK | Germany | Original research (full paper) | Cohort study                         | Yes: Gender (male, female), Age, BMI, disease specific features and comorbidities  |
| PLOS One | 16/04/2021 | Parental educational level and childhood wheezing and asthma: A prospective cohort study from the Japan Environment and Children's Study (plos.org)                      | 10.1371/journal.pone.0250255 | USA/UK | Japan   | Original research (full paper) | Cohort study                         | Yes: Sex (boy/Girl), Child age, mothers educational level, fathers educational level   |
| PLOS One | 16/04/2021 | The processing of intimately familiar and unfamiliar voices: Specific neural responses of speaker recognition and identification   | 10.1371/journal.pone.0250214 | USA/UK | Canada  | Original research (full paper) | Cohort study                         | Yes: '8 females', age  |
| PLOS One | 16/04/2021 | Pathological complete response of adding targeted therapy to neoadjuvant chemotherapy for inflammatory breast cancer: A systematic review                                | 10.1371/journal.pone.0250057 | USA/UK | Global  | Original research (full paper) | systematic review (no meta-analysis) | Yes: Age, (all females)  |
| PLOS One | 16/04/2021 | Dose-response relationships of intestinal organs and excessive mucus discharge after gynaecological radiotherapy   | 10.1371/journal.pone.0250004 | USA/UK | Sweden  | Original research (full paper) | Cohort study                         | Yes: Age, (all females)  |
| BMJ      | 14/04/2021 | Associations of healthy lifestyle and socioeconomic status with mortality and incident cardiovascular disease: two prospective cohort studies                            | 10.1136/bmj.n604             | UK     | USA/UK  | Original research (full paper) | Cohort study                         | yes; mean age, men, white ethnicity or race, married, household income, occupation, education, health insurance, socio-economic index, |

|     |            |  |                  |    |                     |                                |                                     |  |
|-----|------------|--|------------------|----|---------------------|--------------------------------|-------------------------------------|--|
|     |            |  |                  |    |                     |                                |                                     | smoking, alcohol, diet, BMI, comorbidities   |
| BMJ | 14/04/2021 | Continued versus discontinued oxytocin stimulation in the active phase of labour (CONDISOX): double blind randomised controlled trial          | 10.1136/bmj.n716 | UK | Denmark/Netherlands | Original research (full paper) | RCT                                 | yes; age, (all women ), white European, BMI, smoking, married or living with partner, parity, comorbidities  |
| BMJ | 07/04/2021 | Linked electronic health records for research on a nationwide cohort of more than 54 million people in England: data resource                  | 10.1136/bmj.n826 | UK | UK                  | Original research (full paper) | Cohort study                        | yes; sex, age, ethnicity, comorbidities,   |
| BMJ | 06/04/2021 | E-health StandingTall balance exercise for fall prevention in older people: results of a two year randomised controlled trial                  | 10.1136/bmj.n740 | UK | Australia           | Original research (full paper) | RCT                                 | yes; age, gender, BMI, education, living alone, owns a computer,   |
| BMJ | 31/03/2021 | Adherence to the test, trace, and isolate system in the UK: results from 37 nationally representative surveys                                  | 10.1136/bmj.n608 | UK | UK                  | Original research (full paper) | Survey                              | yes; gender, age, dependant child in household, clinical vulnerability, household member with chronic illness, employment status, socioeconomic grade, index of multiple deprivation, highest educational or professional qualification, ethnicity (white British, white other, mixed, Asian or Asian British, black or black British, Arab or other (don't know or prefer not to say), living alone, marital status, employment, hardship |
| BMJ | 31/03/2021 | Post-covid syndrome in individuals admitted to hospital with covid-19: retrospective cohort study  | 10.1136/bmj.n693 | UK | UK                  | Original research (full paper) | Cohort study                        | yes; age, sex (men/women), ethnicity (white, Asian, mixed/other, unknown) index of multiple deprivation category   |
| BMJ | 24/03/2021 | Comparative efficacy of interventions for reducing symptoms of depression in people with dementia: systematic review and network meta-analysis | 10.1136/bmj.n532 | UK | Canada              | Original research (full paper) | systematic review and meta-analysis | yes; age, % women enrolled   |
| BMJ | 24/03/2022 | Association of spontaneous abortion with all cause and cause specific premature mortality: prospective cohort study                            | 10.1136/bmj.n530 | UK | US                  | Original research (full paper) | Cohort study                        | yes; age, (all women) race/ ethnicity (n %) non-Hispanic white, non-Hispanic black, Hispanic and other   |



|          |            |   |                                |    |                 |                                |                                     |  |
|----------|------------|---|--------------------------------|----|-----------------|--------------------------------|-------------------------------------|--|
| BMJ      | 23/02/2022 | Age dependent associations of risk factors with heart failure: pooled population based cohort study   | 10.1136/bmj.n461               | UK | Global          | Original research (full paper) | cohort study                        | Yes: age, male sex, white ethnicity,   |
| BMJ      | 18/03/2021 | Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England  | 10.1136/bmj.n628               | UK | UK              | Original research (full paper) | Cohort study                        | Yes; age (groups), female sex, ethnicity (white, mixed, south Asian, black, other), Index of multiple deprivation, over 3 adults in a household, |
| Cochrane | 15/04/2021 | Abdominal ultrasound and alpha-fetoprotein for the diagnosis of hepatocellular carcinoma in adults with chronic liver disease   | 10.1002/14651858.CD013346.pub2 | UK | Italy           | Original research (full paper) | systematic review and meta-analysis | yes: age, gender individually  |
| Cochrane | 15/04/2021 | Thrombolytic therapy for pulmonary embolism   | 10.1002/14651858.CD004437.pub6 | UK | China           | Original research (full paper) | systematic review and meta-analysis | Yes: Age, 'sex' as men and women, when reporting characteristics of studies included   |
| Cochrane | 14/04/2021 | Dopamine agonists for preventing ovarian hyperstimulation syndrome  | 10.1002/14651858.CD008605.pub4 | UK | China Australia | Original research (full paper) | systematic review and meta-analysis | Yes: Age if reported in primary study, all women,  |
| Cochrane | 14/04/2021 | Regular treatment with formoterol and an inhaled corticosteroid versus regular treatment with salmeterol and an inhaled corticosteroid for chronic asthma: serious adverse events | 10.1002/14651858.CD007694.pub3 | UK | Ireland         | Original research (full paper) | systematic review and meta-analysis | Yes: Age, (no sex or gender reported)  |
| Cochrane | 14/04/2021 | Botulinum toxin type A versus anticholinergics for cervical dystonia  | 10.1002/14651858.CD004312.pub3 | UK | Portugal        | Original research (full paper) | systematic review and meta-analysis | Yes: age, % female   |
| Cochrane | 13/04/2021 | Non-steroidal anti-inflammatory drugs (NSAIDs) for trigger finger   | 10.1002/14651858.CD012789.pub2 | UK | Singapore       | Original research (full paper) | systematic review and meta-analysis | Yes: age, gender (male/female)   |
| Cochrane | 12/04/2021 | Monitoring of stimulated cycles in assisted reproduction (IVF and ICSI)   | 10.1002/14651858.CD005289.pub4 | UK | UK              | Original research (full paper) | systematic review and meta-analysis | Yes: age, all female,  |
| Cochrane | 10/04/2021 | Treatment for bleeding oesophageal varices in people with decompensated liver cirrhosis: a network meta-analysis  | 10.1002/14651858.CD013155.pub2 | UK | UK              | Original research (full paper) | systematic review and meta-analysis | Yes: age , 'females n and %'   |
| Cochrane | 07/04/2021 | Anti-seizure medications for Lennox-Gastaut syndrome  | 10.1002/14651858.CD003277.pub4 | UK | Italy           | Original research (full paper) | systematic review and meta-analysis | Yes: Age, sex (as per study), race/ethnicity   |
| Cochrane | 06/04/2021 | Primary prevention of variceal bleeding in people with oesophageal varices due to liver cirrhosis: a network meta-analysis  | 10.1002/14651858.CD013121.pub2 | UK | UK              | Original research (full paper) | systematic review and meta-analysis | Yes: mean age, females n and %   |

|                                |            |  |                              |     |             |                                |                           |   |
|--------------------------------|------------|--|------------------------------|-----|-------------|--------------------------------|---------------------------|---|
| Cell Metabolism                | 06/04/2021 | Hyochoic acid species improve glucose homeostasis through a distinct TGR5 and FXR signaling mechanism  | 10.1016/j.cmet.2020.11.017   | UK  | China       | Original research (full paper) | Cohort study              | Yes, Age, sex                                   |
| Cell Metabolism                | 02/03/2021 | The pyruvate-lactate axis modulates cardiac hypertrophy and heart failure  | 10.1016/j.cmet.2020.12.003   | UK  | USA         | Original research (full paper) | Other Observational (lab) | Yes, Age, sex                                   |
| Cell Metabolism                | 02/02/2021 | Neutrophils Fuel Effective Immune Responses through Gluconeogenesis and Glycogenesis   | 10.1016/j.cmet.2020.11.016   | UK  | Scotland    | Original research (full paper) | Other Observational (lab) | Yes, Age, sex                                   |
| Cell Metabolism                | 05/01/2021 | Acetyl-CoA Synthetase 2: A Critical Linkage in Obesity-Induced Tumorigenesis in Myeloma  | 10.1016/j.cmet.2020.12.011   | UK  | USA         | Original research (full paper) | Other Observational (lab) | Yes, age, sex                                   |
| Cell Metabolism                | 01/12/2020 | Succinyl-CoA Ligase Deficiency in Pro-inflammatory and Tissue-Invasive T Cells   | 10.1016/j.cmet.2020.10.025   | UK  | USA         | Original research (full paper) | Other Observational (lab) | Yes, age, sex                                   |
| Cell Metabolism                | 01/12/2020 | SARS-CoV-2 Cell Entry Factors ACE2 and TMPRSS2 Are Expressed in the Microvasculature and Ducts of Human Pancreas but Are Not Enriched in $\beta$ Cells | 10.1016/j.cmet.2020.11.006   | UK  | USA         | Original research (full paper) | Other Observational (lab) | Yes, age, sex, ethnicity, BMI                   |
| Cell Metabolism                | 01/12/2020 | Expression of SARS-CoV-2 Entry Factors in the Pancreas of Normal Organ Donors and Individuals with COVID-19  | 10.1016/j.cmet.2020.11.005   | UK  | USA         | Original research (full paper) | Case control              | Yes, age, sex, ethnicity, BMI                   |
| Cell Metabolism                | 01/12/2020 | Elevation of JAML Promotes Diabetic Kidney Disease by Modulating Podocyte Lipid Metabolism   | 10.1016/j.cmet.2020.10.019   | UK  | China       | Original research (full paper) | Other Observational (lab) | Yes, age, sex                                   |
| Cell Metabolism                | 03/11/2020 | Pyruvate Kinase Controls Signal Strength in the Insulin Secretory Pathway  | 10.1016/j.cmet.2020.10.007   | UK  | USA         | Original research (full paper) | Other Observational (lab) | Yes, age, sex                                   |
| Cell Metabolism                | 03/11/2020 | Bone Marrow Mesenchymal Stem Cells Support Acute Myeloid Leukemia Bioenergetics and Enhance Antioxidant Defense and Escape from Chemotherapy           | 10.1016/j.cmet.2020.09.001   | UK  | Switzerland | Original research (full paper) | Other Observational (lab) | Yes, age, sex                                   |
| Science translational medicine | 14/04/2021 | Imaging Enterobacteriales infections in patients using pathogen-specific positron emission tomography  | 10.1126/scitranslmed.abe9805 | USA | USA         | Original research (full paper) | Other Observational (lab) | Yes: Age, Sex (M/F), weight, medical conditions |
| Science translational medicine | 14/04/2021 | Rituximab-resistant splenic memory B cells and newly engaged naive B cells fuel relapses in patients with immune thrombocytopenia                      | 10.1126/scitranslmed.abc3961 | USA | France      | Original research (full paper) | Other Observational (lab) | Yes: Age, gender (M/F)                          |

|                                |            |   |                              |     |             |                                |                            |   |
|--------------------------------|------------|---|------------------------------|-----|-------------|--------------------------------|----------------------------|---|
| Science translational medicine | 07/04/2021 | SerpinB13 antibodies promote $\beta$ cell development and resistance to type 1 diabetes   | 10.1126/scitranslmed.abf1587 | USA | USA         | Original research (full paper) | cohort study               | Yes male to female ratio, age, diagnosis  |
| Science translational medicine | 07/04/2021 | A selective HDAC8 inhibitor potentiates antitumor immunity and efficacy of immune checkpoint blockade in hepatocellular carcinoma | 10.1126/scitranslmed.aaz6804 | USA | Hong Kong   | Original research (full paper) | Interventional other (Lab) | Yes : sex male/female; Age; disease characteristics (in suppl table s1)                               |
| Science translational medicine | 07/04/2021 | Urolithin A improves muscle function by inducing mitophagy in muscular dystrophy  | 10.1126/scitranslmed.abb0319 | USA | Switzerland | Original research (full paper) | Interventional other (Lab) | Yes (under 'Human Cells' heading) age, sex male (sex linked disorder),                                |
| Science translational medicine | 31/03/2021 | Soft, skin-interfaced sweat stickers for cystic fibrosis diagnosis and management   | 10.1126/scitranslmed.abd8109 | USA | USA         | Original research (full paper) | Interventional other (Lab) | Yes Age, gender Female/male   |
| Science translational medicine | 31/03/2021 | Clearance of pegylated interferon by Kupffer cells limits NK cell activation and therapy response of patients with HBV infection  | 10.1126/scitranslmed.aba6322 | USA | USA         | Original research (full paper) | cohort study               | Yes (supp tab s1): sex %Male, % female, race 'Asian, Black, Caucasian', BMI, disease characteristics, |
| Science translational medicine | 31/03/2021 | Increasing breast milk betaine modulates Akkermansia abundance in mammalian neonates and improves long-term metabolic health      | 10.1126/scitranslmed.abb0322 | USA | Spain       | Original research (full paper) | cohort study               | Yes: Age, gender (M/F)  |
| Science translational medicine | 31/03/2021 | Transcriptional networks in at-risk individuals identify signatures of type 1 diabetes progression                                | 10.1126/scitranslmed.abd5666 | USA | UK          | Original research (full paper) | cohort study               | Yes: Age, race, race-ethnicity  |
| Science translational medicine | 17/03/2021 | GDE2-RECK controls ADAM10 $\alpha$ -secretase-mediated cleavage of amyloid precursor protein                                      | 10.1126/scitranslmed.abe6178 | USA | USA         | Original research (full paper) | Interventional other (Lab) | Yes: age, gender male/female, Race (White, Black)   |

Table 2: Excluded articles from each journal

|                                |   |
|--------------------------------|---|
| NEJM                           | Non-research articles (n= 24); Animal studies/Other non-human (n=0); human research with no participant level data reported (n=2)               |
| Lancet                         | Non-research articles (n= 82); Lancet Animal studies/Other non-human (n=0); human research with no participant level data reported (n=2)        |
| JAMA                           | Non-research articles (n=51); Animal studies/Other non-human (n=0); No participant level data reported (n=2)                                    |
| PNAS                           | Non-research articles (n=69); Animal studies/Other non-human (n=30); No participant level data reported (n=4)                                   |
| Nature Medicine                | Non-research articles (total n=18); Animal studies/Other non-human (n=1); No participant level data reported (n=7)                              |
| PLOSOne                        | Non-research articles (n=0); Animal studies/Other non-human (n=4); No participant level data reported (n=0)                                     |
| BMJ                            | Non-research articles (n=141); Animal studies/Other non-human (n=1); No participant level data reported (n=2)                                   |
| Cochrane                       | Non-research papers (n=0); Animal studies/Other non-human (n=0); No participant level data reported (n=1, but only because no studies included) |
| Cell metabolism                | Non-research articles (n=54); Animal studies/Other non-human (n=33); No participant level data reported (n=0)                                   |
| Science Translational Medicine | Non-research articles (n=3); Animal studies/Other non-human (n=14); No participant level data reported (n=5)                                    |

Table 3: Terms accepted within papers for reporting gender, ethnicity or SES

| Accepted gender reporting terms   | Accepted ethnicity reporting terms   | Accepted Socio-economic status reporting terms  |
|---|--|---|
| Male (number and/or %)<br>Female (number and/or %)<br>Gender: Male/Female (number and/or %)<br>Sex: Male/Female (number and/or %)<br>Male/ female /prefer not to say<br>Male/ Female/ other<br>Male: Female ratio<br>All female sex<br>All Male sex<br>Boy/Girl<br>Gender<br>Sex<br>M/F | Race<br>Ethnicity<br>Race or ethnic group<br>Race/ethnicity<br>Population sector<br>Geographic region<br>Results by continent<br>Geographic location<br>Geographic region<br>Race or ethnic group<br>Ethnicity<br>Non-US born<br>Native to America<br>Native American<br>White race<br>Geographic origin | Employment status<br>University level education<br>Urban residence<br>Index of multiple deprivation<br>Region of England<br>Education<br>Health Insurance (private/semiprivate, government subsidised, uninsured)<br>Number of people in household<br>Educational attainment<br>Poverty Index ratio<br>Mothers educational level/ Fathers educational level<br>Over 3 adults in household<br>Employment status<br>Hardship<br>SES (university education, married/living as married, work outside of home),<br>Household income<br>Socioeconomic grade<br>Highest educational or professional qualification<br>Socioeconomic Index |