

BMJ Open

Bias in dissemination of clinical research findings – structured OPEN framework of what, who, and why based on literature review and expert consensus

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2015-010024
Article Type:	Research
Date Submitted by the Author:	17-Sep-2015
Complete List of Authors:	Bassler, Dirk; University Hospital Zurich, Department of Neonatology Mueller, Katharina; Children's Hospital Tuebingen, Neonatology Briel, Matthias; University Hospital Basel, Institute for Clinical Epidemiology and Biostatistics Kleijnen, Jos; School for Public Health and Primary Care (CAPHRI), Maastricht University, Marusic, Ana; University of Split, Department of Research in Biomedicine and Health Wager, Elizabeth; Sideview, Antes, Gerd; Institute of Medical Biometry & Medical Informatics, University Medical Centre Freiburg, German Cochrane Centre von Elm, Erik; Cochrane Switzerland, Altman, Doug; Centre for Statistics in Medicine Meerpohl, Joerg; Institute of Medical Biometry & Medical Informatics, University Medical Centre Freiburg, German Cochrane Centre; University Medical Centre, Paediatric Haematology & Oncology, Centre for Paediatrics & Adolescent Medicine
Primary Subject Heading:	Medical publishing and peer review
Secondary Subject Heading:	Epidemiology, Ethics, Evidence based practice
Keywords:	MEDICAL ETHICS, QUALITATIVE RESEARCH, Publication Bias, OPEN Project

SCHOLARONE™
Manuscripts

1
2
3 **Bias in dissemination of clinical research findings – structured OPEN framework of**
4 **what, who, and why based on literature review and expert consensus**
5

6 Dirk Bassler, Katharina F Mueller, Matthias Briel, Jos Kleijnen, Ana Marusic, Elizabeth Wager, Gerd
7 Antes, Erik von Elm, Douglas G Altman, Joerg J Meerpohl on behalf of the OPEN Consortium
8
9

10
11 Department of Neonatology, University Hospital Zurich, University of Zurich, Frauenklinikstrasse 10,
12 8091 Zurich, Switzerland, dirk.bassler@usz.ch, +41 - (0)44 255 53 40
13 Dirk Bassler
14 Director/Professor
15

16 Center for Pediatric Clinical Studies, University Children's Hospital Tuebingen, Tuebingen, Germany
17 Katharina F Mueller
18

19 Basel Institute for Clinical Epidemiology and Biostatistics, Department of Clinical Research, University
20 Hospital Basel, Basel, Switzerland
21 Matthias Briel
22

23 School for Public Health and Primary Care (CAPHRI), Maastricht University, Maastricht, the
24 Netherlands
25 Jos Kleijnen
26

27 Department of Research in Biomedicine and Health, University of Split School of Medicine, Split,
28 Croatia
29 Ana Marusic
30

31 Sideview, Princes Risborough, Bucks, United Kingdom
32 Elizabeth Wager
33

34 German Cochrane Centre, Medical Center – University of Freiburg, Freiburg, Germany
35 Gerd Antes
36

37 Cochrane Switzerland, IUMSP, University Hospital Lausanne, Lausanne, Switzerland
38 Erik von Elm
39

40 Centre for Statistics in Medicine, University of Oxford, Botnar Research Centre, Oxford, United
41 Kingdom
42 Douglas G Altman
43

44 German Cochrane Centre, Medical Center – University of Freiburg, Freiburg, Germany
45 Joerg J Meerpohl
46

47 Correspondence to: dirk.bassler@usz.ch
48
49
50
51
52
53
54
55
56
57
58
59
60

Abstract

Objective: The aim of this study is to review highly cited articles that focus on non-publication of studies and to develop a consistent and comprehensive approach to defining (non-) dissemination of research findings.

Setting: We performed a scoping review of definitions of the term 'publication bias' in highly cited publications.

Participants: Ideas and experiences of a core group of authors were collected in a draft document, which was complemented by the findings from our literature search.

Interventions: The draft document including findings from the literature search was circulated to an international group of experts and revised until no additional ideas emerged and consensus was reached.

Primary outcomes: We propose a new approach to the comprehensive conceptualization of (non-) dissemination of research.

Secondary outcomes: Our 'What, Who and Why?' approach includes issues that need to be considered when disseminating research findings (What?), the different players who should assume responsibility during the various stages of conducting a clinical trial and disseminating clinical trial documents (Who?), and motivations that might lead the various players to disseminate findings selectively, thereby introducing bias in the dissemination process (Why?).

Conclusion: Our comprehensive framework of (non-) dissemination of research findings, based on the results of a scoping literature search and expert consensus will facilitate the development of future policies and guidelines regarding the multifaceted issue of selective publication, historically referred to as 'publication bias'.

Strengths and limitations of this study

- Framework based on results from literature review and expert consensus as part of European Union FP7 project (Overcome failure to Publish nEgative fiNdings (OPEN) project; <http://www.open-project.eu>).
- New approach to the comprehensive conceptualization of (non-) dissemination of research.
- The focus of our literature search has been on highly cited and publicly available articles in order to capture the most widely cited definitions of the term 'publication bias' and is therefore limited.

For peer review only

Background

Systematic reviews of high-quality randomized controlled trials provide a valid summary of the available research findings, and are therefore crucial to evidence-based medical decision-making.¹ It has long been recognized that the identification of the entire relevant research evidence is essential to produce an unbiased and balanced summary. Thus, ideally all research conducted should be published and easily identifiable. Only under such circumstances can systematic reviews live up to their promise of providing unbiased, high-quality evidence for medical decision-making. However, it is not always possible to retrieve all eligible evidence for a given topic, as many studies never get published. The phenomenon of non-publication of studies based on the nature and direction of the results is often referred to as 'publication bias'.^{2,3}

Interpretations of research evidence can be distorted not only by the non-publication of an entire study, information may also be partially lacking or presented in a way that influences the take-up of the findings, such as selective reporting of outcomes or subgroups or 'data massaging' (e.g. the selective exclusion of patients from the analysis). Thus, over recent years a new nomenclature for other types of bias related to the non-publication or distortion in the dissemination process of research findings has been developed, such as 'reporting bias',⁴ 'time lag bias',⁵ 'location bias',^{6,7} and many more. Nevertheless, all these different aspects are often still referred to as 'publication bias'. Until now, no consensus on the definition of 'publication bias' has been reached in the literature.

Therefore, we aimed to perform a scoping review of highly cited articles that focus on non-publication of studies and to present the various definitions of biases related to the dissemination of research findings contained in the articles identified. Furthermore, we aimed to develop a comprehensive and consistent framework to defining (non-) dissemination of research findings in an international group of experts in the context of the OPEN Project (To Overcome failure to Publish nEgative fiNdings) based on the findings of our literature search.

Methods

A detailed protocol of our methods has been published⁸. In brief, the following methods were used for literature search and the development of the 'what, who, and why?' framework to defining (non-)dissemination of research findings.

1. Literature search

1.1. Search strategy

Our focus was on highly cited and publicly available articles in order to capture the most widely used definitions of 'publication bias'. Therefore, we searched Web of Science⁹ on the 19th of November 2012. We used the simple search term 'publication bias', which had to be included in the title or abstract and also in the keywords. We chose Web of Science because it presents results of literature searches according to the total number of citations, therefore allowing us to identify the most frequently cited articles. Although we were interested in various aspects of problems in the dissemination process of research findings, we aimed at the identification of different definitions of 'publication bias' and thus decided that the term 'publication bias' should be part of all publications of

1
2
3 interest. No language restrictions were applied. We did not search any other database or any grey
4 literature.

5 6 1.2. Eligibility criteria

7 We included the 50 most frequently cited articles that focused on biases related to the non-
8 publication or distortion in the dissemination process of research findings from any source and
9 addressed to any audience. Since we were interested in the most common definitions of 'publication
10 bias' we believed that 50 articles would provide enough information. We did not exclude self-citations
11 because we were interested in the absolute number of citations independent of the people who cited
12 the work. In order to be included, articles needed to use the term 'publication bias' and provide some
13 form of definition of it. We included only full-text articles.

14 15 16 17 1.3. Study selection

18 Two reviewers independently screened titles and abstracts of search results. If a title or
19 abstract could not be rejected with certainty by both reviewers, the full text of the paper was retrieved
20 and assessed for eligibility. Any disagreement among reviewers was resolved by discussion and
21 consensus or, if needed, by third party arbitration.

22 23 24 1.4. Data extraction

25 A specially designed data extraction form was developed and pilot-tested. KM and DB
26 independently extracted all relevant information from each eligible article. The following information
27 was collected:

- 28 ○ general characteristics (e.g. author names, language and year of publication, journal)
- 29 ○ Number of citations in Web of Science and rank
- 30 ○ Definitions of biases related to the dissemination of research findings

31 Any disagreement was resolved by discussion and consensus or, if needed, arbitration by a
32 third reviewer.

33 34 35 36 1.5. Data analysis and reporting

37 Data synthesis involved a descriptive summary of the range of definitions given to describe
38 various forms of biases related to the dissemination of research findings.

39 40 41 42 2. Development of the OPEN framework of (non-) dissemination of research findings

43 We performed a scoping review of definitions of the term 'publication bias' in highly cited
44 publications. In a second step we proposed a draft regarding the issues, which need to be considered
45 when exploring possible biases due to selective dissemination of research findings capturing the ideas
46 and experiences of the core group of authors. We then circulated the draft to all the co-authors and in
47 a third step to all members of the OPEN consortium (an international group of experts). Experts
48 reviewed the draft and provided feedback, as required, regarding the issues we identified or
49 contributed other insights. We continued this process until no additional ideas emerged. There have
50 been three rounds of feedback: In the first round, 8 of 10 authors commented, in the second round 5
51 of 10 authors commented, and in the last round 9 of 10 authors commented.

52 At the end of this process, we reached consensus regarding the issues that need to be
53 considered when exploring possible biases due to selective dissemination of research findings. Based
54
55
56
57
58
59
60

on this consensus, targeted measures to reduce dissemination bias can be developed and implemented.


Results

1. Review of existing definitions of 'publication bias'

We included the 50 most highly cited articles, which provided a definition of 'publication bias' (*supplemental file 1: included articles*).

Most of the articles (38/50 articles) defined 'publication bias' as a form of selective publication, for various reasons (*Figure 1*).

Figure 1: various reasons for selective publication



Five of the included 50 articles argued that 'publication bias' as a term is not appropriate and that the authors prefer to call this phenomenon 'submitting/editing bias'.

2. OPEN framework of (non-)dissemination of research findings

We suggest that the traditionally used term 'publication bias' is too limited as it does not include all the various problems that can occur in the process of disseminating research findings. We therefore propose to use the term 'dissemination bias' rather than 'publication bias', as suggested by others^{10 11}, because it captures various other problems that can occur throughout the entire process from the planning and conduct of studies to the dissemination of research evidence.

More importantly, we propose a comprehensive and consistent approach to the issue of (non-)dissemination of research findings which, in part, focuses on the various key groups involved in the knowledge generation and dissemination process. The proposed approach includes three parts: (1) issues that need to be considered when exploring possible biases due to selective dissemination of research findings (What?), (2) stakeholders who could assume responsibility for the various stages of

1
2
3 conducting a clinical trial and disseminating clinical trial documents (Who?), and (3) motivations that
4 may lead the various players to disseminate findings selectively, thereby introducing bias in the
5 dissemination process (Why?).
6
7

8
9 *2.1. Issues that need to be considered when exploring possible biases due to selective dissemination*
10 *of research findings (What?)*

11 Based on our scoping review and our experience, the existing definitions of 'publication bias'
12 remain rather vague, as there is currently no agreement in the scientific community about what should
13 be considered a 'publication' and how it should be defined. It is unclear if only a full article in a peer-
14 reviewed journal should be considered a publication or also other formats of publication, such as
15 presentations at scientific conferences, governmental/institutional reports, book chapters, dissertations
16 and theses. We decided to summarize the various ways of making research results available to the
17 public by the term 'dissemination'. The characteristics that need to be considered when disseminating
18 research findings are presented in *Table 1*.
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 1: Characteristics that need to be considered when disseminating research findings (What?)

Type of data	Format / Product	Accessibility
<ul style="list-style-type: none"> • Individual data <ul style="list-style-type: none"> ◦ complete¹⁾ ◦ incomplete²⁾ • Summary (analysed) data <ul style="list-style-type: none"> ◦ complete¹⁾ ◦ incomplete²⁾ 	<ul style="list-style-type: none"> • Grey Literature (press, newspaper, any kind of reports, patent, technical report from government agencies or scientific research groups, working paper from research groups or committees, executive summary, book chapter, presentation at scientific conferences (abstracts, slides, posters), dissertation/thesis, trial register entry, submission to regulatory authorities, database/statistical file³⁾) • Scientific abstract published in a journal • Full article published in a journal • Regulatory documents (CSR (Clinical study report), ISS (integrated summary of effectiveness or safety), PSURS (periodic safety updates), DAP (drug approval packages), EPAR (European public assessment report), CTD (common technical documents)) • Study protocol, statistical analysis plan • Case report forms • Internal communication 	<ul style="list-style-type: none"> • Open to all • Available on request • Restricted⁴⁾ • Not available outside primary research group

¹⁾ all raw data

²⁾ selection of outcome data

³⁾ analysed outcome data

⁴⁾ including paywall restrictions

2.2. Stakeholders who should assume responsibility for the various stages of conducting a clinical trial and disseminating clinical trial documents (Who?) and their motivations (Why?)

Within the OPEN Project, we have identified key groups who are part of the knowledge generation and dissemination process.¹² When exploring their policies and procedures to deal with publication and associated forms of bias, it was striking that none of them assumed responsibility for, or indicated themselves to be in a position to tackle, this problem. Instead, each group considered it was 'somebody else's problem'.^{13 14} The whole dissemination process seems to involve so many different players on various levels, that it can sometimes be difficult to identify clearly who is responsible for the non-dissemination of research findings at each stage of the process. In *Table 2*, we list stakeholders who should assume responsibility for the various stages of conducting a clinical trial and disseminating of clinical trial documents (*Who?*). In *Table 3* the motivations that may lead the various players to selectively disseminate findings, thereby introducing bias in the dissemination process (*Why?*) are presented.

Table 2: Responsibility/Influence that different players could assume in the various steps of conducting a clinical trial and in the dissemination of clinical trial documents (*Who?*)

		Players in the dissemination process										
		Researchers Authors	Journal editors	Peer reviewers of journal articles	Funding agencies	Pharmaceutic al and medical device manufacturers	Research ethics committees	Research institutions	Regulatory agencies	Trial register	Decision making bodies	Readers/Patients/ Patient organizations/ benefit assessment agencies/HTA bodies
Steps in trial conduct and dissemination	Research idea / research question	X			X	X					X	X
	Writing the study protocol	X			X	X	X					
	Registering the study in a trial register	X	X		X	X	X	X	X	X	X	
	Submitting the study protocol for a journal publication	X	X		X	X	X	X		X		
	Publishing the study protocol		X		X	X				X		
	Conducting the study / Assessing outcome measures	X				X						
	Analysing data	X				X						
	Writing and submitting a journal article	X				X						
	Peer review		X	X								
	Publication		X		X	X		X		X		

Table 3: Motivations of players that might lead to biased dissemination of research result (Why?)

Players	Motivations
Researchers/authors	<p data-bbox="573 243 781 268">Publish or perish</p> <p data-bbox="662 285 1377 485">The importance of scientists' work is often judged by the amount of papers they publish. Journal publications not only improve the visibility and reputation of investigators, but also represent an increasingly important prerequisite for faculty positions and research funding.¹⁵</p> <p data-bbox="573 499 862 525">Career status of authors</p> <p data-bbox="662 541 1377 825"><i>Junior researchers</i> may be less experienced and therefore may fear consequences less if biased analyses are detected. They might also be in a hurry to generate most publications possible. Junior and especially mid-career researchers are in need of frequent publication to progress their academic careers, as survival in the system of science depends on reaching a critical amount of publications within a certain time.¹⁶</p> <p data-bbox="662 842 1377 999"><i>Senior researchers</i> have to make less effort to maintain their already well-established career. On the other hand, they might be in charge of an institution and therefore try to enhance its publication record.</p> <p data-bbox="573 1014 764 1039">Winner takes all</p> <p data-bbox="662 1056 1377 1381">Novel research findings are especially rewarded.¹⁶ Thus, authors will rush such results to a journal. In order to be the first to publish with a minimum expenditure of resources, they will try to anticipate which results are likely to be most impressive to reviewers and editors. On the other hand, investigators have no interest in 'wasting their time' in preparing manuscripts with results they consider not sufficiently interesting to achieve publication.</p> <p data-bbox="573 1396 1235 1421">Tendency to confirm own expectations and hypotheses</p> <p data-bbox="662 1438 1377 1682">Confirmations of one's own expectations with significant results might be used as proof by researchers that the procedure and findings are sound. Furthermore, a non-significant finding may be interpreted as failure and therefore less 'valuable' or 'publishable', as various surveys and experiments have described.¹⁵</p> <p data-bbox="573 1696 805 1722">Intellectual interest</p> <p data-bbox="662 1738 1377 1896">Apart from the tendency to confirm their own expectations and hypotheses, researchers wish to demonstrate the truth of their own hypothesis to keep this research area open and not limit the chance for further findings.</p>

	<p>Financial interests</p> <p>Researchers/authors might be pushed by funders/industry/lobby to report/submit research findings in favour of the product and not submit unfavourable data.¹⁷ Furthermore, conflicts of interest related to companies producing competing products may influence interpretation and reporting of data by researchers/authors.</p>
<p>Journal editors</p>	<p>Frequent citations</p> <p>Editors are interested in publishing articles that accrue many citations, since frequent citations increase the journal's prestige and attract more readers, authors, and subscribers.¹⁸ It is known that 'significant' and theory-confirming results are more often cited by other authors.</p> <p>Reader interest</p> <p>Editors will try to anticipate the interest of readers (who will probably be more interested in new and impressive results).</p> <p>Tendency to confirm own expectations and hypotheses¹⁹</p> <p>Confirmations of editor's expectations and significant results might be used as proof by editors that the procedure and findings are sound.</p> <p>Financial interests²⁰</p> <p>Journals receive financial rewards for publishing (e.g. reprint sales or advertising revenue).</p> <p>Conflict of interests</p> <p>Personal conflicts of interest might influence editors' decision about manuscripts.</p>
<p>Peer Reviewers</p>	<p>Tendency to confirm own expectations and hypotheses¹⁹</p> <p>Confirmations of peer reviewer's expectations and significant results might be used as proof by peer reviewers that the procedure and findings are sound.</p> <p>Maximising reputation while minimising effort</p> <p>Peer reviewers have a very labour-intensive task¹⁸ and they inevitably have less insight into the research done than the original authors. To minimise their workload they might solve the information problem by relying on proxies to indicate the quality of research work. For example, the status and reputation of authors, the strength and significance of results of the main results as opposed to the scientific merit of the investigation, or even the tendency to confirm the peer reviewer's own expectations and hypotheses might serve as</p>

	<p>proxies.</p> <p>Consequently, at times, well-designed and conducted studies may not be published if they report null or negative results.²¹</p> <p>Conflict of interests</p> <p>Personal conflicts of interest might influence peer reviewers' decision about manuscripts.</p>
(pharmaceutical & device) Manufacturers	<p>Marketing of their product</p> <p>Commercial sponsors are interested in results supporting their product, and try to use such results in the most favourable way for the marketing of their product. Likewise, they may wish to suppress studies when the results do not favour their product.</p> <p>It has been shown that industry-supported research is more likely to present 'positive' results than research funded from non-industry sources, furthermore, industry sponsorship was strongly associated with pro-industry conclusions.²²⁻²⁴ There is evidence that commercially sponsored research is less frequently published, if the results are 'negative'.²²⁻²⁴</p>
Funding agencies	<p>Increase in visibility</p> <p>Funding agencies want to be visible and associated with promising research.</p> <p>Conflict of interests</p> <p>Funding agencies, in particular public funders such as hospitals, might be influenced by economic considerations and therefore favour less expensive treatment options over new and more costly alternatives.</p>
Research ethics committees	<p>Lack of financial and personal resources</p> <p>While many research ethics committees sporadically check publications of approved studies, they lack the financial and personal resources to do so in a systematic manner.</p> <p>Insufficient legal basis to require trial registration and unbiased dissemination</p> <p>While many research ethics committees would prefer to require trial registration and unbiased dissemination of trial findings, most countries currently lack the legal basis for them to do so.</p>
Research institutions	<p>Increase in visibility</p> <p>Research institutions want to be visible and associated with promising research.</p> <p>Conflict of interests</p> <p>Conflicts of interest related to the performance of their own institution.</p>

Regulatory agencies	Lack of realising the public interest in unbiased research While regulatory agencies need to protect commercial interests, their transparency policies explicitly state that the public interest in unbiased clinical data can overrule the commercial interests (especially after marketing approval has been granted). Nevertheless, recent decision making of the European Medicines Agency on more or less restricted access to trial data did not consider 'public interest' arguments. ²⁵
Decision making bodies	Have an interest in transparency and try to add to the dissemination process through their submission and publishing procedures.
Readers / patients / patient organisations	Readers and patients might be more interested in 'positive' or new research findings.

Discussion

The phenomenon of non-publication and/or non-dissemination of whole studies based on the nature and direction of the results has historically been referred to as 'publication bias'.³ However the scientific evidence-base can be distorted not only by the absence of a journal publication of a whole study, but results can also be reported only partially or in a delayed manner, or be misrepresented in a way that influences the take-up and interpretation of the findings. Thus multiple problems, all related to the dissemination of study findings, can come into play.

We performed a very narrow literature search, which focused on the most widely cited definitions of the term 'publication bias' and therefore remains limited. Nevertheless, we found in our scoping review that there is currently no consistent definition of 'publication bias' and a comprehensive framework for its description has not yet been developed. Multiple published definitions of 'publication bias' exist. Most of the articles (38/50) in our data set defined 'publication bias' as a form of selective publication due to various reasons. Thus, despite the serious consequences of this problem, we found in our scoping review that there is currently no consistent definition of 'publication bias' and a comprehensive framework for its description has not yet been developed.

As a first approach to a comprehensive and consistent framework of (non-) dissemination of research findings we identified three characteristics ((1) 'Type of data', (2) 'Format/Product' and (3) 'Accessibility') that need to be considered when disseminating research findings (what?). We then focused on the various players that could assume responsibility for the various stages of conducting a clinical trial and disseminating of clinical trial documents (who?). Furthermore, we tried to describe the motivations that might lead the various players to introduce bias in the dissemination process (why?).

The proposed framework of (non-) dissemination of research findings is based on the results from literature search and expert consensus of the OPEN group. A limitation should be considered when interpreting our results. We conducted only a very limited literature search and included only 50 articles, since we were interested in the most prevalent definitions of 'publication bias' only. A more comprehensive literature search might have concluded in a wider range of definitions. Also the representativeness of these articles might be limited since all of the included articles have been published in English, therefore also language bias might play a role.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

The 2013 version of the Declaration of Helsinki states that 'Researchers, authors, sponsors, editors and publishers all have ethical obligations with regard to the publication and dissemination of the results of research. Researchers have a duty to make publicly available the results of their research on human subjects and are accountable for the completeness and accuracy of their reports.'²⁶ Despite this, many research results never get disseminated. The non-dissemination of study results is of great importance because it distorts the evidence for clinical decision-making, which is increasingly based on syntheses of published research. Using the OPEN 'What, Who, and Why?' framework we were able to clearly structure and comprehensively describe the dissemination process and its responsible stakeholders. We believe that together with the other results from the OPEN Project and the recommendations¹² derived from these findings our framework will facilitate the development of future policies and guidelines regarding the multifaceted issue of dissemination bias. We hope that it will help to decrease the problem of non-dissemination of research results and enable clinicians to base their medical decisions on the most comprehensive evidence available, which should ultimately increase the quality of patient care.

Abbreviations:

OPEN: To Overcome Failure to Publish Negative Findings

Competing interests:

All authors have completed the Unified Competing Interest form at www.icmje.org/coi_disclosure.pdf and declare; AM, JK, JM, and EW received grants from EU FP7 programme; EW declares personal fees from various pharmaceutical companies and publishers, personal fees from academic institutions (universities, hospitals), outside the submitted work, and the unpaid membership of the Advisory Board of the International Randomized Controlled Trial Numbering (ISRCTN) scheme; no other relationships or activities that could appear to have influenced the submitted work.

Authors' contributions:

DB and JM conceived of the study. DB, KM, MB, JK, AM, EW, GA, EvE, DA, and JM developed the new approach to the issue of (non-) dissemination of research findings. All authors played a crucial role in the consensus process and the interpretation of the data. KM and DB drafted the manuscript with the help of JM. KM, MB, JK, AM, EW, GA, EvE, DA, JM, and DB critically reviewed the manuscript for important intellectual content. All authors read and approved the final version before submission. KM, JM and DB are guarantors.

All authors had full access to all of the data in the study and can take responsibility for the integrity of the data and the accuracy of the data analysis.

Acknowledgment:

Members of 'the OPEN consortium' are listed below, and we acknowledge the discussions that helped to develop the new framework:

Bertelè, Vittorio	IRCCS – Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Bonfill, Xavier	The Clinical Epidemiology & Public Health Department at the Hospital de la Santa Creu i Sant Pau, Spain
Bouesseau, Marie-Charlotte	World Health Organization, Geneva, Switzerland
Boutron, Isabelle	INSERM U738 research unit, Paris Descartes University, Paris, France
Gallus, Silvano	Department of Epidemiology, IRCCS - Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Garattini, Silvio	IRCCS - Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Gherzi, Davina	University of Sydney, Australia
Karam, Ghassan	World Health Organization, Geneva, Switzerland
Kulig, Michael	Federal Joint Committee, Berlin, Germany
La Vecchia, Carlo	Department of Clinical Sciences and Community Health, University of Milan, Milan Italy
Littmann, Jasper	CELLS (Centre for Ethics and Law in Life Sciences), Hannover Medical School, Hannover, Germany
Malički, Mario	University of Split School of Medicine, Split, Croatia
Murusic, Bojana	Department of Epidemiology, IRCCS - Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Nolting, Alexandra	Federal Joint Committee, Berlin, Germany

Pardo, Hector	The Clinical Epidemiology & Public Health Department at the Hospital de la Santa Creu i Sant Pau, Spain
Perleth, Matthias	Federal Joint Committee, Berlin, Germany
Ravaud, Philippe	INSERM U738 research unit, Paris Descartes University, Paris, France
Reis, Andreas	World Health Organization, Geneva, Switzerland
Schell, Lisa	German Cochrane Centre, Medical Center - University of Freiburg, Freiburg, Germany
Schmucker, Christine	German Cochrane Centre, Medical Center - University of Freiburg, Freiburg, Germany
Schwarzer, Guido	Institute for Medical Biometry and Statistics, Medical Center – University of Freiburg, Freiburg, Germany
Strech, Daniel	CELLS (Centre for Ethics and Law in Life Sciences), Hannover Medical Scholl, Hannover, Germany
Trinquart, Ludovic	INSERM U738 research unit, Paris Descartes University, Paris, France
Urrútia, Gerard	The Clinical Epidemiology & Public Health Department at the Hospital de la Santa Creu i Sant Pau, Spain
Wolff, Robert	Kleijnen Systematic Reviews Ltd., York, United Kingdom

Funding:

The OPEN Project (www.open-project.eu) is funded by the European Union Seventh Framework Programme (FP7 – HEALTH.2011.4.1-2) under grant agreement n° 285453. Information about the grant can be found here: http://cordis.europa.eu/projects/rcn/100957_en.html. The funders did not influence study design; the collection, analysis, or interpretation of data; the writing of the report; or the decision to submit the article for publication. All researchers were independent from funders.

Data sharing statement:

No additional data available.

References:

1. Higgins JPTG, S. . Cochrane Handbook of Systematic Reviews of Interventions. Version 5.1.0. The Cochrane Collaboration Available at: www.handbook.cochrane.org. 2011.
2. Dickersin K. The existence of publication bias and risk factors for its occurrence. *JAMA : the journal of the American Medical Association* 1990;**263**(10):1385-9.
3. Easterbrook PJ, Berlin JA, Gopalan R, et al. Publication bias in clinical research. *Lancet* 1991;**337**(8746):867-72.
4. Chan AW, Hrobjartsson A, Haahr MT, et al. Empirical evidence for selective reporting of outcomes in randomized trials: comparison of protocols to published articles. *JAMA : the journal of the American Medical Association* 2004;**291**(20):2457-65.
5. Hopewell S, Clarke M, Stewart L, et al. Time to publication for results of clinical trials. *Cochrane database of systematic reviews* 2007(2):MR000011.
6. Pittler MH, Abbot NC, Harkness EF, et al. Location bias in controlled clinical trials of complementary/alternative therapies. *Journal of clinical epidemiology* 2000;**53**(5):485-9.
7. Vickers A, Goyal N, Harland R, et al. Do certain countries produce only positive results? A systematic review of controlled trials. *Controlled clinical trials* 1998;**19**(2):159-66.
8. Muller KF, Briel M, D'Amario A, et al. Defining publication bias: protocol for a systematic review of highly cited articles and proposal for a new framework. *Systematic reviews* 2013;**2**:34.
9. Kulkarni AV, Aziz B, Shams I, et al. Comparisons of citations in Web of Science, Scopus, and Google Scholar for articles published in general medical journals. *JAMA : the journal of the American Medical Association* 2009;**302**(10):1092-6.
10. Song F, Parekh S, Hooper L, et al. Dissemination and publication of research findings: an updated review of related biases. *Health Technol Assess* 2010;**14**(8):iii, ix-xi, 1-193.
11. Bax L, Moons KG. Beyond publication bias. *Journal of clinical epidemiology* 2011;**64**(5):459-62.
12. Meerpohl JJ, Schell LK, Bassler D, et al. Evidence-informed recommendations to reduce dissemination bias in clinical research: conclusions from the OPEN (Overcome failure to Publish nEgative fiNDings) project based on an international consensus meeting. *BMJ Open* 2015;**5**(5):e006666.
13. Malicki M, Marusic A, Consortium O. Is there a solution to publication bias? Researchers call for changes in dissemination of clinical research results. *Journal of clinical epidemiology* 2014;**67**(10):1103-10.
14. Wager E, Williams P, Project Overcome failure to Publish nEgative fiNDings C. "Hardly worth the effort"? Medical journals' policies and their editors' and publishers' views on trial registration and publication bias: quantitative and qualitative study. *BMJ* 2013;**347**:f5248.
15. Fanelli D. Do Pressures to Publish Increase Scientist's Bias? An Empirical Support from US States Data. *PLoS one* 2010;**5**(4).
16. Stephan PE. The economics of science. *J Econ Lit* 1996;**34**(3):1199-235.
17. McDaniel MA, Rothstein HR, Whetzel DL. Publication bias: A case study of four test vendors. *Pers Psychol* 2006;**59**(4):927-53.
18. Hojat M, Gonnella JS, Caelleigh AS. Impartial judgment by the "gatekeepers" of science: Fallibility and accountability in the peer review process. *Adv Health Sci Educ* 2003;**8**(1):75-96.
19. Fanelli D. "Positive" Results Increase Down the Hierarchy of the Sciences. *PLoS one* 2010;**5**(3).
20. Lundh A, Barbateskovic M, Hrobjartsson A, et al. Conflicts of interest at medical journals: the influence of industry-supported randomised trials on journal impact factors and revenue - cohort study. *PLoS medicine* 2010;**7**(10):e1000354.
21. Olson CM, Rennie D, Cook D, et al. Publication bias in editorial decision making. *Jama-J Am Med Assoc* 2002;**287**(21):2825-28.
22. Lexchin J, Bero LA, Djulbegovic B, et al. Pharmaceutical industry sponsorship and research outcome and quality: systematic review. *BMJ* 2003;**326**(7400):1167-70.
23. Sismondo S. Pharmaceutical company funding and its consequences: A qualitative systematic review. *Contemp Clin Trials* 2008;**29**(2):109-13.
24. Lundh A, Sismondo S, Lexchin J, et al. Industry sponsorship and research outcome. *Cochrane database of systematic reviews* 2012;**12**:MR000033.
25. Strech D, Littmann J. Lack of proportionality. Seven specifications of public interest that override post-approval commercial interests on limited access to clinical data. *Trials* 2012;**13**:100.
26. World Medical A. World Medical Association Declaration of Helsinki: Ethical Principles for Medical Research Involving Human Subjects. *JAMA : the journal of the American Medical Association* 2013.

Supplemental file 1: List of included articles

1. Egger, M., et al., *Bias in meta-analysis detected by a simple, graphical test*. BMJ, 1997. **315**(7109): p. 629-34.
2. Moher, D., et al., *Improving the quality of reports of meta-analyses of randomised controlled trials: the QUOROM statement. Quality of Reporting of Meta-analyses*. Lancet, 1999. **354**(9193): p. 1896-900.
3. Begg, C.B. and M. Mazumdar, *Operating characteristics of a rank correlation test for publication bias*. Biometrics, 1994. **50**(4): p. 1088-101.
4. Allison, D.B., et al., *Antipsychotic-induced weight gain: a comprehensive research synthesis*. Am J Psychiatry, 1999. **156**(11): p. 1686-96.
5. Lohmueller, K.E., et al., *Meta-analysis of genetic association studies supports a contribution of common variants to susceptibility to common disease*. Nat Genet, 2003. **33**(2): p. 177-82.
6. Easterbrook, P.J., et al., *Publication bias in clinical research*. Lancet, 1991. **337**(8746): p. 867-72.
7. Ioannidis, J.P., et al., *Replication validity of genetic association studies*. Nat Genet, 2001. **29**(3): p. 306-9.
8. K., R. Scherer, and C. Lefebvre, *Identifying relevant studies for systematic reviews*. BMJ, 1994. **309**(6964): p. 1286-91.
9. Lexchin, J., et al., *Pharmaceutical industry sponsorship and research outcome and quality: systematic review*. BMJ, 2003. **326**(7400): p. 1167-70.
10. Duval, S. and R. Tweedie, *Trim and fill: A simple funnel-plot-based method of testing and adjusting for publication bias in meta-analysis*. Biometrics, 2000. **56**(2): p. 455-63.
11. L'Abbe, K.A., A.S. Detsky, and K. O'Rourke, *Meta-analysis in clinical research*. Ann Intern Med, 1987. **107**(2): p. 224-33.
12. Colhoun, H.M., P.M. McKeigue, and G. Davey Smith, *Problems of reporting genetic associations with complex outcomes*. Lancet, 2003. **361**(9360): p. 865-72.
13. Lau, J., J.P. Ioannidis, and C.H. Schmid, *Quantitative synthesis in systematic reviews*. Ann Intern Med, 1997. **127**(9): p. 820-6.
14. Lorenz, M.W., et al., *Prediction of clinical cardiovascular events with carotid intima-media thickness: a systematic review and meta-analysis*. Circulation, 2007. **115**(4): p. 459-67.
15. Bjelakovic, G., et al., *Mortality in randomized trials of antioxidant supplements for primary and secondary prevention: systematic review and meta-analysis*. JAMA, 2007. **297**(8): p. 842-57.
16. Lau, J., et al., *Cumulative meta-analysis of therapeutic trials for myocardial infarction*. N Engl J Med, 1992. **327**(4): p. 248-54.
17. Turner, E.H., et al., *Selective publication of antidepressant trials and its influence on apparent efficacy*. N Engl J Med, 2008. **358**(3): p. 252-60.
18. Dickersin, K., *The existence of publication bias and risk factors for its occurrence*. JAMA, 1990. **263**(10): p. 1385-9.
19. Maggard, M.A., et al., *Meta-analysis: surgical treatment of obesity*. Ann Intern Med, 2005. **142**(7): p. 547-59.
20. Chan, A.W., et al., *Empirical evidence for selective reporting of outcomes in randomized trials: comparison of protocols to published articles*. JAMA, 2004. **291**(20): p. 2457-65.
21. van Tulder, M., et al., *Updated method guidelines for systematic reviews in the cochrane collaboration back review group*. Spine (Phila Pa 1976), 2003. **28**(12): p. 1290-9.
22. Irwig, L., et al., *Guidelines for meta-analyses evaluating diagnostic tests*. Ann Intern Med, 1994. **120**(8): p. 667-76.
23. Egger, M. and G.D. Smith, *Bias in location and selection of studies*. BMJ, 1998. **316**(7124): p. 61-6.
24. Thompson, S.G. and S.J. Sharp, *Explaining heterogeneity in meta-analysis: a comparison of methods*. Stat Med, 1999. **18**(20): p. 2693-708.
25. Selvin, E., et al., *Meta-analysis: glycosylated hemoglobin and cardiovascular disease in diabetes mellitus*. Ann Intern Med, 2004. **141**(6): p. 421-31.
26. Linde, K., et al., *Are the clinical effects of homeopathy placebo effects? A meta-analysis of placebo-controlled trials*. Lancet, 1997. **350**(9081): p. 834-43.
27. Whelton, S.P., et al., *Effect of aerobic exercise on blood pressure: a meta-analysis of randomized, controlled trials*. Ann Intern Med, 2002. **136**(7): p. 493-503.
28. Shaheen, N.J., et al., *Is there publication bias in the reporting of cancer risk in Barrett's esophagus?* Gastroenterology, 2000. **119**(2): p. 333-8.
29. Autier, P. and S. Gandini, *Vitamin D supplementation and total mortality: a meta-analysis of randomized controlled trials*. Arch Intern Med, 2007. **167**(16): p. 1730-7.

30. Aleman, A., et al., *Memory impairment in schizophrenia: a meta-analysis*. Am J Psychiatry, 1999. **156**(9): p. 1358-66.
31. Dickersin, K., Y.I. Min, and C.L. Meinert, *Factors influencing publication of research results. Follow-up of applications submitted to two institutional review boards*. JAMA, 1992. **267**(3): p. 374-8.
32. Kreimer, A.R., et al., *Human papillomavirus types in head and neck squamous cell carcinomas worldwide: a systematic review*. Cancer Epidemiol Biomarkers Prev, 2005. **14**(2): p. 467-75.
33. McAlindon, T.E., et al., *Glucosamine and chondroitin for treatment of osteoarthritis - A systematic quality assessment and meta-analysis*. Jama-Journal of the American Medical Association, 2000. **283**(11): p. 1469-1475.
34. Ioannidis, J.P., et al., *Genetic associations in large versus small studies: an empirical assessment*. Lancet, 2003. **361**(9357): p. 567-71.
35. Popat, S., R. Hubner, and R.S. Houlston, *Systematic review of microsatellite instability and colorectal cancer prognosis*. J Clin Oncol, 2005. **23**(3): p. 609-18.
36. Sterne, J.A. and G. Davey Smith, *Sifting the evidence-what's wrong with significance tests?* BMJ, 2001. **322**(7280): p. 226-31.
37. Faraone, S.V., et al., *Meta-analysis of the association between the 7-repeat allele of the dopamine D(4) receptor gene and attention deficit hyperactivity disorder*. Am J Psychiatry, 2001. **158**(7): p. 1052-7.
38. Stewart, L.A. and M.K. Parmar, *Meta-analysis of the literature or of individual patient data: is there a difference?* Lancet, 1993. **341**(8842): p. 418-22.
39. Sterne, J.A., M. Egger, and G.D. Smith, *Systematic reviews in health care: Investigating and dealing with publication and other biases in meta-analysis*. BMJ, 2001. **323**(7304): p. 101-5.
40. Dwamena, B.A., et al., *Metastases from non-small cell lung cancer: mediastinal staging in the 1990s--meta-analytic comparison of PET and CT*. Radiology, 1999. **213**(2): p. 530-6.
41. Corrao, G., et al., *Alcohol and coronary heart disease: a meta-analysis*. Addiction, 2000. **95**(10): p. 1505-23.
42. Moher, D., et al., *Preferred reporting items for systematic reviews and meta-analyses: the PRISMA Statement*. Open Med, 2009. **3**(3): p. e123-30.
43. Simes, R.J., *Publication bias: the case for an international registry of clinical trials*. J Clin Oncol, 1986. **4**(10): p. 1529-41.
44. Egger, M., et al., *Language bias in randomised controlled trials published in English and German*. Lancet, 1997. **350**(9074): p. 326-9.
45. Sterne, J.A. and M. Egger, *Funnel plots for detecting bias in meta-analysis: guidelines on choice of axis*. J Clin Epidemiol, 2001. **54**(10): p. 1046-55.
46. Kriegeskorte, N., et al., *Circular analysis in systems neuroscience: the dangers of double dipping*. Nat Neurosci, 2009. **12**(5): p. 535-40.
47. Anderson, I.M., *Selective serotonin reuptake inhibitors versus tricyclic antidepressants: a meta-analysis of efficacy and tolerability*. J Affect Disord, 2000. **58**(1): p. 19-36.
48. Nakagawa, S., *A farewell to Bonferroni: the problems of low statistical power and publication bias*. Behavioral Ecology, 2004. **15**(6): p. 1044-1045.
49. Birks, H.J.B., D.G. Frey & E.S. Deevey review #1 - *Numerical tools in palaeolimnology - Progress, potentialities, and problems*. Journal of Paleolimnology, 1998. **20**(4): p. 307-332.
50. Sue Duval, Richard Tweedie. *A Nonparametric "Trim and Fill" Method of Accounting for Publication Bias in Meta-Analysis*. Journal of the American Statistical Association, Vol. 95, No. 449 (Mar., 2000), pp. 89-98

Supplemental file 2: General characteristics of included articles

	Number absolute	Number in percentage
Year of publication		
2005 – 2009	9/50	18%
2000 – 2004	20/50	40%
1995 – 1999	11/50	22%
Before 1995	10/50	20%
Language of publication		
English	50/50	100%
Journal published in		
Addiction	1/50	2%
Am J Psychiat	3/50	6%
Ann Intern Med	6/50	12%
Arch Intern Med	1/50	2%
Behav Ecol	1/50	2%
Biometrics	2/50	4%
BMJ	6/50	12%
Cancer Epidem Biomar	1/50	2%
Circulation	1/50	2%
Gastroenterology	1/50	2%
J Affect Disorders	1/50	2%
J Clin Epidemiol	1/50	2%
J Clin Oncol	2/50	4%
JAMA	5/50	10%
J Paleolimnol	1/50	2%
J Am Stat Assoc	1/50	2%
Lancet	7/50	14%
Nat Genet	2/50	4%
Nat Neurosci	1/50	2%
N Engl J Med	2/50	4%
Open Med	1/50	2%
Radiology	1/50	2%
Spine	1/50	2%
Stat Med	1/50	2%

BMJ Open

Bias in dissemination of clinical research findings – structured OPEN framework of what, who, and why based on literature review and expert consensus

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2015-010024.R1
Article Type:	Research
Date Submitted by the Author:	07-Dec-2015
Complete List of Authors:	Bassler, Dirk; University Hospital Zurich, Department of Neonatology Mueller, Katharina; Children's Hospital Tuebingen, Neonatology Briel, Matthias; University Hospital Basel, Institute for Clinical Epidemiology and Biostatistics Kleijnen, Jos; School for Public Health and Primary Care (CAPHRI), Maastricht University, Marusic, Ana; University of Split, Department of Research in Biomedicine and Health Wager, Elizabeth; Sideview, Antes, Gerd; Institute of Medical Biometry & Medical Informatics, University Medical Centre Freiburg, German Cochrane Centre von Elm, Erik; Cochrane Switzerland, Altman, Doug; Centre for Statistics in Medicine Meerpohl, Joerg; Institute of Medical Biometry & Medical Informatics, University Medical Centre Freiburg, German Cochrane Centre; University Medical Centre, Paediatric Haematology & Oncology, Centre for Paediatrics & Adolescent Medicine
Primary Subject Heading:	Medical publishing and peer review
Secondary Subject Heading:	Epidemiology, Ethics, Evidence based practice
Keywords:	MEDICAL ETHICS, QUALITATIVE RESEARCH, Publication Bias, OPEN Project, Dissemination bias

SCHOLARONE™
Manuscripts

1
2
3 **Bias in dissemination of clinical research findings – structured OPEN framework of**
4 **what, who, and why based on literature review and expert consensus**
5

6 Dirk Bassler, Katharina F Mueller, Matthias Briel, Jos Kleijnen, Ana Marusic, Elizabeth Wager, Gerd
7 Antes, Erik von Elm, Douglas G Altman, Joerg J Meerpohl on behalf of the OPEN Consortium
8
9

10
11 Department of Neonatology, University Hospital Zurich, University of Zurich, Frauenklinikstrasse 10,
12 8091 Zurich, Switzerland, dirk.bassler@usz.ch, +41 - (0)44 255 53 40
13 Dirk Bassler
14 Director/Professor
15

16 Center for Pediatric Clinical Studies, University Children's Hospital Tuebingen, Tuebingen, Germany
17 Katharina F Mueller
18

19 Basel Institute for Clinical Epidemiology and Biostatistics, Department of Clinical Research, University
20 Hospital Basel, Basel, Switzerland
21 Matthias Briel
22

23 School for Public Health and Primary Care (CAPHRI), Maastricht University, Maastricht, the
24 Netherlands
25 Jos Kleijnen
26

27 Department of Research in Biomedicine and Health, University of Split School of Medicine, Split,
28 Croatia
29 Ana Marusic
30

31 Sideview, Princes Risborough, Bucks, United Kingdom
32 Elizabeth Wager
33

34 German Cochrane Centre, Medical Center – University of Freiburg, Freiburg, Germany
35 Gerd Antes
36

37 Cochrane Switzerland, IUMSP, University Hospital Lausanne, Lausanne, Switzerland
38 Erik von Elm
39

40 Centre for Statistics in Medicine, University of Oxford, Botnar Research Centre, Oxford, United
41 Kingdom
42 Douglas G Altman
43

44 German Cochrane Centre, Medical Center – University of Freiburg, Freiburg, Germany
45 Joerg J Meerpohl
46

47 Correspondence to: dirk.bassler@usz.ch
48
49
50
51
52
53
54
55
56
57
58
59
60

Abstract

Objective: The aim of this study is to review highly cited articles that focus on non-publication of studies and to develop a consistent and comprehensive approach to defining (non-) dissemination of research findings.

Setting: We performed a scoping review of definitions of the term 'publication bias' in highly cited publications.

Participants: Ideas and experiences of a core group of authors were collected in a draft document, which was complemented by the findings from our literature search.

Interventions: The draft document including findings from the literature search was circulated to an international group of experts and revised until no additional ideas emerged and consensus was reached.

Primary outcomes: We propose a new approach to the comprehensive conceptualization of (non-) dissemination of research.

Secondary outcomes: Our 'What, Who and Why?' approach includes issues that need to be considered when disseminating research findings (What?), the different players who should assume responsibility during the various stages of conducting a clinical trial and disseminating clinical trial documents (Who?), and motivations that might lead the various players to disseminate findings selectively, thereby introducing bias in the dissemination process (Why?).

Conclusion: Our comprehensive framework of (non-) dissemination of research findings, based on the results of a scoping literature search and expert consensus will facilitate the development of future policies and guidelines regarding the multifaceted issue of selective publication, historically referred to as 'publication bias'.

Strengths and limitations of this study

- We present a new comprehensive framework based on results from literature review and international expert consensus on (non-) dissemination of research results.
- Our three step approach considers for the first time issues that need to be taken into account when disseminating research findings (What?), different players who should assume responsibility (Who?), and motivations that might lead to selective dissemination of research findings (Why?).
- We only searched Web of Science with the simple search term 'publication bias'. This way, our literature search might have favoured older publications and systematic reviews of primary research.

Background

Systematic reviews of randomized controlled trials provide a valid summary of the available research findings, and are therefore crucial to evidence-based medical decision-making.¹ It has long been recognized that the identification of the entire relevant research evidence is essential to produce an unbiased and balanced summary, although non-dissemination of research findings may not necessarily lead to bias. For example, a journal publication may report on all pre-specified outcomes and time-points, but raw data may still be important for other researchers and research questions. This dissemination is not biased or selective, but a result of the current publication system. Nevertheless, ideally all research conducted should be published and easily identifiable. Only under such circumstances can systematic reviews live up to their promise of providing unbiased, high-quality evidence for medical decision-making. However, it is not always possible to retrieve all eligible evidence for a given topic, as many studies never get published. The phenomenon of non-publication of studies based on the nature and direction of the results is often referred to as 'publication bias'.^{2,3}

Interpretations of research evidence can be distorted not only by the non-publication of an entire study, information may also be partially lacking or presented in a way that influences the take-up of the findings, such as selective reporting of outcomes or subgroups or 'data massaging' (e.g. the selective exclusion of patients from the analysis). Thus, over recent years a new nomenclature for other types of bias related to the non-publication or distortion in the dissemination process of research findings has been developed, such as 'reporting bias',⁴ 'time lag bias',⁵ 'location bias',^{6,7} and many more. Nevertheless, all these different aspects are often still referred to as 'publication bias'. Until now, no consensus on the definition of 'publication bias' has been reached in the literature.

Therefore, we aimed to perform a scoping review of highly cited articles that focus on non-publication of studies and to present the various definitions of biases related to the dissemination of research findings contained in the articles identified. Furthermore, we aimed to develop a comprehensive and consistent framework to defining (non-) dissemination of research findings in an international group of experts in the context of the OPEN Project (To Overcome failure to Publish nEgative fiNdings) based on the findings of our literature search.

Methods

A detailed protocol of our methods has been published⁸. In brief, the following methods were used for literature search and the development of the 'what, who, and why?' framework to defining (non-)dissemination of research findings.

1. Literature search

1.1. Search strategy

Our focus was on highly cited and publicly available articles in order to capture the most widely used definitions of 'publication bias'. Therefore, we searched Web of Science⁹ on the 19th of November 2012. We used the simple search term 'publication bias', which had to be included in the title or abstract and also in the keywords. We chose Web of Science because it presents results of literature searches according to the total number of citations, therefore allowing us to identify the most frequently cited articles. Although we were interested in various aspects of problems in the

1
2
3 dissemination process of research findings, we aimed at the identification of different definitions of
4 'publication bias' and thus decided that the term 'publication bias' should be part of all publications of
5 interest. No language restrictions were applied. We did not search any other database or any grey
6 literature.
7

8 1.2. Eligibility criteria

9
10 We included the 50 most frequently cited articles that focused on biases related to the non-
11 publication or distortion in the dissemination process of research findings from any source and
12 addressed to any audience. Since we were interested in the most common definitions of 'publication
13 bias' we believed that 50 articles would provide enough information. We did not exclude self-citations
14 because we were interested in the absolute number of citations independent of the people who cited
15 the work. In order to be included, articles needed to use the term 'publication bias' and provide some
16 form of definition of it. We included only full-text articles.
17

18 1.3. Study selection

19
20 Two reviewers independently screened titles and abstracts of search results. If a title or
21 abstract could not be rejected with certainty by both reviewers, the full text of the paper was retrieved
22 and assessed for eligibility. Any disagreement among reviewers was resolved by discussion and
23 consensus or, if needed, by third party arbitration.
24

25 1.4. Data extraction

26
27 A specially designed data extraction form was developed and pilot-tested. KM and DB
28 independently extracted all relevant information from each eligible article. The following information
29 was collected:
30

- 31 ○ general characteristics (e.g. author names, language and year of publication, journal)
- 32 ○ Number of citations in Web of Science and rank
- 33 ○ Definitions of biases related to the dissemination of research findings
- 34 ○
- 35 ○
- 36 ○

37 Any disagreement was resolved by discussion and consensus or, if needed, arbitration by a
38 third reviewer.

39 1.5. Data analysis and reporting

40
41 Data synthesis involved a descriptive summary of the range of definitions given to describe
42 various forms of biases related to the dissemination of research findings.
43

44 2. Development of the OPEN framework of (non-) dissemination of research findings

45
46 We performed a scoping review of definitions of the term 'publication bias' in highly cited
47 publications. In a second step, we proposed a draft regarding the issues, which need to be considered
48 when exploring possible biases due to selective dissemination of research findings capturing the ideas
49 and experiences of the core group of authors. We then circulated the draft to all the co-authors and in
50 a third step to all members of the OPEN consortium (an international group of experts). Experts
51 reviewed the draft and provided feedback, as required, regarding the issues we identified or
52 contributed other insights. We continued this process until no additional ideas emerged. There have
53 been three rounds of feedback: In the first round, 8 of 10 authors commented, in the second round 5
54 of 10 authors commented, and in the last round 9 of 10 authors commented.
55
56
57
58
59
60

1
2
3 At the end of this process, we reached consensus regarding the issues that need to be
4 considered when exploring possible biases due to selective dissemination of research findings. Based
5 on this consensus, targeted measures to reduce dissemination bias can be developed and
6 implemented.
7
8
9

10 Results

11 1. Review of existing definitions of 'publication bias'

12 We included the 50 most highly cited articles, which provided a definition of 'publication bias'
13 (*supplementary file 1: included articles*). Further information about the included articles is given in
14 *supplementary file 2: General characteristics of included articles*.
15
16
17

18 Most of the articles (38/50 articles) defined 'publication bias' as a form of selective publication,
19 for various reasons (*Figure 1*).
20
21
22

23 **Figure 1:** various reasons for selective publication

24
25 Five of the included 50 articles argued that 'publication bias' as a term is not appropriate and
26 that the authors prefer to call this phenomenon 'submitting/editing bias'.
27
28
29

30 2. OPEN framework of (non-)dissemination of research findings

31 We suggest that the traditionally used term 'publication bias' is too limited as it does not
32 include all the various problems that can occur in the process of disseminating research findings. We
33 therefore propose to use the term 'dissemination bias' rather than 'publication bias', as suggested by
34 others^{10 11}, because it captures various other problems that can occur throughout the entire process
35 from the planning and conduct of studies to the dissemination of research evidence.
36
37

38 More importantly, we propose a comprehensive and consistent approach to the issue of (non-)
39 dissemination of research findings which, in part, focuses on the various key groups involved in the
40 knowledge generation and dissemination process. The proposed approach includes three parts: (1)
41 issues that need to be considered when exploring possible biases due to selective dissemination of
42 research findings (What?), (2) stakeholders who could assume responsibility for the various stages of
43 conducting a clinical trial and disseminating clinical trial documents (Who?), and (3) motivations that
44 may lead the various players to disseminate findings selectively, thereby introducing bias in the
45 dissemination process (Why?).
46
47
48
49

50 *2.1. Issues that need to be considered when exploring possible biases due to selective dissemination* 51 *of research findings (What?)*

52 Based on our scoping review and our experience, the existing definitions of 'publication bias'
53 remain rather vague, as there is currently no agreement in the scientific community about what should
54 be considered a 'publication' and how it should be defined. It is unclear if only a full article in a peer-
55 reviewed journal should be considered a publication or also other formats of publication, such as
56 presentations at scientific conferences, governmental/institutional reports, book chapters, dissertations
57
58
59
60

and theses. We decided to summarize the various ways of making research results available to the public by the term 'dissemination'. The characteristics that need to be considered when disseminating research findings are presented in *Table 1*.

Table 1: Characteristics that need to be considered when disseminating research findings (What?)

Type of data	Format / Product	Accessibility
<ul style="list-style-type: none"> • Individual data <ul style="list-style-type: none"> ◦ complete¹⁾ ◦ incomplete²⁾ • Summary (analysed) data <ul style="list-style-type: none"> ◦ complete¹⁾ ◦ incomplete²⁾ 	<ul style="list-style-type: none"> • Grey Literature (press, newspaper, any kind of reports, patent, technical report from government agencies or scientific research groups, working paper from research groups or committees, executive summary, book chapter, presentation at scientific conferences (abstracts, slides, posters), dissertation/thesis, trial register entry, submission to regulatory authorities, database/statistical file^{1), 3)}, regulatory drug trial reports) • Full article published in a journal • Regulatory documents (CSR (Clinical study report), ISS (integrated summary of effectiveness or safety), PSURS (periodic safety updates), DAP (drug approval packages), EPAR (European public assessment report), CTD (common technical documents)) • Study protocol, statistical analysis plan • Case report forms • Internal communication 	<ul style="list-style-type: none"> • Open to all • Available on request • Restricted⁴⁾ • Not available outside primary research group

¹⁾ all raw data

²⁾ selection of outcome data

³⁾ analysed outcome data

⁴⁾ including paywall restrictions

1
2
3 2.2. Stakeholders who should assume responsibility for the various stages of conducting a clinical trial
4 and disseminating clinical trial documents (Who?) and their motivations (Why?)
5
6

7 Within the OPEN Project, we have identified key groups who are part of the knowledge
8 generation and dissemination process.¹² When exploring their policies and procedures to deal with
9 publication and associated forms of bias, it was striking that none of them assumed responsibility for,
10 or indicated themselves to be in a position to tackle, this problem. Instead, each group considered it
11 was 'somebody else's problem'.^{13 14} The whole dissemination process seems to involve so many
12 different players on various levels, that it can sometimes be difficult to identify clearly who is
13 responsible for the non-dissemination of research findings at each stage of the process. In *Table 2*, we
14 list stakeholders who should assume responsibility for the various stages of conducting a clinical trial
15 and disseminating of clinical trial documents (Who?). In *Table 3* the motivations that may lead the
16 various players to selectively disseminate findings, thereby introducing bias in the dissemination
17 process (Why?) are presented.
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 2: Responsibility/Influence that different players could assume in the various steps of conducting a clinical trial and in the dissemination of clinical trial documents (Who?)

		Players in the dissemination process										
		Researchers Authors	Journal editors	Peer reviewers of journal articles	Funding agencies	Pharmaceutic al and medical device manufacturers	Research ethics committees	Research institutions	Regulatory agencies	Trial register	Decision making bodies ¹⁾	Readers/Patients/ Patient organizations/ benefit assessment agencies/HTA bodies
Steps in trial conduct and dissemination	Research idea / research question	X			X	X					X	X
	Writing the study protocol	X			X	X	X		X			
	Registering the study in a trial register	X	X		X	X	X	X	X	X	X	
	Submitting the study protocol for a journal publication	X	X		X	X	X	X	X		X	
	Publishing the study protocol		X	X	X	X				X		
	Conducting the study / Assessing outcome measures	X				X						
	Analysing data	X				X			X			
	Writing and submitting a journal article	X				X						
	Peer review		X	X								
Publishing journal research		X	X	X	X		X		X			

¹⁾ decision-making authorities in health care systems (for example legal entities, such as the Federal Joint Committee in Germany)

Table 3: Motivations of players that might lead to biased dissemination of research result (Why?)

Players	Motivations
Researchers/authors	<p data-bbox="573 237 781 264">Publish or perish</p> <p data-bbox="662 279 1377 569">The importance of scientists' work is often judged by the amount of papers they publish. Journal publications not only improve the visibility and reputation of investigators, but also represent an increasingly important prerequisite for faculty positions and research funding.¹⁵ Therefore, researchers might be pushed to preferably submit manuscripts with positive results, as they are more likely to be published.</p> <p data-bbox="573 583 862 611">Career status of authors</p> <p data-bbox="662 625 1377 915"><i>Junior researchers</i> may be less experienced and therefore may fear consequences less if biased analyses are detected. They might also be in a hurry to generate most publications possible. Junior and especially mid-career researchers are in need of frequent publication to progress their academic careers, as survival in the system of science depends on reaching a critical amount of publications within a certain time.¹⁶</p> <p data-bbox="662 930 1377 1083"><i>Senior researchers</i> have to make less effort to maintain their already well-established career. On the other hand, they might be in charge of an institution and therefore try to enhance its publication record.</p> <p data-bbox="573 1098 764 1125">Winner takes all</p> <p data-bbox="662 1140 1377 1472">Novel research findings are especially rewarded.¹⁶ Thus, authors will rush such results to a journal. In order to be the first to publish with a minimum expenditure of resources, they will try to anticipate which results are likely to be most impressive to reviewers and editors. On the other hand, authors have no interest in 'wasting their time' in preparing manuscripts with results they consider not sufficiently interesting to achieve publication.</p> <p data-bbox="573 1486 1235 1514">Tendency to confirm own expectations and hypotheses</p> <p data-bbox="662 1528 1377 1766">Confirmations of one's own expectations with significant results might be used as proof by researchers that the procedure and findings are sound. Furthermore, a non-significant finding may be interpreted as failure and therefore less 'valuable' or 'publishable', as various surveys and experiments have described.¹⁵</p> <p data-bbox="573 1780 805 1808">Intellectual interest</p> <p data-bbox="662 1822 1377 1904">Apart from the tendency to confirm their own expectations and hypotheses, researchers wish to demonstrate the truth of their</p>

	<p>own hypothesis to keep this research area open and not limit the chance for further findings.</p> <p>Financial interests</p> <p>Researchers/authors might be pushed by funders/industry/lobby to report/submit research findings in favour of the product and not submit unfavourable data.¹⁷ Furthermore, conflicts of interest related to companies producing competing products may influence interpretation and reporting of data by researchers/authors.</p> <p>Professional interests</p> <p>Researchers might be pushed to preferably publish results which support the current practice in their respective medical specialty as conflicting results might be damaging to the reputation and financial interest of their profession.</p> <p>Miscellaneous</p> <p>Researchers might decide not to share their data, as they want to benefit from the data themselves, or do not want data to be scrutinised by others, or do not have time or resources to make data available.</p>
<p>Journal editors</p>	<p>Frequent citations</p> <p>Editors are interested in publishing articles that accrue many citations, since frequent citations increase the journal's prestige and attract more readers, authors, and subscribers.¹⁸ It is known that 'significant' and theory-confirming results are more often cited by other authors.</p> <p>Reader interest</p> <p>Editors will try to anticipate the interest of readers (who will probably be more interested in new and impressive results).</p> <p>Tendency to confirm own expectations and hypotheses¹⁹</p> <p>Confirmations of editor's expectations and significant results might be used as proof by editors that the procedure and findings are sound.</p> <p>Financial interests²⁰</p> <p>Journals receive financial rewards for publishing (e.g. reprint sales or advertising revenue).</p> <p>Conflict of interests</p> <p>Personal conflicts of interest might influence editors' decision about manuscripts.</p>
<p>Peer Reviewers</p>	<p>Tendency to confirm own expectations and hypotheses¹⁹</p> <p>Confirmations of peer reviewer's expectations and significant</p>

	<p>results might be used as proof by peer reviewers that the procedure and findings are sound.</p> <p>Maximising reputation while minimising effort</p> <p>Peer reviewers have a very labour-intensive task¹⁸ and they inevitably have less insight into the research done than the original authors. To minimise their workload they might solve the information problem by relying on proxies to indicate the quality of research work. For example, the status and reputation of authors, the strength and significance of results of the main results as opposed to the scientific merit of the investigation, or even the tendency to confirm the peer reviewer's own expectations and hypotheses might serve as proxies.</p> <p>Consequently, at times, well-designed and conducted studies may not be published if they report null or negative results.²¹</p> <p>Conflict of interests</p> <p>Personal conflicts of interest might influence peer reviewers' decision about manuscripts.</p>
(pharmaceutical & device) Manufacturers	<p>Marketing of their product</p> <p>Commercial sponsors are interested in results supporting their product, and try to use such results in the most favourable way for the marketing of their product. Likewise, they may wish to suppress studies when the results do not favour their product.</p> <p>It has been shown that industry-supported research is more likely to present 'positive' results than research funded from non-industry sources, furthermore, industry sponsorship was strongly associated with pro-industry conclusions.²²⁻²⁴ There is evidence that commercially sponsored research is less frequently published, if the results are 'negative'.²²⁻²⁴</p>
Funding agencies	<p>Increase in visibility</p> <p>Funding agencies want to be visible and associated with promising research.</p> <p>Conflict of interests</p> <p>Funding agencies, in particular public funders such as hospitals, might be influenced by economic considerations and therefore favour less expensive treatment options over new and more costly alternatives.</p>
Research ethics committees	<p>Lack of financial and personal resources</p> <p>While many research ethics committees sporadically check publications of approved studies, they lack the financial and</p>

	<p>personal resources to do so in a systematic manner.</p> <p>Insufficient legal basis to require trial registration and unbiased dissemination</p> <p>While many research ethics committees would prefer to require trial registration and unbiased dissemination of trial findings, most countries currently lack the legal basis for them to do so.</p>
Research institutions	<p>Increase in visibility</p> <p>Research institutions want to be visible and associated with promising research.</p> <p>Conflict of interests</p> <p>Conflicts of interest related to the performance of their own institution.</p>
Regulatory agencies	<p>Lack of realising the public interest in unbiased research</p> <p>While regulatory agencies need to protect commercial interests, their transparency policies explicitly state that the public interest in unbiased clinical data can overrule the commercial interests (especially after marketing approval has been granted). Nevertheless, recent decision making of the European Medicines Agency on more or less restricted access to trial data did not consider 'public interest' arguments.²⁵</p>
Decision making bodies¹⁾	<p>Have an interest in transparency and try to add to the dissemination process through their submission and publishing procedures.</p>
Readers / patients / patient organisations	<p>Readers and patients might be more interested in 'positive' or new research findings.</p>

¹⁾ decision-making authorities in European health care systems, such as the Federal Joint Committee in Germany

Discussion

The phenomenon of non-publication and/or non-dissemination of whole studies based on the nature and direction of the results has historically been referred to as 'publication bias'.³ However, the scientific evidence-base can be distorted not only by the absence of a journal publication of a whole study, but results can also be reported only partially or in a delayed manner, or be misrepresented in a way that influences the take-up and interpretation of the findings. Thus, multiple problems, all related to the dissemination of study findings, can come into play.

In our scoping review we found that there is currently no consistent definition of 'publication bias' and a comprehensive framework for its description has not yet been developed. Multiple published definitions of 'publication bias' exist. Most of the articles (38/50) in our data set defined 'publication bias' as a form of selective publication due to various reasons. Thus, despite the serious consequences of this problem, we found in our scoping review that there is currently no consistent definition of 'publication bias' and a comprehensive framework for its description has not yet been developed.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

As a first approach to a comprehensive and consistent framework of (non-) dissemination of research findings we identified three characteristics ((1) 'Type of data', (2) 'Format/Product' and (3) 'Accessibility') that need to be considered when disseminating research findings (what?). We then focused on the various players that could assume responsibility for the various stages of conducting a clinical trial and disseminating of clinical trial documents (who?). Furthermore, we tried to describe the motivations that might lead the various players to introduce bias in the dissemination process (why?).

The proposed framework of (non-) dissemination of research findings is based on the results from literature search and expert consensus of the OPEN group. A limitation should be considered when interpreting our results. We conducted only a very limited literature search and included only 50 articles, since we were interested in the most prevalent definitions of 'publication bias' only. Since we only searched Web of Science with the simple search term 'publication bias', our literature search might have favoured older publications and systematic reviews of primary research and might have missed methodological publications. A more comprehensive literature search might have concluded in a wider range of definitions. Also, the representativeness of these articles might be limited since all of the included articles have been published in English, therefore also language bias might play a role.

The 2013 version of the Declaration of Helsinki states that 'Researchers, authors, sponsors, editors and publishers all have ethical obligations with regard to the publication and dissemination of the results of research. Researchers have a duty to make publicly available the results of their research on human subjects and are accountable for the completeness and accuracy of their reports.'²⁶ Despite this, many research results never get disseminated. The non-dissemination of study results is of great importance because it distorts the evidence for clinical decision-making, which is increasingly based on syntheses of published research. Using the OPEN 'What, Who, and Why?' framework we were able to clearly structure and comprehensively describe the dissemination process and its responsible stakeholders. We believe that together with the other results from the OPEN Project and the recommendations¹² derived from these findings our framework will facilitate the development of future policies and guidelines regarding the multifaceted issue of dissemination bias. We hope that it will help to decrease the problem of non-dissemination of research results and enable clinicians to base their medical decisions on the most comprehensive evidence available, which should ultimately increase the quality of patient care.

Abbreviations:

OPEN: To Overcome Failure to Publish Negative Findings

Competing interests:

All authors have completed the Unified Competing Interest form at www.icmje.org/coi_disclosure.pdf and declare; AM, JK, JM, and EW received grants from EU FP7 programme; EW declares personal fees from various pharmaceutical companies and publishers, personal fees from academic institutions (universities, hospitals), outside the submitted work, and the unpaid membership of the Advisory Board of the International Randomized Controlled Trial Numbering (ISRCTN) scheme; no other relationships or activities that could appear to have influenced the submitted work.

Authors' contributions:

DB and JM conceived of the study. DB, KM, MB, JK, AM, EW, GA, EvE, DA, and JM developed the new approach to the issue of (non-) dissemination of research findings. All authors played a crucial role in the consensus process and the interpretation of the data. KM and DB drafted the manuscript with the help of JM. KM, MB, JK, AM, EW, GA, EvE, DA, JM, and DB critically reviewed the manuscript for important intellectual content. All authors read and approved the final version before submission. KM, JM and DB are guarantors.

All authors had full access to all of the data in the study and can take responsibility for the integrity of the data and the accuracy of the data analysis.

Acknowledgment:

Members of 'the OPEN consortium' are listed below, and we acknowledge the discussions that helped to develop the new framework:

Bertelè, Vittorio	IRCCS – Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Bonfill, Xavier	The Clinical Epidemiology & Public Health Department at the Hospital de la Santa Creu i Sant Pau, Spain
Bouesseau, Marie-Charlotte	World Health Organization, Geneva, Switzerland
Boutron, Isabelle	INSERM U738 research unit, Paris Descartes University, Paris, France
Gallus, Silvano	Department of Epidemiology, IRCCS - Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Garattini, Silvio	IRCCS - Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Gherzi, Davina	University of Sydney, Australia
Karam, Ghassan	World Health Organization, Geneva, Switzerland
Kulig, Michael	Federal Joint Committee, Berlin, Germany
La Vecchia, Carlo	Department of Clinical Sciences and Community Health, University of Milan, Milan Italy
Littmann, Jasper	CELLS (Centre for Ethics and Law in Life Sciences), Hannover Medical School, Hannover, Germany
Malički, Mario	University of Split School of Medicine, Split, Croatia
Murusic, Bojana	Department of Epidemiology, IRCCS - Istituto di Ricerche Farmacologiche “Mario Negri”, Milan, Italy
Nolting, Alexandra	Federal Joint Committee, Berlin, Germany

Pardo, Hector	The Clinical Epidemiology & Public Health Department at the Hospital de la Santa Creu i Sant Pau, Spain
Perleth, Matthias	Federal Joint Committee, Berlin, Germany
Ravaud, Philippe	INSERM U738 research unit, Paris Descartes University, Paris, France
Reis, Andreas	World Health Organization, Geneva, Switzerland
Schell, Lisa	German Cochrane Centre, Medical Center - University of Freiburg, Freiburg, Germany
Schmucker, Christine	German Cochrane Centre, Medical Center - University of Freiburg, Freiburg, Germany
Schwarzer, Guido	Institute for Medical Biometry and Statistics, Medical Center – University of Freiburg, Freiburg, Germany
Strech, Daniel	CELLS (Centre for Ethics and Law in Life Sciences), Hannover Medical Scholl, Hannover, Germany
Trinquart, Ludovic	INSERM U738 research unit, Paris Descartes University, Paris, France
Urrútia, Gerard	The Clinical Epidemiology & Public Health Department at the Hospital de la Santa Creu i Sant Pau, Spain
Wolff, Robert	Kleijnen Systematic Reviews Ltd., York, United Kingdom

Funding:

The OPEN Project (www.open-project.eu) is funded by the European Union Seventh Framework Programme (FP7 – HEALTH.2011.4.1-2) under grant agreement n° 285453. Information about the grant can be found here: http://cordis.europa.eu/projects/rcn/100957_en.html. The funders did not influence study design; the collection, analysis, or interpretation of data; the writing of the report; or the decision to submit the article for publication. All researchers were independent from funders.

Data sharing statement:

No additional data available.

References:

1. Higgins JPTG, S. . Cochrane Handbook of Systematic Reviews of Interventions. Version 5.1.0. The Cochrane Collaboration Available at: www.handbook.cochrane.org. 2011.
2. Dickersin K. The existence of publication bias and risk factors for its occurrence. *JAMA : the journal of the American Medical Association* 1990;**263**(10):1385-9.
3. Easterbrook PJ, Berlin JA, Gopalan R, et al. Publication bias in clinical research. *Lancet* 1991;**337**(8746):867-72.
4. Chan AW, Hrobjartsson A, Haahr MT, et al. Empirical evidence for selective reporting of outcomes in randomized trials: comparison of protocols to published articles. *JAMA : the journal of the American Medical Association* 2004;**291**(20):2457-65.
5. Hopewell S, Clarke M, Stewart L, et al. Time to publication for results of clinical trials. *Cochrane database of systematic reviews* 2007(2):MR000011.
6. Pittler MH, Abbot NC, Harkness EF, et al. Location bias in controlled clinical trials of complementary/alternative therapies. *Journal of clinical epidemiology* 2000;**53**(5):485-9.
7. Vickers A, Goyal N, Harland R, et al. Do certain countries produce only positive results? A systematic review of controlled trials. *Controlled clinical trials* 1998;**19**(2):159-66.
8. Muller KF, Briel M, D'Amario A, et al. Defining publication bias: protocol for a systematic review of highly cited articles and proposal for a new framework. *Systematic reviews* 2013;**2**:34.
9. Kulkarni AV, Aziz B, Shams I, et al. Comparisons of citations in Web of Science, Scopus, and Google Scholar for articles published in general medical journals. *JAMA : the journal of the American Medical Association* 2009;**302**(10):1092-6.
10. Song F, Parekh S, Hooper L, et al. Dissemination and publication of research findings: an updated review of related biases. *Health Technol Assess* 2010;**14**(8):iii, ix-xi, 1-193.
11. Bax L, Moons KG. Beyond publication bias. *Journal of clinical epidemiology* 2011;**64**(5):459-62.
12. Meerpohl JJ, Schell LK, Bassler D, et al. Evidence-informed recommendations to reduce dissemination bias in clinical research: conclusions from the OPEN (Overcome failure to Publish nEgative fiNDings) project based on an international consensus meeting. *BMJ Open* 2015;**5**(5):e006666.
13. Malicki M, Marusic A, Consortium O. Is there a solution to publication bias? Researchers call for changes in dissemination of clinical research results. *Journal of clinical epidemiology* 2014;**67**(10):1103-10.
14. Wager E, Williams P, Project Overcome failure to Publish nEgative fiNDings C. "Hardly worth the effort"? Medical journals' policies and their editors' and publishers' views on trial registration and publication bias: quantitative and qualitative study. *BMJ* 2013;**347**:f5248.
15. Fanelli D. Do Pressures to Publish Increase Scientist's Bias? An Empirical Support from US States Data. *PLoS one* 2010;**5**(4).
16. Stephan PE. The economics of science. *J Econ Lit* 1996;**34**(3):1199-235.
17. McDaniel MA, Rothstein HR, Whetzel DL. Publication bias: A case study of four test vendors. *Pers Psychol* 2006;**59**(4):927-53.
18. Hojat M, Gonnella JS, Caelleigh AS. Impartial judgment by the "gatekeepers" of science: Fallibility and accountability in the peer review process. *Adv Health Sci Educ* 2003;**8**(1):75-96.
19. Fanelli D. "Positive" Results Increase Down the Hierarchy of the Sciences. *PLoS one* 2010;**5**(3).
20. Lundh A, Barbateskovic M, Hrobjartsson A, et al. Conflicts of interest at medical journals: the influence of industry-supported randomised trials on journal impact factors and revenue - cohort study. *PLoS medicine* 2010;**7**(10):e1000354.
21. Olson CM, Rennie D, Cook D, et al. Publication bias in editorial decision making. *Jama-J Am Med Assoc* 2002;**287**(21):2825-28.
22. Lexchin J, Bero LA, Djulbegovic B, et al. Pharmaceutical industry sponsorship and research outcome and quality: systematic review. *BMJ* 2003;**326**(7400):1167-70.
23. Sismondo S. Pharmaceutical company funding and its consequences: A qualitative systematic review. *Contemp Clin Trials* 2008;**29**(2):109-13.
24. Lundh A, Sismondo S, Lexchin J, et al. Industry sponsorship and research outcome. *Cochrane database of systematic reviews* 2012;**12**:MR000033.
25. Strech D, Littmann J. Lack of proportionality. Seven specifications of public interest that override post-approval commercial interests on limited access to clinical data. *Trials* 2012;**13**:100.
26. World Medical A. World Medical Association Declaration of Helsinki: Ethical Principles for Medical Research Involving Human Subjects. *JAMA : the journal of the American Medical Association* 2013.




Figure 1: various reasons for selective publication

review only

Supplemental file 1: List of included articles

1. Egger, M., et al., *Bias in meta-analysis detected by a simple, graphical test*. BMJ, 1997. **315**(7109): p. 629-34.
2. Moher, D., et al., *Improving the quality of reports of meta-analyses of randomised controlled trials: the QUOROM statement. Quality of Reporting of Meta-analyses*. Lancet, 1999. **354**(9193): p. 1896-900.
3. Begg, C.B. and M. Mazumdar, *Operating characteristics of a rank correlation test for publication bias*. Biometrics, 1994. **50**(4): p. 1088-101.
4. Allison, D.B., et al., *Antipsychotic-induced weight gain: a comprehensive research synthesis*. Am J Psychiatry, 1999. **156**(11): p. 1686-96.
5. Lohmueller, K.E., et al., *Meta-analysis of genetic association studies supports a contribution of common variants to susceptibility to common disease*. Nat Genet, 2003. **33**(2): p. 177-82.
6. Easterbrook, P.J., et al., *Publication bias in clinical research*. Lancet, 1991. **337**(8746): p. 867-72.
7. Ioannidis, J.P., et al., *Replication validity of genetic association studies*. Nat Genet, 2001. **29**(3): p. 306-9.
8. K., R. Scherer, and C. Lefebvre, *Identifying relevant studies for systematic reviews*. BMJ, 1994. **309**(6964): p. 1286-91.
9. Lexchin, J., et al., *Pharmaceutical industry sponsorship and research outcome and quality: systematic review*. BMJ, 2003. **326**(7400): p. 1167-70.
10. Duval, S. and R. Tweedie, *Trim and fill: A simple funnel-plot-based method of testing and adjusting for publication bias in meta-analysis*. Biometrics, 2000. **56**(2): p. 455-63.
11. L'Abbe, K.A., A.S. Detsky, and K. O'Rourke, *Meta-analysis in clinical research*. Ann Intern Med, 1987. **107**(2): p. 224-33.
12. Colhoun, H.M., P.M. McKeigue, and G. Davey Smith, *Problems of reporting genetic associations with complex outcomes*. Lancet, 2003. **361**(9360): p. 865-72.
13. Lau, J., J.P. Ioannidis, and C.H. Schmid, *Quantitative synthesis in systematic reviews*. Ann Intern Med, 1997. **127**(9): p. 820-6.
14. Lorenz, M.W., et al., *Prediction of clinical cardiovascular events with carotid intima-media thickness: a systematic review and meta-analysis*. Circulation, 2007. **115**(4): p. 459-67.
15. Bjelakovic, G., et al., *Mortality in randomized trials of antioxidant supplements for primary and secondary prevention: systematic review and meta-analysis*. JAMA, 2007. **297**(8): p. 842-57.
16. Lau, J., et al., *Cumulative meta-analysis of therapeutic trials for myocardial infarction*. N Engl J Med, 1992. **327**(4): p. 248-54.
17. Turner, E.H., et al., *Selective publication of antidepressant trials and its influence on apparent efficacy*. N Engl J Med, 2008. **358**(3): p. 252-60.
18. Dickersin, K., *The existence of publication bias and risk factors for its occurrence*. JAMA, 1990. **263**(10): p. 1385-9.
19. Maggard, M.A., et al., *Meta-analysis: surgical treatment of obesity*. Ann Intern Med, 2005. **142**(7): p. 547-59.
20. Chan, A.W., et al., *Empirical evidence for selective reporting of outcomes in randomized trials: comparison of protocols to published articles*. JAMA, 2004. **291**(20): p. 2457-65.
21. van Tulder, M., et al., *Updated method guidelines for systematic reviews in the cochrane collaboration back review group*. Spine (Phila Pa 1976), 2003. **28**(12): p. 1290-9.
22. Irwig, L., et al., *Guidelines for meta-analyses evaluating diagnostic tests*. Ann Intern Med, 1994. **120**(8): p. 667-76.
23. Egger, M. and G.D. Smith, *Bias in location and selection of studies*. BMJ, 1998. **316**(7124): p. 61-6.
24. Thompson, S.G. and S.J. Sharp, *Explaining heterogeneity in meta-analysis: a comparison of methods*. Stat Med, 1999. **18**(20): p. 2693-708.
25. Selvin, E., et al., *Meta-analysis: glycosylated hemoglobin and cardiovascular disease in diabetes mellitus*. Ann Intern Med, 2004. **141**(6): p. 421-31.
26. Linde, K., et al., *Are the clinical effects of homeopathy placebo effects? A meta-analysis of placebo-controlled trials*. Lancet, 1997. **350**(9081): p. 834-43.
27. Whelton, S.P., et al., *Effect of aerobic exercise on blood pressure: a meta-analysis of randomized, controlled trials*. Ann Intern Med, 2002. **136**(7): p. 493-503.
28. Shaheen, N.J., et al., *Is there publication bias in the reporting of cancer risk in Barrett's esophagus?* Gastroenterology, 2000. **119**(2): p. 333-8.
29. Autier, P. and S. Gandini, *Vitamin D supplementation and total mortality: a meta-analysis of randomized controlled trials*. Arch Intern Med, 2007. **167**(16): p. 1730-7.
30. Aleman, A., et al., *Memory impairment in schizophrenia: a meta-analysis*. Am J Psychiatry, 1999. **156**(9): p. 1358-66.

- 1
- 2
- 3 31. Dickersin, K., Y.I. Min, and C.L. Meinert, *Factors influencing publication of research results. Follow-up of applications submitted to two institutional review boards.* JAMA, 1992. **267**(3): p. 374-8.
- 4
- 5
- 6 32. Kreimer, A.R., et al., *Human papillomavirus types in head and neck squamous cell carcinomas worldwide: a systematic review.* Cancer Epidemiol Biomarkers Prev, 2005. **14**(2): p. 467-75.
- 7
- 8
- 9 33. McAlindon, T.E., et al., *Glucosamine and chondroitin for treatment of osteoarthritis - A systematic quality assessment and meta-analysis.* Jama-Journal of the American Medical Association, 2000. **283**(11): p. 1469-1475.
- 10
- 11 34. Ioannidis, J.P., et al., *Genetic associations in large versus small studies: an empirical assessment.* Lancet, 2003. **361**(9357): p. 567-71.
- 12
- 13 35. Papat, S., R. Hubner, and R.S. Houlston, *Systematic review of microsatellite instability and colorectal cancer prognosis.* J Clin Oncol, 2005. **23**(3): p. 609-18.
- 14
- 15 36. Sterne, J.A. and G. Davey Smith, *Sifting the evidence-what's wrong with significance tests?* BMJ, 2001. **322**(7280): p. 226-31.
- 16
- 17 37. Faraone, S.V., et al., *Meta-analysis of the association between the 7-repeat allele of the dopamine D(4) receptor gene and attention deficit hyperactivity disorder.* Am J Psychiatry, 2001. **158**(7): p. 1052-7.
- 18
- 19 38. Stewart, L.A. and M.K. Parmar, *Meta-analysis of the literature or of individual patient data: is there a difference?* Lancet, 1993. **341**(8842): p. 418-22.
- 20
- 21 39. Sterne, J.A., M. Egger, and G.D. Smith, *Systematic reviews in health care: Investigating and dealing with publication and other biases in meta-analysis.* BMJ, 2001. **323**(7304): p. 101-5.
- 22
- 23 40. Dwamena, B.A., et al., *Metastases from non-small cell lung cancer: mediastinal staging in the 1990s--meta-analytic comparison of PET and CT.* Radiology, 1999. **213**(2): p. 530-6.
- 24
- 25 41. Corrao, G., et al., *Alcohol and coronary heart disease: a meta-analysis.* Addiction, 2000. **95**(10): p. 1505-23.
- 26
- 27 42. Moher, D., et al., *Preferred reporting items for systematic reviews and meta-analyses: the PRISMA Statement.* Open Med, 2009. **3**(3): p. e123-30.
- 28
- 29 43. Simes, R.J., *Publication bias: the case for an international registry of clinical trials.* J Clin Oncol, 1986. **4**(10): p. 1529-41.
- 30
- 31 44. Egger, M., et al., *Language bias in randomised controlled trials published in English and German.* Lancet, 1997. **350**(9074): p. 326-9.
- 32
- 33 45. Sterne, J.A. and M. Egger, *Funnel plots for detecting bias in meta-analysis: guidelines on choice of axis.* J Clin Epidemiol, 2001. **54**(10): p. 1046-55.
- 34
- 35 46. Kriegeskorte, N., et al., *Circular analysis in systems neuroscience: the dangers of double dipping.* Nat Neurosci, 2009. **12**(5): p. 535-40.
- 36
- 37 47. Anderson, I.M., *Selective serotonin reuptake inhibitors versus tricyclic antidepressants: a meta-analysis of efficacy and tolerability.* J Affect Disord, 2000. **58**(1): p. 19-36.
- 38
- 39 48. Nakagawa, S., *A farewell to Bonferroni: the problems of low statistical power and publication bias.* Behavioral Ecology, 2004. **15**(6): p. 1044-1045.
- 40
- 41 49. Birks, H.J.B., D.G. Frey & E.S. Deevey review #1 - *Numerical tools in palaeolimnology - Progress, potentialities, and problems.* Journal of Paleolimnology, 1998. **20**(4): p. 307-332.
- 42
- 43 50. Sue Duval, Richard Tweedie. *A Nonparametric "Trim and Fill" Method of Accounting for Publication Bias in Meta-Analysis.* Journal of the American Statistical Association, Vol. 95, No. 449 (Mar., 2000), pp. 89-98
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

Supplemental file 2: General characteristics of included articles

	Number absolute	Number in percentage
Year of publication		
2005 – 2009	9/50	18%
2000 – 2004	20/50	40%
1995 – 1999	11/50	22%
Before 1995	10/50	20%
Language of publication		
English	50/50	100%
Journal published in		
Addiction	1/50	2%
Am J Psychiat	3/50	6%
Ann Intern Med	6/50	12%
Arch Intern Med	1/50	2%
Behav Ecol	1/50	2%
Biometrics	2/50	4%
BMJ	6/50	12%
Cancer Epidem Biomar	1/50	2%
Circulation	1/50	2%
Gastroenterology	1/50	2%
J Affect Disorders	1/50	2%
J Clin Epidemiol	1/50	2%
J Clin Oncol	2/50	4%
JAMA	5/50	10%
J Paleolimnol	1/50	2%

J Am Stat Assoc	1/50	2%
Lancet	7/50	14%
Nat Genet	2/50	4%
Nat Neurosci	1/50	2%
N Engl J Med	2/50	4%
Open Med	1/50	2%
Radiology	1/50	2%
Spine	1/50	2%
Stat Med	1/50	2%