

Supplemental

Table 5: Results from the final exploratory factor analysis-model with all dimensions simultaneously using promax rotation (Pattern matrix with factor loadings) (n=507).

Item	Factor 1	Factor 2	Factor 3	Factor 4	Factor 5	Factor 6	Factor 7	Factor 8
<u>Communication with the GP</u>								
A7	0.62	0.07	0.04	-0.04	0.11	0.05	-0.19	-0.10
A8	0.95	-0.03	-0.03	0.00	-0.05	-0.02	0.01	0.03
A9	0.95	-0.03	0.01	0.02	-0.01	-0.02	0.03	0.00
A10	0.89	0.02	-0.05	0.03	0.00	0.04	0.04	0.00
A11	0.93	-0.02	0.00	0.02	0.00	-0.03	0.03	0.02
E5	0.44	0.11	0.05	-0.10	0.03	0.18	0.10	-0.02
<u>Communication at the hospital</u>								
A2	0.01	0.54	0.00	-0.07	0.17	0.20	-0.25	-0.09
A3	-0.01	0.80	-0.05	0.01	0.03	-0.04	0.07	0.03
A4	0.05	0.76	-0.02	0.04	0.00	0.04	0.00	0.03
A5	0.07	0.81	0.02	0.04	-0.06	-0.07	0.02	0.06
A6	0.03	0.83	0.02	-0.04	-0.05	-0.06	0.05	0.10
E2	-0.08	0.48	-0.02	0.09	-0.09	0.20	0.17	-0.04
<u>Information on psychosocial aspects</u>								
D1	0.01	0.00	0.69	0.10	0.00	0.21	0.01	-0.02
D2	-0.01	-0.04	0.91	-0.02	-0.06	0.06	0.01	0.07
D3	0.01	0.01	0.92	-0.02	-0.06	0.07	-0.01	0.02
D4	-0.03	-0.01	0.80	0.12	0.05	-0.06	0.03	-0.04
<u>Rehabilitation/support</u>								
C1	n/a							
C2	-0.01	-0.10	-0.14	0.65	-0.09	0.20	0.02	0.15
C3	-0.01	-0.00	-0.08	0.74	-0.02	0.13	0.00	-0.04
C4	0.02	0.06	0.05	0.75	0.00	-0.03	-0.01	-0.05
C5	-0.02	0.06	0.33	0.53	0.05	-0.23	0.02	-0.08
C6	0.01	0.02	0.09	0.51	0.07	-0.12	-0.06	0.04
C7	0.00	0.02	0.12	0.45	0.13	0.03	-0.08	0.06
<u>Medication</u>								
F2	0.01	0.11	-0.10	0.04	0.66	0.13	0.00	-0.09
F3	0.15	-0.03	0.12	-0.01	0.58	-0.03	0.04	0.08
F4	-0.02	-0.09	-0.01	0.03	0.71	0.01	0.11	0.10
F5	n/a							
<u>Information on disease and treatment</u>								
B1	0.11	0.16	0.03	-0.06	0.02	0.58	-0.01	0.00
B2	0.03	0.02	0.28	0.01	0.05	0.59	-0.05	-0.05
B3	0.01	0.01	0.12	0.34	-0.03	0.50	0.02	0.00
B4	-0.05	0.00	0.04	-0.03	0.27	0.47	0.07	0.07
B5	0.00	-0.01	0.19	0.10	0.10	0.45	0.07	0.08
<u>Organisation</u>								
E3*	-0.03	0.46	0.03	0.00	0.04	0.09	0.31	0.01
E4	0.01	0.24	-0.01	0.00	0.11	-0.05	0.58	-0.15
E6	0.05	-0.01	0.06	-0.04	0.08	0.05	0.44	0.11
B7	-0.04	0.27	0.00	0.00	0.11	-0.05	0.58	-0.15
E7	n/a							
<u>Involvement of relatives</u>								
G1	0.00	0.03	0.02	0.05	0.00	0.00	-0.04	0.84

G2	-0.05	0.14	0.07	0.04	0.09	0.03	-0.03	0.63
<u>Consideration of comorbidity**</u>								
E10	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
E11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Eigenvalue	11.15	4.48	2.67	1.76	1.34	1.15	1.04	1.00
Variance explained by each factor eliminating other factors	3.23	2.38	1.79	1.16	0.91	0.89	0.77	0.77
Variance explained by each factor ignoring other factors	5.64	6.80	6.96	5.11	5.36	6.75	4.00	5.08
Final Communality Estimates: Total = 21.443173 (without consideration to comorbidity)								
Overall KMO: 0.93								
Factor corelations								
Factor 1	-							
Factor 2	0.38	-						
Factor 3	0.18	0.32	-					
Factor 4	0.02	0.20	0.50	-				
Factor 5	0.37	0.41	0.43	0.18	-			
factor 6	0.27	0.41	0.53	0.42	0.52	-		
Factor 7	0.22	0.46	0.26	0.24	0.32	0.40	-	
Factor 8	0.16	0.36	0.48	0.45	0.37	0.52	0.34	-

n/a: Results not available because the items (C1, E7, F5, E10, E11) had been excluded from the analysis, since they were irrelevant for a large proportion of respondents, reducing the data substantial.

*The item loaded on two factors. The final placement of the item in the factor 'organisation' was primarily based on theoretical considerations and an overall picture including separate analysis of the dimensions.

**When included in the analysis, consideration of comorbidity was clearly an independent factor.

Item A1, B6, D6, E1, E8, E9 and F1 were excluded from the analysis, because they did not load substantially on any factors.