

Complete list of allele distribution in healthy individuals from the Chinese subpopulation

No.	Code	Allele 1	Allele 2
1	N024W	11	5
2	N029W	11	11
3	N039W	13	5
4	N041W	13	13
5	N042W	11	5
6	N043W	12	12
7	N044W	12	12
8	N048W	12	5
9	N049W	12	5
10	N050W	11	5
11	N053W	13	5
12	N054W	12	12
13	N055W	12	5
14	N056W	13	5
15	N057W	14	5
16	N058W	12	5
17	N061W	13	5
18	N062W	12	5
19	N064W	12	12
20	N065W	13	5
21	N066W	24	5
22	N071W	11	5
23	N072W	12	5
24	N074W	13	13
25	N075W	12	5
26	N076W	14	14
27	N077W	13	5
28	N079W	12	5
29	N081W	12	12
30	N083W	12	12
31	N085W	14	5
32	N086W	27	5
33	N088W	5	5
34	N093W	11	11
35	N094W	11	5
36	N096W	12	12
37	N098W	15	5
38	N100W	13	5
39	N103W	12	12
40	N104W	12	5
41	N106W	12	5
42	N107W	12	12
43	N111W	14	5
44	N112W	15	15

45 N113W	5	5
46 N114W	13	5
47 N115W	12	12
48 N117W	13	13
49 N119W	13	5
50 N122W	5	5
51 N124W	12	12
52 N127W	12	12
53 N128W	13	5
54 N138W	5	5
55 N142W	11	11
56 N143W	5	5
57 N146W	13	13
58 N149W	12	12
59 N150W	13	5
60 N151W	13	5
61 N152W	11	11
62 N153W	11	11
63 N154W	27	16
64 N155W	13	5
65 N156W	11	5
66 N158W	13	5
67 N161W	15	15
68 N162W	12	5
69 N163W	12	5
70 N164W	15	15
71 N166W	12	5
72 N167W	12	12
73 N168W	5	5
74 N169W	15	5
75 N170W	11	11
76 N172W	11	5
77 N174W	12	5
78 N175W	13	5
79 N176W	15	15
80 N180W	11	5
81 N181W	12	5
82 N182W	11	11
83 N183W	13	13
84 N184W	5	5
85 N186W	23	14
86 N187W	12	12
87 N190W	12	12
88 N194W	12	12
89 N197W	11	11
90 N200W	12	5
91 N221W	12	12

92 N222W	11	11
93 N224W	13	13
94 N227W	15	5
95 N237W	13	5
96 C1	11	5
97 C2	5	12
98 C3	11	11
99 C4	13	13
100 C5	12	12
101 C6	11	5
102 C7	12	12
103 C8	12	5
104 C9	11	5
105 C10	12	5
106 C11	12	5
107 C12	13	13
108 C13	15	15
109 C15	13	13
110 C16	11	5
111 C19	12	5
112 C20	12	12
113 C22	12	5
114 C24	12	5
115 C25	12	12
116 C27	13	13
117 C29	11	11
118 C30	12	5
119 C31	12	5
120 C32	14	14
121 C33	12	12
122 C34	12	12
123 C35	12	12
124 C36	5	5
125 C37	12	5
126 C38	11	5
127 C39	16	5