## **IIHUK Online Questionnaire**

## **Demographics**

- 1. How old were you at time of diagnostic LP?
- 2. What was date of your first lumbar puncture? (Do not worry if you cannot remember the exact day, but please specify month and year)
- 3. Since your first diagnostic LP, how many LPs have you had? (Please approximate if not sure of the exact number)
- 4. What is your height (metres)?
- 5. What is your weight (kg)?

## **Details of lumbar puncture**

- 1. Was your first admission regarding your LP planned (you were sent an appointment by your doctor) or as an emergency?
- Where in the hospital did the first LP take place? (Emergency department, Ward or In Theatre)
- How many different doctors attempted your diagnosing LP? (i.e how many different doctors tried inserting a needle)
- How many attempts were made to get a diagnostic LP? (An attempt being defined as a needle being inserted)
- 5. If the initial LP failed to get a reading did you go on to have it done in theatre under X-ray guidance?

## Patient experience of lumbar puncture

- How frightened were you about the thought of the LP before the procedure on a scale 0 10? (0 being not frightened at all, 10 being the most scared you've ever felt)
- How well do you feel you were informed about the procedure prior to the LP on a scale
  0-10? (0 being not informed, 10 being fully informed)
- 3. Was adequate analgesia (i.e. local anaesthetic) used in your diagnosing LP?

- How much pain did you experience during the LP on a scale of 0-10? (0 being pain free,
  10 being worst pain ever experienced)
- 5. On a scale of 0-10, how anxious do you feel about having LPs in the future? (0 being not anxious, 10 being the most anxious you've ever felt)