

Appendix 1 The recommended TTH therapeutic drugs among guidelines

No.	Drug treatment	AAN ¹	BASH ²	Croatian ³	EFNS ⁴	EHF ⁵	French ⁶	ICSI ⁷	NICE ⁸	SIGN ⁹	SISC ¹⁰	TOP ¹¹
1	Aspirin/acetylsalicylic acid		√	√	√	√		√	√	√	√	√
2	Acetaminophen/paracetamol		√	√	√	√		√	√	√	√	√
3	Lumiracoxib										√	
4	Ibuprofen		√	√	√	√	√				√	√
5	Ketoprofen		√	√	√		√				√	
6	Naproxen		√	√	√						√	√
7	Diclofenac			√	√							
8	Diclofenac-K										√	
9	Metamizole/ dipyrone										√	
10	Codeine		×			×						
11	Dihydrocodeine		×			×						
12	Dextropropoxyphene					×						
13	Metoclopramide										√	
14	Chlorpromazine										√	
15	Tiger balm										√	
16	Amitriptyline		√	√	√	√		√		√	√	√
17	L-5-hydroxytryptophan										√	
18	Fluvoxamine										√	
19	Venlafaxine			√	√			√			√	√
20	Clomipramine				√						√	
21	Mirtazapine			√	√						√	√
22	Maprotiline				√						√	

No.	Drug treatment	AAN ¹	BASH ²	Croatian ³	EFNS ⁴	EHF ⁵	French ⁶	ICSI ⁷	NICE ⁸	SIGN ⁹	SISC ¹⁰	TOP ¹¹
23	Mianserin				√						√	
24	Desipramine										√	
25	Fluoxetine										√	
26	Paroxetine										√	
27	Nefazodone										√	
28	Ritanserin										√	
29	Sulpiride										√	
30	Dothiepin/prothiadene		√									
31	Nortriptyline		√			√						√
32	Protriptyline		√									
33	Sodium valproate			√								
34	Topiramate			√							√	
35	Gabapentin			√								
36	Levetiracetam			√								
37	Diazepam/valium										√	
38	Alprazolam										√	
39	Buspirone										√	
40	Tizanidine										√	
41	Cyclobenzaprine										√	
42	Botulinum toxin A/OnabotulinumtoxinA	×	×			×				×		

Abbreviations: AAN, American academy of neurology; BASH, British association for the study of headache; EFNS, European federation of neurological societies; EHF, European headache federation; ICSI, Institute for clinical systems improvement; NICE, National institute for health and clinical excellence; SIGN, Scottish intercollegiate guidelines network; SISC, Italian society for the study of headaches; TOP, Toward optimized practice; “√” indicates recommendation; “×” indicates not recommendation;

REFERENCES

1. Simpson DM, Hallett M, Ashman EJ, et al. Practice guideline update summary: Botulinum neurotoxin for the treatment of blepharospasm, cervical dystonia, adult spasticity, and headache: Report of the Guideline Development Subcommittee of the American Academy of Neurology. *NEUROLOGY* 2016;86:1818-26.
2. British Association for the Study of Headache (BASH). *Guidelines for all healthcare professionals in the diagnosis and management of migraine, tension-type, cluster and medication-overuse headache*. 3rd ed. 2007.
3. Vukovic CV, Kes VB, Seric V, et al. Report of the Croatian Society for Neurovascular Disorders, Croatian Medical Association. Evidence based guidelines for treatment of primary headaches--2012 update. *Acta Clinica Croatica* 2012;51:323-78.
4. Bendtsen L, Evers S, Linde M, et al. EFNS guideline on the treatment of tension-type headache - report of an EFNS task force. *Eur J Neurol* 2010;17:1318-25.
5. Steiner TJ, Paemeleire K, Jensen R. European principles of management of common headache disorders in primary care. *J Headache Pain* 2007;8(Suppl 1):S3-47.
6. Moisset X, Mawet J, Guegan-Massardier E, et al. French Guidelines For the Emergency Management of Headaches. *Rev Neurol (Paris)* 2016;172:350-60.
7. Institute for Clinical Systems Improvement (ICSI). *Health Care Guideline: Diagnosis and Treatment of Headache*. 10th ed. 2011.
8. National Institute for Health and Care Excellence. *Diagnosis and management of headache in young people and adults*. CG150. London: NICE, 2012.
9. Scottish Intercollegiate Guidelines Network (SIGN). *The diagnosis and management of headache in adults*. (Guideline No 107.) Edinburgh: SIGN, 2008.
10. Sarchielli P, Granella F, Prudenzano MP, et al. Italian guidelines for primary headaches: 2012 revised version. *J Headache Pain* 2012;13:31-70.
11. Becker WJ, Findlay T, Moga C, et al. Guideline for primary care management of headache in adults. *Can Fam Physician* 2015;61:670-9.