Appendix 1. Numbers and proportions of men (n=142) using TrueNTH services by care pathway

| TrueNTH services | Active surveillance (n=16) | Radiation (n=6) | Surgery (n=28) | Treatment completed (n=58) | Advanced disease (n=34) |
|-----------------------|----------------------------|--------------------|-------------------|-------------------------------|----------------------------|
| Nutrition support | 11 (69) | 2 (33) | 15 (54) | 31 (53) | 21 (62) |
| Exercise prescription | 8 (50) | 3 (50) | 14 (50) | 42 (72) | 22 (65) |
| Psychosocial support | 1 (6) | 0 (0) | 3 (11) | 8 (14) | 3 (9) |
| Sexual health | 0 (0) | 0 (0) | 4 (14) | 6 (10) | 0 (0) |
| Continence support | 0 (0) | 0 (0) | 2 (7) | 6 (10) | 1 (3) |

Appendix 2. Psychological distress and weekly leisure-time activity of men (n=142) by care pathway

| | All men Time (n=142) point | | Active surveillance (n=16) | | Radiation (n=6) | | | Surgery (n=28) | | reatment ompleted (n=58) | Advanced disease (n=34) | | |
|-------------------------|----------------------------|-----|----------------------------------|----|--------------------|---|-------------|-------------------|----------------|--------------------------------|----------------------------|----|----------------|
| | | n | Mean (SD) | n | Mean (SD) | n | Mean (SD) | n | Mean (SD) | n | Mean (SD) | n | Mean (SD) |
| Total GHQ | T0 | 125 | 2.3 (3.3) | 16 | 0.3 (1.0) | 4 | 0.8 (1.0) | 24 | 2.8 (2.6) | 52 | 2.1 (3.6) | 29 | 3.5 (3.8) |
| score | T2 | 99 | 2.0 (3.2) | 13 | 0.9 (1.6) | 3 | 0.0 (0.0) | 18 | 2.1 (3.0) | 42 | 1.9 (3.2) | 23 | 3.1 (3.8) |
| | T4 | 92 | 1.9 (3.1) | 13 | 0.4 (1.1) | 2 | 0.0 (0.0) | 16 | 1.4 (2.6) | 37 | 2.1 (3.4) | 22 | 2.8 (3.6) |
| Change over tir | me | 79 | p=0.10 | 11 | p=0.31 | 2 | p=0.50 | 14 | p=0.11 | 33 | p=0.24 | 19 | p=0.14 |
| Total weekly | T0 | 119 | 31.1 (28.9) | 16 | 36.4 (22.1) | 4 | 58.8 (31.1) | 24 | 34.6 (33.9) | 50 | 28.9 (26.9) | 25 | 24.2 (29.7) |
| leisure-time | T2 | 93 | 39.5 (49.0) | 13 | 37.2 (24.8) | 3 | 79.7 (30.4) | 16 | 30.7 (30.6) | 39 | 50.4 (68.0) | 22 | 22.6 (14.6) |
| activity score (LSI) | T4 | 89 | 37.9 (35.4) | 13 | 37.9 (19.2) | 2 | 48.5 (20.5) | 16 | 36.8 (35.7) | 35 | 42.0 (44.8) | 23 | 31.7 (27.2) |
| Change over tir | me | 72 | <i>p</i> =0.08 | 11 | <i>p</i> =0.36 | 2 | p=0.47 | 14 | <i>p</i> =0.82 | 30 | p=0.046 | 15 | <i>p</i> =0.46 |

Notes: T0 = at enrolment, T2 = 6 months following enrolment, T4 = 12 months following enrolment.

Total GHQ mean score ranges from 0 to 12; a higher score indicates a greater severity of psychological distress.

A higher LSI scores means a higher level of leisure-time activity.

Appendix 3. Proportion of men (n=142) reporting satisfactory experience of the health care system during diagnosis and treatment

| Domain | Measures - | | то | | T2 | | T4 | | Change over | |
|---|---|-----|---------|----|---------|----|---------|------|----------------|--|
| | | | n (%) | n | n (%) | n | n (%) | time | | |
| | Diagnosi | S | | | | | | n | test | |
| Information, communication & education | Completely understood the diagnosis Were given written information | 121 | 93 (77) | 96 | 71 (74) | 86 | 68 (79) | 69 | p=0.52 | |
| | about the diagnosis and it was easy to understand | 122 | 68 (56) | 96 | 57 (59) | 89 | 57 (64) | 54 | <i>p</i> =0.63 | |
| | Treatmen | t | | | | | | n | test | |
| Coordination, integration of care, continuity & transition | Were offered a written assessment & care plan | 121 | 33 (27) | 97 | 33 (34) | 89 | 35 (39) | 37 | p=0.047 | |
| | Were given the name of a Clinical Nurse Specialist for treatment support | 121 | 54 (45) | 95 | 50 (53) | 90 | 47 (52) | 55 | p=0.21 | |
| Respect for patients' preferences | Adequate involvement in decisions about care & treatment | 122 | 69 (57) | 97 | 61 (63) | 90 | 53 (59) | 72 | p=0.10 | |
| | Patients' views were taken into account during treatment | 119 | 61 (51) | 94 | 57 (61) | 90 | 47 (52) | 57 | <i>p</i> =0.19 | |
| Information, communication | The possible side effects of treatments were explained in an understandable way | 121 | 65 (54) | 97 | 60 (62) | 90 | 51 (57) | 71 | <i>p</i> =0.40 | |
| & education | Were given written information about the side effects of treatments | 118 | 76 (64) | 93 | 54 (58) | 87 | 46 (53) | 54 | p=0.63 | |

Notes: T0 = at enrolment, T2 = 6 months following enrolment, T4 = 12 months following enrolment.