

## Online supplementary material

# Cohort profile: NeuroBlu, an Electronic Health Record (EHR) Trusted Research Environment (TRE) to support mental healthcare real-world data analytics

## Table of contents

Table of contents .....	1
1. NeuroBlu Common Data Model (CDM) pipeline .....	3
(i) Structural Normalization .....	3
(ii) Semantic Normalization .....	4
(iii) Data Validation .....	4
2. Data variables .....	5
(i) Clinical Data Tables.....	5
person .....	6
observation_period .....	8
visit_occurrence.....	9
condition_occurrence.....	10
drug_exposure.....	11
measurement .....	12
observation .....	14
(ii) Family History .....	17
(iii) Derived Measurements .....	18
(iv) Mental State Examination .....	23
eTable 1: Description of U.S. clinics contributing EHR data to NeuroBlu .....	31
eTable 2: NeuroBlu dataset race distribution.....	32
eTable 3: NeuroBlu dataset age distribution.....	32
eTable 4: NeuroBlu dataset diagnosis distribution.....	32
eTable 5: Gender distribution by diagnosis .....	33
eTable 6: ICD-9/ICD-10 code definitions for diagnostic category.....	34
eTable 7: U.S. State of Residence .....	65
eTable 8: Mean CGI-S score by diagnosis .....	67
eTable 9: Mean maximum and minimum CGI-S score by diagnosis.....	68
eTable 10: Number of patients with at least one hospital visit by diagnosis .....	69
eTable 11: SAV features included in MSE NLP analysis (eTable 12) .....	70
eTable 12: Number of patients with at least one MSE feature by diagnosis.....	71
eFigure 1: MindLinc EHR data de-identification and harmonization pipeline .....	72

**Online supplementary material**

eFigure 2: OMOP CDM schematic .....	73
eFigure 3: NeuroBlu Category Mapper illustrating the classification of individual drugs into different types of medication .....	74
eFigure 4: NeuroBlu Data Explorer which provides a summary of the dataset and allows the top 50 rows of each table to be viewed .....	75
eFigure 5: NeuroBlu dataset race distribution .....	76
eFigure 6: NeuroBlu dataset age distribution.....	77
eFigure 7: Gender distribution by diagnosis.....	78
eFigure 8: U.S. State of Residence.....	79
eFigure 9: Mean CGI-S score by diagnosis.....	80
eFigure 10: Percentage of patients with at least one hospital visit by diagnosis.....	81
eFigure 11: Distribution of number of visits per patient .....	82
eFigure 12: Distribution of duration of follow-up .....	83

## Online supplementary material

### 1. NeuroBlu Common Data Model (CDM) pipeline

The NeuroBlu Data Model is based on the Observational Medical Outcomes Partnership (OMOP) Common Data Model (CDM) developed by the Observation Health Data Sciences and Informatics (OHDSI) community (eFigure 1). The model enables data contained within disparate observational databases to be transformed into a common format (the “data model”) as well as a common representation (terminologies, vocabularies, coding schemes). This allows systematic analyses to be performed using a library of standard analytical routines that have been written based on the OMOP CDM.

The NeuroBlu Data Model includes the following modifications of the OMOP CDM to better support the representation of mental healthcare data:

1. Representing ICD-9/ICD-10 diagnostic codes in the `CONDITION_OCCURRENCE` table rather than the specified SNOMED concepts, as users typically have more familiarity with the ICD code sets than the SNOMED code set.
2. Adding the current value of mutable demographic attributes such as marital status, education, and occupation to the `PERSON` to allow users to access this information without needing to join a separate table.
3. Adding custom tables to support derived data and other data elements that do not have a natural home in the OMOP CDM. This includes derived measurements like smoothed CGI-S scores, imputed MADRS scores, and Mental State Examination (MSE) data obtained through natural language processing (NLP).

Once the MindLinc data are deidentified, transferred, and loaded into the relational PostgreSQL database, the remaining data integration processes required to ensure the data are ready for analysis within the NeuroBlu dataset include structural normalization, semantic normalization, and data validation.

#### (i) Structural Normalization

Structural normalization is the process of transforming the data into a single schema or layout. For example, to examine patient demographic information in a consistent way, regardless of how it was stored in the originating EHRs, the various patient and member demographic data are organized into a single, commonly structured `PERSON` table. This requires establishing and implementing various transformation rules that get applied to the data, such as those described below:

1. **Source-to-Target Mapping Logic:** this refers to the conveyance of information from a specific place in the source data to its related place in the target data model. For example, the MindLinc EHR source data contains a `BACKGROUND` table to record patient demographic attributes, such as `RACE` and `SEX`. In order for these attributes to end up in the appropriate place in the NeuroBlu Data Model, they need to be mapped from the relevant source field to the associated target field. In this example, the information in `RACE` and `SEX` MindLinc database would end up in the `RACE_SOURCE_VALUE` and `GENDER_SOURCE_VALUE` fields of the `PERSON` table in the NeuroBlu database.
2. **Inclusion/Exclusion Logic:** this refers to the criteria applied to the data in order for them to be included in the NeuroBlu Data Model. For example, information from the MindLinc source data that is marked as “entered in error” or “erroneous” brings into question whether it is truly evidence from real world data and in turn is excluded from the NeuroBlu Data Model.

### Online supplementary material

- 3. De-duplication Logic:** this refers to the removal of duplicative or outdated information, such that only up-to-date data are pulled into the NeuroBlu Data Model and are only pulled in once. Depending on the source data elements of interest and the mechanism by which updates are applied to them, the method for de-duplication will vary. In the case of the MindLinc data, a destructive refresh approach is taken across all data tables such that the most recently acquired data will always replace the older data.

#### (ii) Semantic Normalization

Semantic normalization is the process of translating the data to a single set of units and vocabulary. For example, in order to specifically examine female patients in the aforementioned PERSON table, the various ways the patient and member demographic data codify the concept of “female” need to be examined such that a translation between the source codes (e.g. “F”, “FEM”, “FEMALE”, “0”, “396123”, etc.) and the NeuroBlu standard concept (“FEMALE”) can be created and applied to the data. These translations are generated through a combination of direct-mapping, text-string-matching, and NLP based on a thorough examination of the native codes, their descriptions, any supporting information provided about them (e.g. reference ranges for scores, generic name for medications, etc.), and, if necessary, expert input from the healthcare provider organization they are originating from.

A number of industry standard reference code sets are leveraged as part of the semantic normalization process for the MindLinc data, including RxNorm for drug mapping and ICD-9/ICD-10 for diagnostic code mapping. The target concept sets for all normalized data elements are the Standardized Vocabulary provided as part of the OMOP CDM standard.

#### (iii) Data Validation

A core component of data acquisition and integration is ensuring that the resultant data set is of the highest quality possible, where quality is defined as a function of conformance, completeness, correctness, and consistency. In order to measure the quality of newly integrated data against these key dimensions, the NeuroBlu CDM pipeline employs an approach to data validation that uses the wealth of data available during the process to produce a composite measure of what certain key data points typically look like in different situations, and then evaluates the data against these expectations. Doing this efficiently requires validation of the data as they flow through the processing pipeline, which in turn necessitates a robust strategy for determining key quality indication metrics, generating those metrics in a systematic manner, and distilling those metrics into meaningful insights.

The Data Validation process works in concert with the above normalization processes to identify issues or inconsistencies in the data that need to be addressed and provide guidelines on how those various issues or inconsistencies should be handled. Erroneous data that can't be fixed at the source are either remedied or removed by NeuroBlu's Extract, Transform, Load (ETL) processes, while quirks or unexpected features of the data that are not necessarily errors are systematically logged.

The end result of these data integration processes is the creation of a single normalized and validated Common Data Model for use in the NeuroBlu trusted research environment.

### Online supplementary material

## 2. Data variables

### (i) Clinical Data Tables

The clinical data tables contain the core information about the clinical events that occurred longitudinally during valid Observation Periods for each person, as well as demographic information for the person. In addition to the standardized clinical data tables defined in the OMOP CDM, the NeuroBlu dataset also contains other tables that are not defined in the OMOP CDM including data on Family History, Derived Measurements and Mental State Examination and which are described in greater detail in sections (ii), (iii) and (iv). The tables form part of a relational database in which “\_id” columns may be joined between tables to assemble clinical data at individual person level.

Table name	Type	Content
person	CDM	Socio-demographic information of each patient including year of birth, gender, race, location of residence, occupational status and education status.
observation_period	CDM	Time interval for which a patient has data recorded. Data from this table is used to filter cohorts according to minimum duration within the dataset to support longitudinal analyses.
visit_occurrence	CDM	Records of each visit and its type. Data may be obtained from this table on the number of contacts with the treating mental healthcare service and the type of contact (e.g. outpatient or inpatient).
condition_occurrence	CDM	Records of clinical diagnosis in the form of ICD-9-CM and ICD-10-CM codes. Data from this table is used to generate population cohorts based on primary mental disorder diagnosis and to obtain data on comorbid diagnoses.
drug_exposure	CDM	Records of any exposure to prescribed medications including the names of prescribed medications, start and stop dates, dose and frequency of administration.
measurement	CDM	Records of direct clinical measurements using clinician-rated structured rating scales.
observation	CDM	NLP-derived records of social factors which could contribute towards risk of developing a mental disorder and/or poorer clinical outcomes. This table can also be used to obtain social factor data as outcomes (e.g. social and occupational functioning)
family_history	Non-CDM	Provides recorded data on family history of mental disorders
derived_measurement	Non-CDM	Clinical measurements which have been transformed or derived from recorded CGI-S scores.
derived_mse	Non-CDM	NLP-derived mental state examination (MSE) data.
CDM: OMOP Common Data Model Non-CDM: NeuroBlu customized data structure (not defined in OMOP)		

### Online supplementary material

#### person

The person table contains records that uniquely identify each person in the dataset. This table also contains demographic information about each individual (excluding data removed by the de-identification process). All other clinical data tables refer to this table using the person\_id field which is the unique record identifier for each individual represented in the dataset.

#### Columns

Field	Type	Description
person_id	int8	A unique identifier for each person. This value is used to join onto other tables in NeuroBlu to obtain clinical data at individual person level.
gender_concept_id	int4	A foreign key that refers to an identifier in the concept table for the unique gender of the person, belonging to the 'Gender' Vocabulary. Gender data are obtained by joining on this value (see below).
year_of_birth	int4	The year of birth of the person.
race_concept_id	int4	A foreign key that refers to an identifier in the concept table for the unique race of the person, belonging to the 'Race' Vocabulary. Race data are obtained by joining on this value (see below).
ethnicity_concept_id	int4	A foreign key that refers to an identifier in the concept table for the unique ethnicity of the person, belonging to the 'Ethnicity' Vocabulary. Ethnicity data are obtained by joining on this value (see below).
zip_code_source_value	varchar	3-digit ZIP code of the person's location.
city	varchar	City name based on 3-digit ZIP code.
state	varchar	State name based on 3-digit ZIP code.
marital_status	varchar	Marital status of the person.
occupation	varchar	Employment status of the person.
education	int2	Number of years of formal education. When education_source_value is not available, defaults to 0
education_source_value	varchar	Source value for education. Not always available.

#### Conventions

No.	Convention Description
1	All tables representing patient-related domains have a foreign-key reference to the person_id field in the person table.
2	Each person record has associated demographic attributes which are assumed to be constant for the patient throughout the course of their periods of observation. For example, the location or gender is expected to have a unique value per person, even though in life these data may change over time.
3	The month and day of birth for a person is not recorded. Therefore, value defaults to Jan 1st.
4	Ethnicity and Race in the OMOP CDM follow the 1997 Office of Management and Budget (OMB) standards for data on race and ethnicity.

## Online supplementary material

## Gender Vocabulary

concept_id	concept_name
8507	MALE
8532	FEMALE
8551	UNKNOWN

## Race Vocabulary

concept_id	concept_name
8515	Asian
8516	Black or African American
8522	Other Race
8527	White
8552	Unknown
8557	Native Hawaiian or Other Pacific Islander
8657	American Indian or Alaska Native

## Ethnicity Vocabulary

concept_id	concept_name
759814	Ethnic group unknown
38003563	Hispanic or Latino
38003564	Not Hispanic or Latino

## Marital Status Vocabulary

marital_status
death of spouse
divorced
engaged
married
separated
single
together
unknown

## Occupation Vocabulary

occupation
Disabled
Employed
Retired
Student
Unemployed
Unknown

### Online supplementary material

#### *observation\_period*

The observation\_period table contains records which uniquely define the spans of time for which a patient is expected to have clinical events recorded within the source systems, even if no events in fact are recorded (healthy patient with no healthcare interactions).

#### Columns

Field	Type	Description
observation_period_id	serial	A unique identifier for each observation period.
person_id	int8	A foreign key identifier to the person for whom the observation period is defined. The demographic details of that person are stored in the person table.
observation_period_start_date	date	The start date of the observation period for which data are available from the data source.
observation_period_end_date	date	The end date of the observation period for which data are available from the data source.
period_type_concept_id	int4	A foreign key identifier to the predefined Concept in the Standardized Vocabularies reflecting the source of the observation period information, belonging to the 'Obs Period Type' Vocabulary.

#### Conventions

No.	Convention Description
1	Each person has to have at least one observation period.
2	One person may have one or more disjoint observation periods, during which times analyses may assume that clinical events would be captured if observed.
3	Each person can have more than one valid observation period record, but no two observation periods can overlap in time for a given person.
4	As a general assumption, during an observation period any clinical event that happens to the patient is expected to be recorded. Conversely, the absence of data indicates that no clinical events occurred to the patient.
5	Both the start date and the end date of the clinical event has to be between observation_period_start_date and observation_period_end_date.
6	For EHR data, the observation period cannot be determined explicitly, because patients usually do not announce their departure from a certain healthcare provider. The extract, transform, load (ETL) process will have to apply some heuristic to make a reasonable estimate on what the observation_period should be.



### Online supplementary material

#### [visit\\_occurrence](#)

The visit\_occurrence table contains the spans of time a patient continuously receives medical services from one or more providers at a care site in a given setting within the health care system.

#### Columns

Field	Type	Description
visit_occurrence_id	int8	A unique identifier for each person's visit or encounter at a healthcare provider.
person_id	int8	A foreign key identifier to the person for whom the visit is recorded. The demographic details of that person are stored in the person table.
visit_concept_id	int4	A foreign key that refers to an identifier in the Standardized Vocabularies belonging to the 'Visit' Domain.
visit_start_datetime	timestamp	The date and time when the visit started. The time is not captured in the source and defaults to 00:00:00.
visit_end_datetime	timestamp	The date and time when the visit ended. Not recorded in the source. Takes the same value as visit_start_datetime.
visit_type_concept_id	int4	A foreign key identifier to the predefined Concept in the Standardized Vocabularies reflecting the source data from which the visit record is derived from, belonging to the 'Visit Type' Vocabulary. Visit type data are obtained by joining on this value (see below).
provider_id	int8	A foreign key to the primary care provider the person is seeing.
care_site_id	int8	A foreign key to the site of primary care.
visit_source_value	varchar	Source value for visit_concept_id.

#### Conventions

No.	Convention Description
1	A visit occurrence is recorded for each engagement of a patient with the healthcare system. It reflects any interaction with the healthcare service, not just in person clinical interactions.
2	Valid Visit Concepts belong to the 'Visit' domain.
3	At any one day, there could be more than one visit.
4	Visit times and visit end dates are not captured in the source. They resort to 00:00:00 and visit start dates, respectively.

#### Visit types

The table below describes the different visit types documented in the visit\_occurrence table.

concept_id	concept_name
262	Emergency Room and Inpatient Visit
9201	Inpatient Visit
9202	Outpatient Visit
32693	Health examination
581458	Pharmacy visit
581477	Office Visit
42898160	Non-hospital institution Visit

### Online supplementary material

#### *condition\_occurrence*

The condition\_occurrence table contains the presence of a disease or medical condition recorded as a diagnosis according to the International Classification of Disease (ICD), which is either observed by a provider or reported by the patient. In the NeuroBlu dataset, diagnoses are recorded as ICD-9-CM and ICD-10-CM codes in the source.

#### Columns

Field	Type	Description
condition_occurrence_id	serial	A unique identifier for each condition occurrence event.
person_id	int8	A foreign key identifier to the person for whom the condition is recorded. The demographic details of that person are stored in the person table.
condition_concept_id	int4	A foreign key that refers to an identifier in the Standardized Vocabularies belonging to the 'Condition' Domain. Joining on this value extracts the corresponding ICD-9-CM or ICD-10-CM diagnostic code.
condition_start_datetime	timestamp	The date and time when the instance of the condition is recorded. The time is not captured in the source and defaults to 00:00:00.
provider_id	int8	A foreign key to the primary care provider the person is seeing.
visit_occurrence_id	int8	A foreign key to the visit in the visit_occurrence table during which the condition was diagnosed.
condition_source_value	varchar(255)	Source value for condition_concept_id.

#### Conventions

No.	Convention Description
1	Past diagnoses ('history of') are not recorded in the condition_occurrence table. Instead, they are listed in the observation table.
2	The exact start date and end date for a condition is not recorded explicitly. Rather, the start date contains the date when the diagnosis was made, and the end date is left empty.

### Online supplementary material

#### *drug\_exposure*

The *drug\_exposure* table contains records about the utilization of a prescribed medication when ingested or introduced to the body. Prescribed medications are inferred from clinical events associated with orders, prescriptions written, pharmacy dispensing, procedural administrations, and other patient-reported information.

#### Columns

Field	Type	Description
drug_exposure_id	serial	A unique identifier for each condition exposure event.
person_id	int8	A foreign key identifier to the person for who is subjected to the drug. The demographic details of that person are stored in the person table.
drug_concept_id	int4	A foreign key that refers to an identifier in the Standardized Vocabularies belonging to the 'Drug' Domain. Joining on this value extracts the name of the prescribed medication.
drug_exposure_start_datetime	timestamp	The start date and time for the current instance of drug utilization. Valid entries include a start date of a prescription or the date on which a drug was administered. The time is not captured in the source and defaults to 00:00:00.
drug_exposure_end_datetime	timestamp	The end date and time for the current instance of drug utilization. It could be a known or an inferred date and denotes the last day at which the patient was still exposed to the drug during an instance of drug utilization.. The time is not captured in the source and defaults to 00:00:00.
quantity	numeric	Total quantity of drug exposed, in mg. Not always available.
days_supply	int4	The number of days of drug exposure. Not always available.
provider_id	int8	A foreign key to the primary care provider the person is seeing.
visit_occurrence_id	int8	A foreign key to the visit in the visit_occurrence table during which the drug exposure was initiated.
drug_source_value	varchar(50)	Source value for drug_concept_id.

#### Conventions

No.	Convention Description
1	Valid Concepts for the drug_concept_id field belong to the 'Drug' domain. They are based on Ingredient Concept Class within the RxNorm Vocabulary.

### Online supplementary material

#### *measurement*

The measurement table contains records of structured values (numerical or categorical) obtained through systematic and standardized examination or testing of a person. In the NeuroBlu dataset, the table contains measurements of:

1. Clinical Global Impression - Severity (CGI-S)
2. Clinical Global Impression - Improvement (CGI-I)
3. Global Assessment of Functioning (GAF)
4. Montgomery-Asberg Depression Rating Scale (MADRS)

#### Columns

Field	Type	Description
measurement_id	serial	A unique identifier for each measurement.
person_id	int8	A foreign key identifier to the person for whom the measurement is recorded. The demographic details of that person are stored in the person table.
measurement_concept_id	int4	A foreign key that refers to an identifier in the Standardized Vocabularies. Joining on this value specified which clinical measurement is being recorded.
measurement_datetime	timestamp	The date and time of the measurement. The time is not captured in the source and defaults to 00: 00: 00.
measurement_type_concept_id	int4	A foreign key to the predefined Concept in the Standardized Vocabularies reflecting the provenance from where the Measurement record was recorded. These belong to the 'Meas Type' vocabulary.
operator_concept_id	int4	A foreign key identifier to the predefined Concept in the Standardized Vocabularies reflecting the mathematical operator that is applied to the value_as_number. Operators are <, <=, =, >=, > and these concepts belong to the 'Meas Value Operator' domain.
value_as_number	numeric	A measurement result where the result is expressed as a numeric value.
provider_id	int8	A foreign key to the primary care provider the person is seeing.
visit_occurrence_id	int8	A foreign key to the visit in the visit_occurrence table during which the measurement was recorded.
measurement_source_value	varchar	Source value for measurement_concept_id.
measurement_source_concept_id	int4	A foreign key to a Concept in the Standardized Vocabularies that refers to the code used in the source.
unit_source_value	varchar	Source value for the unit.
value_source_value	varchar	Source value associated with value_as_number column.

**Online supplementary material**

custom2_str	varchar	Custom field to indicate which measurement the record is for.
-------------	---------	---

**Conventions**

No.	Convention Description
1	Measurements are stored as attribute value pairs, with the attribute as the <code>measurement_concept_id</code> and the value representing the result ( <code>value_as_number</code> ).
2	The <code>operator_concept_id</code> is optionally given for relative Measurements where the precise value is not available but its relation to a certain benchmarking value is available. For example, this can be used for minimal detection thresholds of a test.

### Online supplementary material

#### *observation*

The observation table contains records of clinical facts about a related to medical history, the stated need for certain treatment, social circumstances, lifestyle choices, healthcare utilization patterns, etc. These records are obtained during examination or procedure and differ from Measurements in that they do not require a standardized test to generate clinical fact.

In NeuroBlu, the observation table contains the social history in the form of external environmental stressors.

#### Columns

Field	Type	Description
observation_period_id	serial	A unique identifier for each observation.
person_id	int8	A foreign key identifier to the person for whom the observation period is defined. The demographic details of that person are stored in the person table.
observation_concept_id	int4	A foreign key that refers to an identifier in the Standardized Vocabularies.
observation_datetime	timestamp	The date and time of the observation. The time is not captured in the source and defaults to 00: 00: 00.
observation_type_concept_id	int4	A foreign key to the predefined Concept in the Standardized Vocabularies reflecting the provenance from where the Observation record was recorded. These belong to the 'Observation Type' vocabulary.
value_as_string	varchar(255)	Categorical value of the Result of the Observation, if applicable and available.
value_as_concept_id	int4	A foreign key to an observation result stored as a Concept ID. This is applicable to observations where the result can be expressed as a Standard Concept from the Standardized Vocabularies (e.g., positive/negative, present/absent, low/high, etc.).
qualifier_concept_id	int4	Contains all attributes specifying the clinical fact further, such as degrees, severities, drug-drug interaction alerts
visit_occurrence_id	int8	A foreign key to the visit in the visit_occurrence table during which the measurement was recorded.
observation_source_value	varchar(255)	The observation code (Eg: ICD-10) as it appears in the source data.
qualifier_source_value	varchar(50)	The source value associated with a qualifier to characterize the observation.

### Online supplementary material

#### Conventions

No.	Convention Description
1	Observations can be stored as attribute value pairs, with the attribute as the Observation Concept and the value representing the clinical fact.
2	Valid Observation Concepts are not enforced to be from any domain though they still should be Standard Concepts.

#### External Stressors data derived using NLP

In the NeuroBlu dataset, the raw data for external environmental stressors (or social history) is a mixture of structured values and custom, user-defined free text. These values need to be normalized to structured values before they are used for downstream analytics. To achieve this, we have applied Natural Language Processing (NLP) to map the unstructured free text to structured labels.

The NLP model maps the semi-structured stessor data to one of the possible 61 labels (which can be categorized into 8 categories). Each label is also associated with a polarity (positive, negative or neutral) as described in the table below.

Category	Stressor Label	Polarity
Academic	Discord with teachers and classmates	Negative
Academic	Good achievement in school	Positive
Academic	Illiteracy and low-level literacy	Negative
Academic	Suspension/expulsion	Negative
Academic	Underachievement in school	Negative
Environment	Abusive environment at home	Negative
Environment	Chaotic atmosphere / stressful home environment	Negative
Environment	Cultural conflicts/issue	Negative
Environment	Exposure to Disaster, War, or Other Hostilities	Negative
Environment	Inadequate care (history from caregiver or patient)	Negative
Environment	Migration/ Acculturation Difficulty	Negative
Environment	Problem Related to Living Alone	Negative
Environment	Stable living situation	Positive
Family	Anxiety about sick person in family, dependent relative needing care at home	Negative
Family	Bereavement	Negative
Family	Disruption of Family by Separation or Divorce	Negative
Family	Inadequate or distorted communication within family	Negative
Family	Isolated family, lack of family support	Negative
Family	Legal problem in the family	Negative
Family	Parenting situation	Negative
Family	Problems in parent-child relationships and in-laws	Negative
Family	Sibling Relational Problem	Negative
Family	Substance abuse in the family	Negative
Family	Supportive family, love and respect in the family	Positive
Financial	Extreme Poverty/ Low income	Negative
Financial	Financial stability	Positive
Financial	Inadequate health/social Insurance or Welfare Support	Negative
Financial	Poor money management / no savings	Negative
Financial	Problems related to loan / creditors	Negative
Housing	Discord With Neighbor	Negative

## Online supplementary material

Housing	Homelessness	Negative
Housing	Inadequate housing	Negative
Housing	Isolated dwelling (Lack of transportation)	Negative
Housing	Unstable housing arrangement	Negative
Legal	Arrest, Imprisonment and other incarceration	Negative
Legal	Child custody or support proceedings	Negative
Legal	Litigation / legal proceedings	Negative
Legal	Offense / charges	Negative
Legal	Problem with legal personnel	Negative
Legal	Restrain order	Negative
Occupational	Change of job	Neutral
Occupational	Fired	Negative
Occupational	Job dissatisfaction	Negative
Occupational	Job satisfaction	Positive
Occupational	Occupational stress	Negative
Occupational	Threat of job loss, Underperform at work	Negative
Occupational	Unemployment	Negative
Occupational	Unstable job (changing jobs often)	Negative
Personal	Emotional abuse	Negative
Personal	Involuntary treatment	Negative
Personal	Major life events	Negative
Personal	Physical abuse (spouse)	Negative
Personal	Relationship Distress With Spouse or Intimate Partner	Negative
Personal	Sense of meaning and support from belief	Positive
Personal	Sexual abuse (spouse)	Negative
Personal	Target of Adverse Discrimination	Negative
Personal	Victim of crime	Negative
Social	Conflictual social relationships	Negative
Social	Inadequate social support	Negative
Social	Lack of social circles	Negative
Social	Supportive friends	Positive

Precision statistics for the NLP classifiers provided as the median metrics of each stressor category are provided in the table below.

Category	AUROC	Recall	Precision	F1
Academic	0.999	0.667	1.000	0.800
Environment	0.999	0.923	0.800	0.857
Family	0.984	0.519	0.759	0.619
Financial	0.998	0.500	0.833	0.667
Housing	0.993	0.417	0.633	0.473
Legal	0.985	0.708	0.813	0.745
Occupational	0.993	0.500	0.895	0.664
Social	0.990	0.500	0.833	0.625



**Online supplementary material**

## (ii) Family History

The family\_history table contains data on recorded diagnoses of mental disorders affecting patients' relatives in the form of ICD-10-CM codes, along with the degree of relationship relative to the patient.

**Columns**

<b>Field</b>	<b>Type</b>	<b>Description</b>
family_history_id	serial	A unique identifier for each family history record.
person_id	int8	A foreign key identifier to the person for whom the MSE is recorded. The demographic details of that person are stored in the person table.
visit_occurrence_id	int8	A foreign key to the visit in the visit_occurrence table during which the data was recorded.
condition_concept_id	int4	A foreign key that refers to an identifier in the Standardized Vocabularies belonging to the 'Condition' Domain. Joining on this value extracts the corresponding ICD-9-CM or ICD-10-CM diagnostic code.
condition_source_value	varchar(255)	Source value for condition_concept_id.

### Online supplementary material

#### (iii) Derived Measurements

The derived\_measurement table contains records of structured values (numerical or categorical) obtained through deriving recorded measurements in the measurement table. In the NeuroBlu dataset, the table contains measurements of:

1. Smoothened CGI-S
2. Derived MADRS

#### Columns

Field	Type	Description
derived_measurement_id	serial	A unique identifier for each derived measurement.
person_id	int8	A foreign key identifier to the person for whom the measurement is recorded. The demographic details of that person are stored in the person table.
derived_measurement_value	float4	The value of the derived measurement.
derived_measurement_date	date	The date of the derived measurement.
range_low	numeric	The lower limit of the normal range of the measurement result. The lower range is assumed to be of the same unit of measure as the measurement value.
range_high	numeric	The upper limit of the normal range of the measurement result. The upper range is assumed to be of the same unit of measure as the measurement value.
provider_id	int8	A foreign key to the primary care provider the person is seeing.
visit_occurrence_id	int8	A foreign key to the visit in the visit_occurrence table during which the measurement was recorded.
unit_source_value	varchar(50)	Source value for the unit.
custom2_str	varchar(255)	Custom field to indicate which measurement the record is for (i.e. Derived MADRS or Smoothened CGI-S)

#### Conventions

No.	Convention Description
1	Measurements are stored as attribute value pairs, with the attribute as the custom2_str and the value representing the result (derived_measurement_value).

## Online supplementary material

## Smoothed CGI-S

In the NeuroBlu dataset, Clinical Global Impression-Severity (CGI-S) measurements are found to be noisy, both the severity and the improvement scales. The values recorded fluctuate across measurements. Sometimes a visit doesn't have any CGI-S measurement, and sometimes multiple CGI-S measurements are recorded in a single day.

To tackle this problem, we provide smoothed values of CGI-S. Raw measurement values are smoothed and interpolated on days with visit but no CGI-S measurements (the visit is recorded in `visit_occurrence`, but no CGI-S is measured on that day). These smoothed and interpolated values are available in the `derived_measurement` table.


The smoothing and interpolation is done on a per-patient basis using exponential-weighted smoothing, based on the following equation:

$$s_i = \sum_{j \in J} w_{i,j} c_j$$

$$w_{i,j} = \frac{\exp(-d_{i,j}^2 / (2\sigma^2))}{\sum_{j \in J} \exp(-d_{i,j}^2 / (2\sigma^2))}$$

where  $s_i$  is the smoothed CGI-S at visit  $i$ ,  $J$  is the set of all visits with CGI-S measurements,  $c_j$  is the measured raw CGI-S values at visit  $j$ ,  $d_{i,j}$  is the time difference between visit  $i$  and  $j$ , in terms of days, and  $\sigma$  is the smoothing parameter, equals to 5 in our case. The equation works for days with multiple CGI measurements and days without CGI-S measurements.

The following figure shows how the smoothed CGI-S looks for an example patient.



### Online supplementary material

#### MADRS Scores derived using CGI-S data

The Montgomery–Asberg Depression Rating Scale (MADRS) is a clinician-recorded rating scale for symptoms of depression. It comprises of 10 individual scores which are summed to yield a final score which ranges from 0 to 60. However, unlike the Clinical Global Impression-Severity (CGI-S), the NeuroBlu dataset has few documented records of MADRS scores. However, it is also one of the most widely used scores in psychiatry. We have observed that there is a fairly high correlation between the CGI-S and the final MADRS score. For this reason mapping functions have been derived that may be used to map the CGI-S score to the MADRS score.

In the event an analysis requires MADRS data, we provide values of MADRS derived from CGI-S at every timepoint with CGI-S measurement. These smoothed and interpolated values are available in the `derived_measurement` table.

All encounters in which both CGI-S and MADRS scores have been simultaneously measured are extracted from the dataset. In total, there are approximately 3101 such encounters. Both measurements are strongly correlated with a correlation coefficient of 0.80. This supports the possibility of mapping CGI-S to MADRS.


Upon manual inspection of the distribution of the MADRS scores for each value of CGI-S, we observed that MADRS scores have asymmetric distribution shapes for CGI-S values in the end of the spectrum, and wide distribution shapes for CGI-S values around the middle of the spectrum. For this reason, we feel that a simple linear model may not provide good confidence interval for the derived MADRS from CGI-S. We conclude that MADRS score follows the four-parameter beta distribution  $\text{Beta}(a, b, 0, 60)$ , where the parameters  $a, b$  is a function of the CGI-S score, and the value is bounded between 0 and 60. Then, the values of  $a, b$  are estimated for every possible value of CGI-S using the method of moments. The derived MADRS for each CGI-S score takes value of the distribution mean, i.e.  $60*a/(a+b)$ . To gauge the goodness-of-fit of this approach, the  $R^2$  value is computed and is found to be 0.66.

The estimated values of  $a$  and  $b$  along with the derived MADRS value for each CGI-S score are summarized in the following table.


CGI-S	a	b	Derived MADRS	95% confidence interval
1	0.1874	9.9098	1.1	0.9 to 1.3
2	1.1070	16.3081	3.8	3.6 to 4.0
3	2.8634	15.1325	9.5	9.3 to 9.8
4	3.2716	8.7725	16.3	16.0 to 16.6
5	3.7353	4.8806	26.0	25.5 to 26.6
6	5.1854	4.3100	32.8	31.9 to 33.6
7	2.2803	1.3288	37.9	32.7 to 43.1

The distributions of MADRS score for each value of CGI-S are shown in the following figures. The first figure shows the histogram of MADRS scores for each value of CGI-S and the shape of the fitted beta distributions. The second figure shows the relationship between derived MADRS and CGI-S on top of a scatter plot of raw MADRS versus raw CGI-S.

Online supplementary material



Online supplementary material



### Online supplementary material

#### (iv) Mental State Examination

The derived\_mse table contains the cleaned form of the mental state examination (MSE) records. In the NeuroBlu dataset, the MSE data are represented as Status Assessment Vectors (SAV) which are further described subsequently.

#### Columns

Field	Type	Description
person_id	int8	A foreign key identifier to the person for whom the MSE is recorded. The demographic details of that person are stored in the person table.
measurement_date	date	The date of the derived MSE.
Days	int4	Number of days of measurement since the patient was first recorded in the dataset.
sav_i_cat_j	int4	i-th value of the SAV. Also correspond to the j-th value for cat category. Contains binary value. i takes value from 0 to 240.

#### Status Assessment Vectors

In the NeuroBlu dataset, the raw data for MSE is recorded in the form of semi-structured free text, making it difficult to analyze in their raw form.

To tackle this problem, we provide natural language processing (NLP) derived structured values of MSE. Raw MSE data for a single patient on a particular day are cleaned and passed through an NLP model that returns a 241-element vector form of MSE. This vector is called the Status Assessment Vector (SAV). SAV is a binary vector, where the value is 1 if the category-factor combination of the SAV is applicable for the patient. As an example, the 15th position in the SAV corresponds to whether a patient is responding to internal stimuli or not and value of 1 for this position means that the patient is responding to internal stimuli. Further details of the NLP pipeline are described in the following article:

Mukherjee, S.S., Yu, J., Won, Y., McClay, M.J., Wang, L., Rush, A.J. and Sarkar, J., 2020. Natural Language Processing-Based Quantification of the Mental State of Psychiatric Patients. *Computational Psychiatry*, 4, pp.76–106. DOI: [http://doi.org/10.1162/cpsy\\_a\\_00030](http://doi.org/10.1162/cpsy_a_00030)

The table below maps each element of the SAV to its location in the derived\_mse table.

## Online supplementary material

SAV #	Category	Factor
0	Abnormal or psychotic thoughts	no issues
1	Abnormal or psychotic thoughts	experiencing delusions/abnormal thoughts (grandeur)
2	Abnormal or psychotic thoughts	experiencing delusions/abnormal thoughts (persecution)
3	Abnormal or psychotic thoughts	experiencing delusions/abnormal thoughts (religious)
4	Abnormal or psychotic thoughts	experiencing hallucinations (auditory)
5	Abnormal or psychotic thoughts	experiencing hallucinations (visual)
6	Abnormal or psychotic thoughts	experiencing hallucinations (tactile)
7	Abnormal or psychotic thoughts	History of delusions/abnormal thoughts
8	Abnormal or psychotic thoughts	History of hallucinations
9	Abnormal or psychotic thoughts	neutral/unable to categorize
10	Abnormal or psychotic thoughts	experiencing delusions (not specified)
11	Abnormal or psychotic thoughts	experiencing hallucinations (not specified)
12	Abnormal or psychotic thoughts	experiencing delusions/abnormal thoughts (obsessions)
13	Abnormal or psychotic thoughts	experiencing delusions/abnormal thoughts (paranoia)
14	Abnormal or psychotic thoughts	experiencing hallucinations (olfactory)
15	Abnormal or psychotic thoughts	responding to internal stimuli
16	Abnormal or psychotic thoughts	experiencing delusions/abnormal thoughts (sexual)
17	Affect	no issues/appropriate affect
18	Affect	neutral/unable to categorize
19	Affect	aggressive
20	Affect	reactive
21	Affect	irritable/angry
22	Affect	improved from last visit
23	Affect	issues with cognition
24	Affect	loss of energy/tiredness



## Online supplementary material

25	Affect	blunted/restricted
26	Affect	anxious/fearful
27	Affect	tearful/depressed/sad
28	Affect	bright/positive
29	Affect	labile
30	Affect	intense
31	Affect	expansive/overly animated
32	Affect	generally odd or out of the ordinary/inappropriate
33	Affect	flooded
34	Appearance	Issues with Affect
35	Appearance	Sleep/Bed
36	Appearance	Issues with Eye Contact
37	Appearance	Not age appropriate
38	Appearance	Issues with general Health
39	Appearance	Issues with Behavior
40	Appearance	Positive Affect
41	Appearance	Positive Grooming/Hygiene
42	Appearance	Issues with Grooming/Hygiene
43	Appearance	Positive Health
44	Appearance	Issues with Weight
45	Appearance	Normal/no issues
46	Appearance	Hospital attire
47	Appearance	Positive dress
48	Appearance	Issues with dress
49	Appearance	Neutral
50	Appearance	Positive eye contact
51	Appearance	Appropriate Age
52	Appearance	Positive Behavior
53	Association	intact/no issues
54	Association	neutral/unable to categorize
55	Association	circumstantial
56	Association	loose
57	Association	tangential
58	Association	age appropriate
59	Association	improved
60	Association	declined
61	Association	disorganized
62	Association	general issues
63	Attention/ Concentration	intact/no issues
64	Attention/ Concentration	neutral/unable to categorize

## Online supplementary material

65	Attention/ Concentration	general issues
66	Attention/ Concentration	improved
67	Attention/ Concentration	declined
68	Attention/ Concentration	age appropriate
69	Attention/ Concentration	issues due to MH
70	Attention/ Concentration	issues due to DD
71	Attention/ Concentration	varying
72	Attitude	positive/appropriate
73	Attitude	neutral/unable to categorize
74	Attitude	age appropriate
75	Attitude	not age appropriate
76	Attitude	negative/inappropriate
77	Attitude	improved
78	Attitude	declined
79	Cognition	normal/no issues
80	Cognition	neutral/unable to categorize
81	Cognition	issues with concentration
82	Cognition	positive concentration
83	Cognition	issues with fund of knowledge
84	Cognition	positive fund of knowledge
85	Cognition	issues with attention
86	Cognition	positive attention
87	Cognition	general issues
88	Executive Functioning	intact/no issues
89	Executive Functioning	neutral/unable to categorize
90	Executive Functioning	some impairment
91	Executive Functioning	much impairment
92	Executive Functioning	improved since last session
93	Executive Functioning	declined since last session
94	Executive Functioning	age appropriate
95	Executive Functioning	below age level
96	Executive Functioning	impaired (due to DD)

## Online supplementary material

97	Executive Functioning	impaired (due to TBI)
98	Executive Functioning	impaired (due to other MH issue)
99	Fund of knowledge	intact/no issues
100	Fund of knowledge	neutral/unable to categorize
101	Fund of knowledge	positive vocabulary
102	Fund of knowledge	issues with vocabulary
103	Fund of knowledge	positive history
104	Fund of knowledge	issues with history
105	Fund of knowledge	average
106	Fund of knowledge	above average
107	Fund of knowledge	below average
108	Fund of knowledge	positive current events
109	Fund of knowledge	issues with current events
110	Fund of knowledge	generally limited/issues
111	Fund of knowledge	declined
112	Fund of knowledge	improved
113	Gait and station	normal/no issues
114	Gait and station	neutral/unable to categorize
115	Gait and station	non-ambulatory
116	Gait and station	issues with gait/station
117	Gait and station	assistive device needed
118	Homicidal	not present
119	Homicidal	neutral
120	Homicidal	present
121	Impulse control	good/no issues
122	Impulse control	neutral/unable to categorize
123	Impulse control	limited/some issues
124	Impulse control	poor/serious issues
125	Impulse control	age appropriate
126	Impulse control	not age appropriate
127	Insight	no issues with insight
128	Insight	issues with insight
129	Insight	neutral/unable to categorize
130	Intelligence	normal/no issues with intelligence
131	Intelligence	issues with intelligence
132	Intelligence	neutral/unable to categorize
133	Judgment	no issues with judgement
134	Judgment	issues with judgement
135	Judgment	neutral/unable to categorize
136	Language	intact
137	Language	neutral/unable to categorize

## Online supplementary material

138	Language	repetition intact
139	Language	issues with repetition
140	Language	object naming intact
141	Language	issues with object naming
142	Language	impaired
143	Language	non-verbal/mute
144	Language	minimally verbal
145	Language	issues related to DD
146	Level of consciousness	normal; no issues notes
147	Level of consciousness	neutral; unable to categorize
148	Level of consciousness	sleepy/drowsy
149	Level of consciousness	clouded
150	Level of consciousness	issues verbally
151	Level of consciousness	misc. issues
152	Level of consciousness	impaired due to DD/MI
153	Memory	no issues/memory unimpaired
154	Memory	issues/memory impaired
155	Memory	neutral/unable to categorize
156	Mood	Normal; no issues
157	Mood	neutral; unable to categorize
158	Mood	"anxious, tense"
159	Mood	"depressed, sad, despondent"
160	Mood	"irritable, angry"
161	Mood	improved
162	Mood	declined
163	Mood	"elevated, manic"
164	Mood	labile
165	Mood	misc. issues
166	Mood	suicidal
167	Orientation	no orientation issues
168	Orientation	issues with orientation to person
169	Orientation	issues with orientation to place
170	Orientation	issues with orientation to time/date
171	Orientation	issues with orientation to situation
172	Orientation	neutral/unable to categorize
173	Orientation	general orientation issues

## Online supplementary material

174	Psychomotor	normal; no issues
175	Psychomotor	neutral; unable to categorize
176	Psychomotor	retarded; slowed
177	Psychomotor	agitated; tense; restless
178	Psychomotor	improved
179	Psychomotor	declined
180	Psychomotor	constricted
181	Psychomotor	tremors
182	Psychomotor	tics
183	Psychomotor	involuntary movements
184	Psychomotor	misc. issues
185	Psychomotor	catatonic
186	Reasoning	normal; no issues
187	Reasoning	neutral; unable to categorize
188	Reasoning	impaired; poor
189	Reasoning	impaired due to DD/cognitive issues
190	Reasoning	impaired due to MI
191	Reasoning	concrete
192	Reasoning	abstract
193	Reasoning	improved
194	Reasoning	misc. issues
195	Sensorium	normal; no issues
196	Sensorium	neutral; unable to categorize
197	Sensorium	clouded; sedate
198	Sensorium	impaired
199	Sensorium	fluctuating
200	Sensorium	impaired due to medications/drugs/alcohol
201	Sensorium	sleepy; lethargic
202	Sleep	"normal, no issues"
203	Sleep	"neutral, unable to categorize"
204	Sleep	maintenance issues (can't stay asleep)
205	Sleep	onset issues (unable to fall asleep)
206	Sleep	nightmares
207	Sleep	insomnia
208	Sleep	hypersomnia
209	Sleep	misc. issues related to sleep
210	Speech	"normal, no issues"
211	Speech	"neutral, unable to categorize"
212	Speech	issues with rate
213	Speech	issues with tone

## Online supplementary material

214	Speech	issues with volume
215	Speech	stutter or lisp
216	Speech	misc. issues
217	Speech	impoverished
218	Speech	improved
219	Speech	unintelligible
220	Speech	"mute, non-verbal"
221	Suicidal	"normal, no issues, not present"
222	Suicidal	"neutral, unable to categorize"
223	Suicidal	suicidal ideation
224	Suicidal	suicidal with intent
225	Suicidal	suicidal with plan
226	Suicidal	suicide attempt
227	Suicidal	history of ideation
228	Suicidal	history of attempt
229	Suicidal	self-injurious
230	Suicidal	history of self-injury
231	Suicidal	suicidal ideation with means
232	Violent Thoughts	"normal, no issues"
233	Violent Thoughts	"neutral, unable to categorize"
234	Violent Thoughts	present
235	Violent Thoughts	"present, with intent"
236	Violent Thoughts	present with plan
237	Violent Thoughts	present with means
238	Violent Thoughts	history of violent thoughts
239	Violent Thoughts	history of violent behaviors
240	Violent Thoughts	violent/aggressive behavior

eTable 1: Description of U.S. clinics contributing EHR data to NeuroBlu

Clinic ID	State	Type of setting Inpatient / outpatient / residential?	Services provided (data obtained from SAMHSA directory)	Domain focus	Any specific disease focus?
			The SAMHSA directory has the list of all possible services an organization can provide.	Substance Use, Mental Health / Special Programs/Groups Offered	such as MDD, ADHD etc.
01	Colorado	Outpatient	Outpatient And Intensive Outpatient 24-Hour Care Residential DUI/DUID Classes Case Management Locations & Hours Medication Assisted Treatment We Accept Health Insurance		
02	Colorado	Hospital Outpatient, Telemedicine / telehealth	Behavior modification, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Seniors or older adults, Persons who have experienced trauma, Persons with post-traumatic stress disorder (PTSD), Children/adolescents with serious emotional disturbance (SED)	Persons with post-traumatic stress disorder (PTSD)
03	Colorado	Outpatient	Monitor the health status of the population and the environment, and identify community health problems. Prevent and control the spread of communicable disease. Promote positive health behaviors and environmental practices. Mobilize community partnerships to solve identified health problems. Enforce laws and	Reduce Suicide, Improve Early Childhood Social & Emotional Development & Reduce Post-Partum Depression, Decrease Stigma & Increase Capacity	
04	Indiana	Residential	Activity therapy, Cognitive behavioral therapy, Couples/family therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication		
05	North Carolina	Inpatient	Activity therapy, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Electroconvulsive therapy, Group therapy, Individual psychotherapy, Psychotropic medication		
06	Missouri	Inpatient, Partial hospitalization/day treatment, Residential, Telemedicine/telehealth	Activity therapy, Cognitive behavioral therapy, Dialectical behavior therapy, Electroconvulsive therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication		
07	New York	Hospital Outpatient	Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy		
08	New York	Hospital Inpatient	Activity therapy, Behavior modification, Cognitive behavioral therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy		
09	Connecticut	Hospital Outpatient	Behavior modification, Cognitive behavioral therapy, Couples/family therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Persons with co-occurring mental and substance use disorders, Persons who have experienced trauma, Persons with post-traumatic stress disorder (PTSD)	Persons with post-traumatic stress disorder (PTSD)
10	North Carolina	Hospital Inpatient	Activity therapy, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Electroconvulsive therapy, Group therapy, Individual psychotherapy, Psychotropic medication	Transitional age young adults, Persons with co-occurring mental and substance use disorders, Persons with eating disorders	
11	Indiana	Hospital Outpatient & Residential	Activity therapy, Behavior modification, Cognitive behavioral therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy		
12	Virginia	Hospital Outpatient, Partial hospitalization/day treatment, Telemedicine/telehealth	Activity therapy, Behavior modification, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Transitional age young adults, Persons who have experienced trauma, Persons with post-traumatic stress disorder (PTSD), Children/adolescents with serious emotional disturbance (SED)	Persons with post-traumatic stress disorder (PTSD)
13	Indiana	Hospital Outpatient	Activity therapy, Behavior modification, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Persons with co-occurring mental and substance use disorders, Persons with serious mental illness (SMI)	
14	Florida	Outpatient	Behavior modification, Cognitive behavioral therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Persons with co-occurring mental and substance use disorders, Persons with serious mental illness (SMI)	
15	New York	Hospital Outpatient	Activity therapy, Behavior modification, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Persons with co-occurring mental and substance use disorders, Persons who have experienced trauma, Persons with post-traumatic stress disorder (PTSD), Persons with serious mental illness (SMI)	Persons with post-traumatic stress disorder (PTSD)
16	New York	Outpatient	Activity therapy, Behavior modification, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Persons with co-occurring mental and substance use disorders, Persons who have experienced trauma, Persons with post-traumatic stress disorder (PTSD), Persons with serious mental illness (SMI)	Persons with post-traumatic stress disorder (PTSD)
17	Virginia	Hospital Outpatient, Telemedicine / telehealth	Behavior modification, Cognitive behavioral therapy, Couples/family therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Persons with co-occurring mental and substance use disorders, Persons who have experienced trauma, Persons with post-traumatic stress disorder (PTSD), Children/adolescents with serious emotional disturbance (SED), Persons with serious mental illness (SMI)	Persons with post-traumatic stress disorder (PTSD)
18	Indiana	Hospital Outpatient, Telemedicine / telehealth	Activity therapy, Behavior modification, Cognitive behavioral therapy, Dialectical behavior therapy, Group therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Children/adolescents with serious emotional disturbance (SED), Persons with serious mental illness (SMI)	
19	Missouri	Outpatient	Full spectrum of comprehensive mental health services for individuals of all ages including billing services, injection clinic, ketamine infusion, medication management, neurology, psychotherapy/counseling, psych testing, pharmacy services, research, andTMS therapy		difficult to treat cases of depression, anxiety, and bipolar disorders, among others, diagnoses of Major Depressive Disorder (MDD) and Obsessive Compulsive Disorder (OCD)
20	Montana	Outpatient, Telehealth	Inpatient Rehab, Day Treatment, Outpatient Services, Family Therapy, Chemical Dependency Assessments, DUI School, Medical Detoxification, Long Term Residential for Mothers with Children, Re-Entry Programs, Spanish Speaking counselor	In addition to mental health and substance use counseling, Mental Health Services also includes, Substance Abuse Professional (SAP) services, Mental Health assessment services, Clinical supervision for licensure, EMDR, Family therapy, Grief therapy, Therapeutic	Substance Use Disorders, Sexual Addictions, Co-Dependency, Co-Occurring Disorders, Persons with post-traumatic stress disorder (PTSD)
21	Alabama	Outpatient & Residential Treatment	Outpatient, Residential Treatment & community based		substance use disorder treatment and behavioral rehabilitation for adolescents
22	Delaware	Outpatient	Drug & Alcohol Addiction Treatment, Drug & Alcohol Detoxification Program, Offers Buprenorphine detox, Relapses prevention with the use of naltrexone, Offers Buprenorphine used in treatment, Oral form of Naltrexone, Provides Injectable Naltrexone (Vivitrol), Clients accepted on opioid/methadone medication,		
23	Colorado	Hospital Inpatient, Hospital Outpatient, Telemedicine / telehealth	Counseling, Suicide prevention, Outreach	Learning Disabilities, Attention Deficit Hyperactivity Disorder (ADHD) and Attention Deficit Disorder (ADD), Behavior Disorders, Academic Achievement, Psychiatric Disorders, Intellectual Disabilities, Gifted and Talented, Autism	
24	New Hampshire	Hospital Outpatient, Telemedicine / telehealth	Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Integrated dual disorders treatment, Individual psychotherapy, Psychotropic medication, Trauma therapy	Seniors or older adults, Active duty military, Military families, Persons with co-occurring mental and substance use disorders, Persons who have experienced trauma, Persons with post-traumatic stress disorder (PTSD), Children/adolescents with serious emotional disturbance	Persons with post-traumatic stress disorder (PTSD)
25	New York	Hospital Inpatient, Hospital Outpatient, Telemedicine / telehealth	Activity therapy, Cognitive behavioral therapy, Couples/family therapy, Dialectical behavior therapy, Group therapy, Individual psychotherapy, Psychotropic medication, Trauma therapy	Transitional age young adults, Seniors or older adults, Lesbian, gay, bisexual, or transgender (LGBT) clients, Persons who have experienced trauma, Persons with Alzheimer's or dementia, Children/adolescents with serious emotional disturbance (SED),	

## Online supplementary material

eTable 2: NeuroBlu dataset race distribution

Race	Number of patients	Percentage
White	276,633	49.1%
Unknown	186,517	33.1%
Black or African American	73,504	13.1%
Other Race	13,179	2.3%
Native Hawaiian or Other Pacific Islander	6,712	1.2%
Asian	3,958	0.7%
American Indian or Alaska Native	2,437	0.4%

eTable 3: NeuroBlu dataset age distribution

Age (years)	Number of patients	Percentage
0-9	45,050	8.0%
10-19	116,741	20.7%
20-29	108,863	19.3%
30-39	94,114	16.7%
40-49	81,556	14.5%
50-59	65,498	11.6%
60-69	30,945	5.5%
70-79	15,339	2.7%
80+	4,828	0.9%

eTable 4: NeuroBlu dataset diagnosis distribution

Diagnosis	Number of patients	Percentage
Dementia & Alzheimer's disease	5,029	0.9%
Substance-use disorders	152,790	28.1%
Schizophrenia	14,592	2.7%
Schizoaffective disorder	15,044	2.8%
Bipolar disorder	69,607	12.8%
Major depressive disorder (MDD)	129,120	23.7%
Anxiety disorders	103,923	19.1%
Attention-deficit hyperactivity disorder (ADHD)	53,744	9.9%



## Online supplementary material

eTable 5: Gender distribution by diagnosis

Diagnosis	Number of male patients	Number of female patients	Number with unknown gender	Percentage Male	Percentage Female	Percentage Unknown	Total number
<b>Dementia &amp; Alzheimer's disease</b>	2,035	2,962	32	40.5%	58.9%	0.8%	5,029
<b>Substance-use disorders</b>	96,180	56,328	282	62.9%	36.9%	0.0%	152,790
<b>Schizophrenia</b>	9,163	5,401	28	62.8%	37.0%	0.4%	14,592
<b>Schizoaffective disorder</b>	7,807	7,222	15	51.9%	48.0%	0.3%	15,044
<b>Bipolar disorder</b>	27,877	41,642	88	40.0%	59.8%	0.1%	69,607
<b>Major depressive disorder (MDD)</b>	46,603	82,395	122	36.1%	63.8%	0.0%	129,120
<b>Anxiety disorders</b>	38,255	65,569	99	36.8%	63.1%	0.0%	103,923
<b>Attention-deficit hyperactivity disorder (ADHD)</b>	32,781	20,933	30	61.0%	38.9%	0.1%	53,744

## Online supplementary material

eTable 6: ICD-9/ICD-10 code definitions for diagnostic category

Diagnosis	ICD code	ICD type	ICD Description
ADHD	314	ICD-9	Attention deficit disorder without mention of hyperactivity
ADHD	314.01	ICD-9	Attention deficit disorder with hyperactivity
ADHD	F90.0	ICD-10	Attention-deficit hyperactivity disorder, predominantly inattentive type
ADHD	F90.1	ICD-10	Attention-deficit hyperactivity disorder, predominantly hyperactive type
ADHD	F90.2	ICD-10	Attention-deficit hyperactivity disorder, combined type
ADHD	F90.8	ICD-10	Attention-deficit hyperactivity disorder, other type
ADHD	F90.9	ICD-10	Attention-deficit hyperactivity disorder, unspecified type
Anxiety disorders	300.01	ICD-9	Panic disorder without agoraphobia
Anxiety disorders	300.02	ICD-9	Generalized anxiety disorder
Anxiety disorders	300.2	ICD-9	Phobia, unspecified
Anxiety disorders	300.21	ICD-9	Agoraphobia with panic disorder
Anxiety disorders	300.22	ICD-9	Agoraphobia without mention of panic attacks
Anxiety disorders	300.23	ICD-9	Social phobia
Anxiety disorders	300.29	ICD-9	Other isolated or specific phobias
Anxiety disorders	300.3	ICD-9	Obsessive-compulsive disorders
Anxiety disorders	309.81	ICD-9	Posttraumatic stress disorder
Anxiety disorders	F40.00	ICD-10	Agoraphobia, unspecified
Anxiety disorders	F40.01	ICD-10	Agoraphobia with panic disorder
Anxiety disorders	F40.02	ICD-10	Agoraphobia without panic disorder
Anxiety disorders	F40.10	ICD-10	Social phobia, unspecified
Anxiety disorders	F40.11	ICD-10	Social phobia, generalized
Anxiety disorders	F40.210	ICD-10	Arachnophobia
Anxiety disorders	F40.218	ICD-10	Other animal type phobia
Anxiety disorders	F40.220	ICD-10	Fear of thunderstorms
Anxiety disorders	F40.228	ICD-10	Other natural environment type phobia

## Online supplementary material

Anxiety disorders	F40.230	ICD-10	Fear of blood
Anxiety disorders	F40.231	ICD-10	Fear of injections and transfusions
Anxiety disorders	F40.232	ICD-10	Fear of other medical care
Anxiety disorders	F40.233	ICD-10	Fear of injury
Anxiety disorders	F40.240	ICD-10	Claustrophobia
Anxiety disorders	F40.241	ICD-10	Acrophobia
Anxiety disorders	F40.242	ICD-10	Fear of bridges
Anxiety disorders	F40.243	ICD-10	Fear of flying
Anxiety disorders	F40.248	ICD-10	Other situational type phobia
Anxiety disorders	F40.290	ICD-10	Androphobia
Anxiety disorders	F40.291	ICD-10	Gynephobia
Anxiety disorders	F40.298	ICD-10	Other specified phobia
Anxiety disorders	F40.8	ICD-10	Other phobic anxiety disorders
Anxiety disorders	F40.9	ICD-10	Phobic anxiety disorder, unspecified
Anxiety disorders	F41.0	ICD-10	Panic disorder [episodic paroxysmal anxiety]
Anxiety disorders	F41.1	ICD-10	Generalized anxiety disorder
Anxiety disorders	F42.2	ICD-10	Mixed obsessional thoughts and acts
Anxiety disorders	F42.3	ICD-10	Hoarding disorder
Anxiety disorders	F42.4	ICD-10	Excoriation (skin-picking) disorder
Anxiety disorders	F42.8	ICD-10	Other obsessive-compulsive disorder
Anxiety disorders	F42.9	ICD-10	Obsessive-compulsive disorder, unspecified
Anxiety disorders	F43.10	ICD-10	Post-traumatic stress disorder, unspecified
Anxiety disorders	F43.11	ICD-10	Post-traumatic stress disorder, acute
Anxiety disorders	F43.12	ICD-10	Post-traumatic stress disorder, chronic
Bipolar Disorder	296	ICD-9	Bipolar I disorder, single manic episode, unspecified

## Online supplementary material

Bipolar Disorder	296.01	ICD-10	Bipolar I disorder, single manic episode, mild
Bipolar Disorder	296.02	ICD-11	Bipolar I disorder, single manic episode, moderate
Bipolar Disorder	296.03	ICD-12	Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior
Bipolar Disorder	296.04	ICD-13	Bipolar I disorder, single manic episode, specified as with psychotic behavior
Bipolar Disorder	296.05	ICD-14	Bipolar I disorder, single manic episode, in partial or unspecified remission
Bipolar Disorder	296.06	ICD-15	Bipolar I disorder, single manic episode, in full remission
Bipolar Disorder	296.4	ICD-9	Bipolar I disorder, most recent episode (or current) manic, unspecified
Bipolar Disorder	296.41	ICD-9	Bipolar I disorder, most recent episode (or current) manic, mild
Bipolar Disorder	296.42	ICD-9	Bipolar I disorder, most recent episode (or current) manic, moderate
Bipolar Disorder	296.43	ICD-9	Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior
Bipolar Disorder	296.44	ICD-9	Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior
Bipolar Disorder	296.45	ICD-9	Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission
Bipolar Disorder	296.46	ICD-9	Bipolar I disorder, most recent episode (or current) manic, in full remission
Bipolar Disorder	296.5	ICD-9	Bipolar I disorder, most recent episode (or current) depressed, unspecified
Bipolar Disorder	296.51	ICD-9	Bipolar I disorder, most recent episode (or current) depressed, mild
Bipolar Disorder	296.52	ICD-9	Bipolar I disorder, most recent episode (or current) depressed, moderate
Bipolar Disorder	296.53	ICD-9	Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior
Bipolar Disorder	296.54	ICD-9	Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior
Bipolar Disorder	296.55	ICD-9	Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission
Bipolar Disorder	296.56	ICD-9	Bipolar I disorder, most recent episode (or current) depressed, in full remission
Bipolar Disorder	296.6	ICD-9	Bipolar I disorder, most recent episode (or current) mixed, unspecified
Bipolar Disorder	296.61	ICD-9	Bipolar I disorder, most recent episode (or current) mixed, mild
Bipolar Disorder	296.62	ICD-9	Bipolar I disorder, most recent episode (or current) mixed, moderate
Bipolar Disorder	296.63	ICD-9	Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior
Bipolar Disorder	296.64	ICD-9	Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior

## Online supplementary material

Bipolar Disorder	296.65	ICD-9	Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission
Bipolar Disorder	296.66	ICD-9	Bipolar I disorder, most recent episode (or current) mixed, in full remission
Bipolar Disorder	296.7	ICD-9	Bipolar I disorder, most recent episode (or current) unspecified
Bipolar Disorder	296.8	ICD-9	Bipolar disorder, unspecified
Bipolar Disorder	296.89	ICD-9	Other bipolar disorders
Bipolar Disorder	F31.0	ICD-10	Bipolar disorder, current episode hypomanic
Bipolar Disorder	F31.10	ICD-10	Bipolar disorder, current episode manic without psychotic features, unspecified
Bipolar Disorder	F31.11	ICD-10	Bipolar disorder, current episode manic without psychotic features, mild
Bipolar Disorder	F31.12	ICD-10	Bipolar disorder, current episode manic without psychotic features, moderate
Bipolar Disorder	F31.13	ICD-10	Bipolar disorder, current episode manic without psychotic features, severe
Bipolar Disorder	F31.2	ICD-10	Bipolar disorder, current episode manic severe with psychotic features
Bipolar Disorder	F31.30	ICD-10	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified
Bipolar Disorder	F31.31	ICD-10	Bipolar disorder, current episode depressed, mild
Bipolar Disorder	F31.32	ICD-10	Bipolar disorder, current episode depressed, moderate
Bipolar Disorder	F31.4	ICD-10	Bipolar disorder, current episode depressed, severe, without psychotic features
Bipolar Disorder	F31.5	ICD-10	Bipolar disorder, current episode depressed, severe, with psychotic features
Bipolar Disorder	F31.60	ICD-10	Bipolar disorder, current episode mixed, unspecified
Bipolar Disorder	F31.61	ICD-10	Bipolar disorder, current episode mixed, mild
Bipolar Disorder	F31.62	ICD-10	Bipolar disorder, current episode mixed, moderate
Bipolar Disorder	F31.63	ICD-10	Bipolar disorder, current episode mixed, severe, without psychotic features
Bipolar Disorder	F31.64	ICD-10	Bipolar disorder, current episode mixed, severe, with psychotic features
Bipolar Disorder	F31.70	ICD-10	Bipolar disorder, currently in remission, most recent episode unspecified
Bipolar Disorder	F31.71	ICD-10	Bipolar disorder, in partial remission, most recent episode hypomanic
Bipolar Disorder	F31.72	ICD-10	Bipolar disorder, in full remission, most recent episode hypomanic
Bipolar Disorder	F31.73	ICD-10	Bipolar disorder, in partial remission, most recent episode manic

## Online supplementary material

Bipolar Disorder	F31.74	ICD-10	Bipolar disorder, in full remission, most recent episode manic
Bipolar Disorder	F31.75	ICD-10	Bipolar disorder, in partial remission, most recent episode depressed
Bipolar Disorder	F31.76	ICD-10	Bipolar disorder, in full remission, most recent episode depressed
Bipolar Disorder	F31.77	ICD-10	Bipolar disorder, in partial remission, most recent episode mixed
Bipolar Disorder	F31.78	ICD-10	Bipolar disorder, in full remission, most recent episode mixed
Bipolar Disorder	F31.81	ICD-10	Bipolar II disorder
Bipolar Disorder	F31.89	ICD-10	Other bipolar disorder
Bipolar Disorder	F31.9	ICD-10	Bipolar disorder, unspecified
Dementia and Alzheimer's Disease	290	ICD-9	Senile dementia, uncomplicated
Dementia and Alzheimer's Disease	290.1	ICD-9	Presenile dementia
Dementia and Alzheimer's Disease	290.2	ICD-9	Senile dementia with delusional or depressive features
Dementia and Alzheimer's Disease	290.3	ICD-9	Senile dementia with delirium
Dementia and Alzheimer's Disease	290.4	ICD-9	Vascular dementia
Dementia and Alzheimer's Disease	290.43	ICD-9	Vascular dementia, with depressed mood
Dementia and Alzheimer's Disease	294.1	ICD-9	Dementia in conditions classified elsewhere
Dementia and Alzheimer's Disease	294.8	ICD-9	Other persistent mental disorders due to conditions classified elsewhere
Dementia and Alzheimer's Disease	331	ICD-9	Alzheimer's disease
Dementia and Alzheimer's Disease	F03.90	ICD-10	Unspecified dementia without behavioral disturbance
Dementia and Alzheimer's Disease	F03.91	ICD-10	Unspecified dementia with behavioral disturbance

## Online supplementary material

Dementia and Alzheimer's Disease	G30.1	ICD-10	Alzheimer's disease with late onset
Dementia and Alzheimer's Disease	G30.8	ICD-10	Other Alzheimer's disease
MDD	296.2	ICD-9	Major depressive affective disorder, single episode, unspecified
MDD	296.21	ICD-9	Major depressive affective disorder, single episode, mild
MDD	296.22	ICD-9	Major depressive affective disorder, single episode, moderate
MDD	296.23	ICD-9	Major depressive affective disorder, single episode, severe, without mention of psychotic behavior
MDD	296.24	ICD-9	Major depressive affective disorder, single episode, severe, specified as with psychotic behavior
MDD	296.25	ICD-9	Major depressive affective disorder, single episode, in partial or unspecified remission
MDD	296.26	ICD-9	Major depressive affective disorder, single episode, in full remission
MDD	296.3	ICD-9	Major depressive affective disorder, recurrent episode, unspecified
MDD	296.31	ICD-9	Major depressive affective disorder, recurrent episode, mild
MDD	296.32	ICD-9	Major depressive affective disorder, recurrent episode, moderate
MDD	296.33	ICD-9	Major depressive affective disorder, recurrent episode, severe, without mention of psychotic behavior
MDD	296.34	ICD-9	Major depressive affective disorder, recurrent episode, severe, specified as with psychotic behavior
MDD	296.35	ICD-9	Major depressive affective disorder, recurrent episode, in partial or unspecified remission
MDD	296.36	ICD-9	Major depressive affective disorder, recurrent episode, in full remission
MDD	F32.0	ICD-10	Major depressive disorder, single episode, mild
MDD	F32.1	ICD-10	Major depressive disorder, single episode, moderate
MDD	F32.2	ICD-10	Major depressive disorder, single episode, severe without psychotic features
MDD	F32.3	ICD-10	Major depressive disorder, single episode, severe with psychotic features
MDD	F32.4	ICD-10	Major depressive disorder, single episode, in partial remission
MDD	F32.5	ICD-10	Major depressive disorder, single episode, in full remission
MDD	F32.81	ICD-10	Premenstrual dysphoric disorder
MDD	F32.89	ICD-10	Other specified depressive episodes
MDD	F32.9	ICD-10	Major depressive disorder, single episode, unspecified
MDD	F33.0	ICD-10	Major depressive disorder, recurrent, mild
MDD	F33.1	ICD-10	Major depressive disorder, recurrent, moderate

## Online supplementary material

MDD	F33.2	ICD-10	Major depressive disorder, recurrent severe without psychotic features
MDD	F33.3	ICD-10	Major depressive disorder, recurrent, severe with psychotic symptoms
MDD	F33.40	ICD-10	Major depressive disorder, recurrent, in remission, unspecified
MDD	F33.41	ICD-10	Major depressive disorder, recurrent, in partial remission
MDD	F33.42	ICD-10	Major depressive disorder, recurrent, in full remission
MDD	F33.8	ICD-10	Other recurrent depressive disorders
MDD	F33.9	ICD-10	Major depressive disorder, recurrent, unspecified
Schizoaffective disorder	295.7	ICD-9	Schizoaffective disorder, unspecified
Schizoaffective disorder	295.71	ICD-9	Schizoaffective disorder, subchronic
Schizoaffective disorder	295.72	ICD-9	Schizoaffective disorder, chronic
Schizoaffective disorder	295.73	ICD-9	Schizoaffective disorder, subchronic with acute exacerbation
Schizoaffective disorder	295.74	ICD-9	Schizoaffective disorder, chronic with acute exacerbation
Schizoaffective disorder	295.75	ICD-9	Schizoaffective disorder, in remission
Schizoaffective disorder	F25.0	ICD-10	Schizoaffective disorder, bipolar type
Schizoaffective disorder	F25.1	ICD-10	Schizoaffective disorder, depressive type
Schizoaffective disorder	F25.8	ICD-10	Other schizoaffective disorders
Schizoaffective disorder	F25.9	ICD-10	Schizoaffective disorder, unspecified
Schizophrenia	295	ICD-9	Simple type schizophrenia, unspecified
Schizophrenia	295.01	ICD-9	Simple type schizophrenia, subchronic
Schizophrenia	295.02	ICD-9	Simple type schizophrenia, chronic
Schizophrenia	295.03	ICD-9	Simple type schizophrenia, subchronic with acute exacerbation
Schizophrenia	295.04	ICD-9	Simple type schizophrenia, chronic with acute exacerbation
Schizophrenia	295.05	ICD-9	Simple type schizophrenia, in remission
Schizophrenia	295.1	ICD-9	Disorganized type schizophrenia, unspecified
Schizophrenia	295.11	ICD-9	Disorganized type schizophrenia, subchronic
Schizophrenia	295.12	ICD-9	Disorganized type schizophrenia, chronic
Schizophrenia	295.13	ICD-9	Disorganized type schizophrenia, subchronic with acute exacerbation
Schizophrenia	295.14	ICD-9	Disorganized type schizophrenia, chronic with acute exacerbation
Schizophrenia	295.15	ICD-9	Disorganized type schizophrenia, in remission
Schizophrenia	295.2	ICD-9	Catatonic type schizophrenia, unspecified



## Online supplementary material

Schizophrenia	295.21	ICD-9	Catatonic type schizophrenia, subchronic
Schizophrenia	295.22	ICD-9	Catatonic type schizophrenia, chronic
Schizophrenia	295.23	ICD-9	Catatonic type schizophrenia, subchronic with acute exacerbation
Schizophrenia	295.24	ICD-9	Catatonic type schizophrenia, chronic with acute exacerbation
Schizophrenia	295.25	ICD-9	Catatonic type schizophrenia, in remission
Schizophrenia	295.3	ICD-9	Paranoid type schizophrenia, unspecified
Schizophrenia	295.31	ICD-9	Paranoid type schizophrenia, subchronic
Schizophrenia	295.32	ICD-9	Paranoid type schizophrenia, chronic
Schizophrenia	295.33	ICD-9	Paranoid type schizophrenia, subchronic with acute exacerbation
Schizophrenia	295.34	ICD-9	Paranoid type schizophrenia, chronic with acute exacerbation
Schizophrenia	295.35	ICD-9	Paranoid type schizophrenia, in remission
Schizophrenia	295.4	ICD-9	Schizophreniform disorder, unspecified
Schizophrenia	295.41	ICD-9	Schizophreniform disorder, subchronic
Schizophrenia	295.42	ICD-9	Schizophreniform disorder, chronic
Schizophrenia	295.43	ICD-9	Schizophreniform disorder, subchronic with acute exacerbation
Schizophrenia	295.44	ICD-9	Schizophreniform disorder, chronic with acute exacerbation
Schizophrenia	295.45	ICD-9	Schizophreniform disorder, in remission
Schizophrenia	295.5	ICD-9	Latent schizophrenia, unspecified
Schizophrenia	295.51	ICD-9	Latent schizophrenia, subchronic
Schizophrenia	295.52	ICD-9	Latent schizophrenia, chronic
Schizophrenia	295.53	ICD-9	Latent schizophrenia, subchronic with acute exacerbation
Schizophrenia	295.54	ICD-9	Latent schizophrenia, chronic with acute exacerbation
Schizophrenia	295.55	ICD-9	Latent schizophrenia, in remission
Schizophrenia	295.6	ICD-9	Schizophrenic disorders, residual type, unspecified
Schizophrenia	295.61	ICD-9	Schizophrenic disorders, residual type, subchronic
Schizophrenia	295.62	ICD-9	Schizophrenic disorders, residual type, chronic
Schizophrenia	295.63	ICD-9	Schizophrenic disorders, residual type, subchronic with acute exacerbation
Schizophrenia	295.64	ICD-9	Schizophrenic disorders, residual type, chronic with acute exacerbation
Schizophrenia	295.65	ICD-9	Schizophrenic disorders, residual type, in remission
Schizophrenia	295.8	ICD-9	Other specified types of schizophrenia, unspecified
Schizophrenia	295.81	ICD-9	Other specified types of schizophrenia, subchronic
Schizophrenia	295.82	ICD-9	Other specified types of schizophrenia, chronic
Schizophrenia	295.83	ICD-9	Other specified types of schizophrenia, subchronic with acute exacerbation
Schizophrenia	295.84	ICD-9	Other specified types of schizophrenia, chronic with acute exacerbation
Schizophrenia	295.85	ICD-9	Other specified types of schizophrenia, in remission

## Online supplementary material

Schizophrenia	295.9	ICD-9	Unspecified schizophrenia, unspecified
Schizophrenia	295.91	ICD-9	Unspecified schizophrenia, subchronic
Schizophrenia	295.92	ICD-9	Unspecified schizophrenia, chronic
Schizophrenia	295.93	ICD-9	Unspecified schizophrenia, subchronic with acute exacerbation
Schizophrenia	295.94	ICD-9	Unspecified schizophrenia, chronic with acute exacerbation
Schizophrenia	295.95	ICD-9	Unspecified schizophrenia, in remission
Schizophrenia	F20.0	ICD-10	Paranoid schizophrenia
Schizophrenia	F20.1	ICD-10	Disorganized schizophrenia
Schizophrenia	F20.2	ICD-10	Catatonic schizophrenia
Schizophrenia	F20.3	ICD-10	Undifferentiated schizophrenia
Schizophrenia	F20.5	ICD-10	Residual schizophrenia
Schizophrenia	F20.81	ICD-10	Schizophreniform disorder
Schizophrenia	F20.89	ICD-10	Other schizophrenia
Schizophrenia	F20.9	ICD-10	Schizophrenia, unspecified
Substance-use disorders	291	ICD-9	Alcohol withdrawal delirium
Substance-use disorders	291.1	ICD-9	Alcohol-induced persisting amnestic disorder
Substance-use disorders	291.2	ICD-9	Alcohol-induced persisting dementia
Substance-use disorders	291.3	ICD-9	Alcohol-induced psychotic disorder with hallucinations
Substance-use disorders	291.4	ICD-9	Idiosyncratic alcohol intoxication
Substance-use disorders	291.5	ICD-9	Alcohol-induced psychotic disorder with delusions
Substance-use disorders	291.81	ICD-9	Alcohol withdrawal
Substance-use disorders	291.82	ICD-9	Alcohol induced sleep disorders
Substance-use disorders	291.89	ICD-9	Other alcohol-induced mental disorders
Substance-use disorders	291.9	ICD-9	Unspecified alcohol-induced mental disorders
Substance-use disorders	292	ICD-9	Drug withdrawal
Substance-use disorders	292.11	ICD-9	Drug-induced psychotic disorder with delusions
Substance-use disorders	292.12	ICD-9	Drug-induced psychotic disorder with hallucinations
Substance-use disorders	292.2	ICD-9	Pathological drug intoxication
Substance-use disorders	292.81	ICD-9	Drug-induced delirium
Substance-use disorders	292.82	ICD-9	Drug-induced persisting dementia

## Online supplementary material

Substance-use -disorders	292.83	ICD-9	Drug-induced persisting amnestic disorder
Substance-use -disorders	292.84	ICD-9	Drug-induced mood disorder
Substance-use -disorders	292.85	ICD-9	Drug induced sleep disorders
Substance-use -disorders	292.89	ICD-9	Other specified drug-induced mental disorders
Substance-use -disorders	292.9	ICD-9	Unspecified drug-induced mental disorder
Substance-use -disorders	303	ICD-9	Acute alcoholic intoxication in alcoholism, unspecified
Substance-use -disorders	303.01	ICD-9	Acute alcoholic intoxication in alcoholism, continuous
Substance-use -disorders	303.02	ICD-9	Acute alcoholic intoxication in alcoholism, episodic
Substance-use -disorders	303.03	ICD-9	Acute alcoholic intoxication in alcoholism, in remission
Substance-use -disorders	303.9	ICD-9	Other and unspecified alcohol dependence, unspecified
Substance-use -disorders	303.91	ICD-9	Other and unspecified alcohol dependence, continuous
Substance-use -disorders	303.92	ICD-9	Other and unspecified alcohol dependence, episodic
Substance-use -disorders	303.93	ICD-9	Other and unspecified alcohol dependence, in remission
Substance-use -disorders	304	ICD-9	Opioid type dependence, unspecified
Substance-use -disorders	304.01	ICD-9	Opioid type dependence, continuous
Substance-use -disorders	304.02	ICD-9	Opioid type dependence, episodic
Substance-use -disorders	304.03	ICD-9	Opioid type dependence, in remission
Substance-use -disorders	304.1	ICD-9	Sedative, hypnotic or anxiolytic dependence, unspecified
Substance-use -disorders	304.11	ICD-9	Sedative, hypnotic or anxiolytic dependence, continuous
Substance-use -disorders	304.12	ICD-9	Sedative, hypnotic or anxiolytic dependence, episodic
Substance-use -disorders	304.13	ICD-9	Sedative, hypnotic or anxiolytic dependence, in remission
Substance-use -disorders	304.2	ICD-9	Cocaine dependence, unspecified
Substance-use -disorders	304.21	ICD-9	Cocaine dependence, continuous
Substance-use -disorders	304.22	ICD-9	Cocaine dependence, episodic
Substance-use -disorders	304.23	ICD-9	Cocaine dependence, in remission

## Online supplementary material

Substance-use disorders	304.3	ICD-9	Cannabis dependence, unspecified
Substance-use disorders	304.31	ICD-9	Cannabis dependence, continuous
Substance-use disorders	304.32	ICD-9	Cannabis dependence, episodic
Substance-use disorders	304.33	ICD-9	Cannabis dependence, in remission
Substance-use disorders	304.4	ICD-9	Amphetamine and other psychostimulant dependence, unspecified
Substance-use disorders	304.41	ICD-9	Amphetamine and other psychostimulant dependence, continuous
Substance-use disorders	304.42	ICD-9	Amphetamine and other psychostimulant dependence, episodic
Substance-use disorders	304.43	ICD-9	Amphetamine and other psychostimulant dependence, in remission
Substance-use disorders	304.5	ICD-9	Hallucinogen dependence, unspecified
Substance-use disorders	304.51	ICD-9	Hallucinogen dependence, continuous
Substance-use disorders	304.52	ICD-9	Hallucinogen dependence, episodic
Substance-use disorders	304.53	ICD-9	Hallucinogen dependence, in remission
Substance-use disorders	304.6	ICD-9	Other specified drug dependence, unspecified
Substance-use disorders	304.61	ICD-9	Other specified drug dependence, continuous
Substance-use disorders	304.62	ICD-9	Other specified drug dependence, episodic
Substance-use disorders	304.63	ICD-9	Other specified drug dependence, in remission
Substance-use disorders	304.7	ICD-9	Combinations of opioid type drug with any other drug dependence, unspecified
Substance-use disorders	304.71	ICD-9	Combinations of opioid type drug with any other drug dependence, continuous
Substance-use disorders	304.72	ICD-9	Combinations of opioid type drug with any other drug dependence, episodic
Substance-use disorders	304.73	ICD-9	Combinations of opioid type drug with any other drug dependence, in remission
Substance-use disorders	304.8	ICD-9	Combinations of drug dependence excluding opioid type drug, unspecified
Substance-use disorders	304.81	ICD-9	Combinations of drug dependence excluding opioid type drug, continuous
Substance-use disorders	304.82	ICD-9	Combinations of drug dependence excluding opioid type drug, episodic
Substance-use disorders	304.83	ICD-9	Combinations of drug dependence excluding opioid type drug, in remission
Substance-use disorders	304.9	ICD-9	Unspecified drug dependence, unspecified

## Online supplementary material

Substance-use -disorders	304.91	ICD-9	Unspecified drug dependence, continuous
Substance-use -disorders	304.92	ICD-9	Unspecified drug dependence, episodic
Substance-use -disorders	304.93	ICD-9	Unspecified drug dependence, in remission
Substance-use -disorders	305	ICD-9	Alcohol abuse, unspecified
Substance-use -disorders	305.01	ICD-9	Alcohol abuse, continuous
Substance-use -disorders	305.02	ICD-9	Alcohol abuse, episodic
Substance-use -disorders	305.03	ICD-9	Alcohol abuse, in remission
Substance-use -disorders	305.1	ICD-9	Tobacco use disorder
Substance-use -disorders	305.2	ICD-9	Cannabis abuse, unspecified
Substance-use -disorders	305.21	ICD-9	Cannabis abuse, continuous
Substance-use -disorders	305.22	ICD-9	Cannabis abuse, episodic
Substance-use -disorders	305.23	ICD-9	Cannabis abuse, in remission
Substance-use -disorders	305.3	ICD-9	Hallucinogen abuse, unspecified
Substance-use -disorders	305.31	ICD-9	Hallucinogen abuse, continuous
Substance-use -disorders	305.32	ICD-9	Hallucinogen abuse, episodic
Substance-use -disorders	305.33	ICD-9	Hallucinogen abuse, in remission
Substance-use -disorders	305.4	ICD-9	Sedative, hypnotic or anxiolytic abuse, unspecified
Substance-use -disorders	305.41	ICD-9	Sedative, hypnotic or anxiolytic abuse, continuous
Substance-use -disorders	305.42	ICD-9	Sedative, hypnotic or anxiolytic abuse, episodic
Substance-use -disorders	305.43	ICD-9	Sedative, hypnotic or anxiolytic abuse, in remission
Substance-use -disorders	305.5	ICD-9	Opioid abuse, unspecified
Substance-use -disorders	305.51	ICD-9	Opioid abuse, continuous
Substance-use -disorders	305.52	ICD-9	Opioid abuse, episodic
Substance-use -disorders	305.53	ICD-9	Opioid abuse, in remission
Substance-use -disorders	305.6	ICD-9	Cocaine abuse, unspecified

## Online supplementary material

Substance-use disorders	305.61	ICD-9	Cocaine abuse, continuous
Substance-use disorders	305.62	ICD-9	Cocaine abuse, episodic
Substance-use disorders	305.63	ICD-9	Cocaine abuse, in remission
Substance-use disorders	305.7	ICD-9	Amphetamine or related acting sympathomimetic abuse, unspecified
Substance-use disorders	305.71	ICD-9	Amphetamine or related acting sympathomimetic abuse, continuous
Substance-use disorders	305.72	ICD-9	Amphetamine or related acting sympathomimetic abuse, episodic
Substance-use disorders	305.73	ICD-9	Amphetamine or related acting sympathomimetic abuse, in remission
Substance-use disorders	305.8	ICD-9	Antidepressant type abuse, unspecified
Substance-use disorders	305.81	ICD-9	Antidepressant type abuse, continuous
Substance-use disorders	305.82	ICD-9	Antidepressant type abuse, episodic
Substance-use disorders	305.83	ICD-9	Antidepressant type abuse, in remission
Substance-use disorders	305.9	ICD-9	Other, mixed, or unspecified drug abuse, unspecified
Substance-use disorders	305.91	ICD-9	Other, mixed, or unspecified drug abuse, continuous
Substance-use disorders	305.92	ICD-9	Other, mixed, or unspecified drug abuse, episodic
Substance-use disorders	305.93	ICD-9	Other, mixed, or unspecified drug abuse, in remission
Substance-use disorders	F10.10	ICD-10	Alcohol abuse, uncomplicated
Substance-use disorders	F10.11	ICD-10	Alcohol abuse, in remission
Substance-use disorders	F10.120	ICD-10	Alcohol abuse with intoxication, uncomplicated
Substance-use disorders	F10.121	ICD-10	Alcohol abuse with intoxication delirium
Substance-use disorders	F10.129	ICD-10	Alcohol abuse with intoxication, unspecified
Substance-use disorders	F10.14	ICD-10	Alcohol abuse with alcohol-induced mood disorder
Substance-use disorders	F10.150	ICD-10	Alcohol abuse with alcohol-induced psychotic disorder with delusions
Substance-use disorders	F10.151	ICD-10	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
Substance-use disorders	F10.159	ICD-10	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
Substance-use disorders	F10.180	ICD-10	Alcohol abuse with alcohol-induced anxiety disorder

## Online supplementary material

Substance-use -disorders	F10.181	ICD-10	Alcohol abuse with alcohol-induced sexual dysfunction
Substance-use -disorders	F10.182	ICD-10	Alcohol abuse with alcohol-induced sleep disorder
Substance-use -disorders	F10.188	ICD-10	Alcohol abuse with other alcohol-induced disorder
Substance-use -disorders	F10.19	ICD-10	Alcohol abuse with unspecified alcohol-induced disorder
Substance-use -disorders	F10.20	ICD-10	Alcohol dependence, uncomplicated
Substance-use -disorders	F10.21	ICD-10	Alcohol dependence, in remission
Substance-use -disorders	F10.220	ICD-10	Alcohol dependence with intoxication, uncomplicated
Substance-use -disorders	F10.221	ICD-10	Alcohol dependence with intoxication delirium
Substance-use -disorders	F10.229	ICD-10	Alcohol dependence with intoxication, unspecified
Substance-use -disorders	F10.230	ICD-10	Alcohol dependence with withdrawal, uncomplicated
Substance-use -disorders	F10.231	ICD-10	Alcohol dependence with withdrawal delirium
Substance-use -disorders	F10.232	ICD-10	Alcohol dependence with withdrawal with perceptual disturbance
Substance-use -disorders	F10.239	ICD-10	Alcohol dependence with withdrawal, unspecified
Substance-use -disorders	F10.24	ICD-10	Alcohol dependence with alcohol-induced mood disorder
Substance-use -disorders	F10.250	ICD-10	Alcohol dependence with alcohol-induced psychotic disorder with delusions
Substance-use -disorders	F10.251	ICD-10	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
Substance-use -disorders	F10.259	ICD-10	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
Substance-use -disorders	F10.26	ICD-10	Alcohol dependence with alcohol-induced persisting amnestic disorder
Substance-use -disorders	F10.27	ICD-10	Alcohol dependence with alcohol-induced persisting dementia
Substance-use -disorders	F10.280	ICD-10	Alcohol dependence with alcohol-induced anxiety disorder
Substance-use -disorders	F10.281	ICD-10	Alcohol dependence with alcohol-induced sexual dysfunction
Substance-use -disorders	F10.282	ICD-10	Alcohol dependence with alcohol-induced sleep disorder
Substance-use -disorders	F10.288	ICD-10	Alcohol dependence with other alcohol-induced disorder
Substance-use -disorders	F10.29	ICD-10	Alcohol dependence with unspecified alcohol-induced disorder
Substance-use -disorders	F10.920	ICD-10	Alcohol use, unspecified with intoxication, uncomplicated

## Online supplementary material

Substance-use disorders	F10.921	ICD-10	Alcohol use, unspecified with intoxication delirium
Substance-use disorders	F10.929	ICD-10	Alcohol use, unspecified with intoxication, unspecified
Substance-use disorders	F10.94	ICD-10	Alcohol use, unspecified with alcohol-induced mood disorder
Substance-use disorders	F10.950	ICD-10	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
Substance-use disorders	F10.951	ICD-10	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
Substance-use disorders	F10.959	ICD-10	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
Substance-use disorders	F10.96	ICD-10	Alcohol use, unspecified with alcohol-induced persisting amnesic disorder
Substance-use disorders	F10.97	ICD-10	Alcohol use, unspecified with alcohol-induced persisting dementia
Substance-use disorders	F10.980	ICD-10	Alcohol use, unspecified with alcohol-induced anxiety disorder
Substance-use disorders	F10.981	ICD-10	Alcohol use, unspecified with alcohol-induced sexual dysfunction
Substance-use disorders	F10.982	ICD-10	Alcohol use, unspecified with alcohol-induced sleep disorder
Substance-use disorders	F10.988	ICD-10	Alcohol use, unspecified with other alcohol-induced disorder
Substance-use disorders	F10.99	ICD-10	Alcohol use, unspecified with unspecified alcohol-induced disorder
Substance-use disorders	F11.10	ICD-10	Opioid abuse, uncomplicated
Substance-use disorders	F11.11	ICD-10	Opioid abuse, in remission
Substance-use disorders	F11.120	ICD-10	Opioid abuse with intoxication, uncomplicated
Substance-use disorders	F11.121	ICD-10	Opioid abuse with intoxication delirium
Substance-use disorders	F11.122	ICD-10	Opioid abuse with intoxication with perceptual disturbance
Substance-use disorders	F11.129	ICD-10	Opioid abuse with intoxication, unspecified
Substance-use disorders	F11.14	ICD-10	Opioid abuse with opioid-induced mood disorder
Substance-use disorders	F11.150	ICD-10	Opioid abuse with opioid-induced psychotic disorder with delusions
Substance-use disorders	F11.151	ICD-10	Opioid abuse with opioid-induced psychotic disorder with hallucinations
Substance-use disorders	F11.159	ICD-10	Opioid abuse with opioid-induced psychotic disorder, unspecified
Substance-use disorders	F11.181	ICD-10	Opioid abuse with opioid-induced sexual dysfunction
Substance-use disorders	F11.182	ICD-10	Opioid abuse with opioid-induced sleep disorder



## Online supplementary material

Substance-use disorders	F11.188	ICD-10	Opioid abuse with other opioid-induced disorder
Substance-use disorders	F11.19	ICD-10	Opioid abuse with unspecified opioid-induced disorder
Substance-use disorders	F11.20	ICD-10	Opioid dependence, uncomplicated
Substance-use disorders	F11.21	ICD-10	Opioid dependence, in remission
Substance-use disorders	F11.220	ICD-10	Opioid dependence with intoxication, uncomplicated
Substance-use disorders	F11.221	ICD-10	Opioid dependence with intoxication delirium
Substance-use disorders	F11.222	ICD-10	Opioid dependence with intoxication with perceptual disturbance
Substance-use disorders	F11.229	ICD-10	Opioid dependence with intoxication, unspecified
Substance-use disorders	F11.23	ICD-10	Opioid dependence with withdrawal
Substance-use disorders	F11.24	ICD-10	Opioid dependence with opioid-induced mood disorder
Substance-use disorders	F11.250	ICD-10	Opioid dependence with opioid-induced psychotic disorder with delusions
Substance-use disorders	F11.251	ICD-10	Opioid dependence with opioid-induced psychotic disorder with hallucinations
Substance-use disorders	F11.259	ICD-10	Opioid dependence with opioid-induced psychotic disorder, unspecified
Substance-use disorders	F11.281	ICD-10	Opioid dependence with opioid-induced sexual dysfunction
Substance-use disorders	F11.282	ICD-10	Opioid dependence with opioid-induced sleep disorder
Substance-use disorders	F11.288	ICD-10	Opioid dependence with other opioid-induced disorder
Substance-use disorders	F11.29	ICD-10	Opioid dependence with unspecified opioid-induced disorder
Substance-use disorders	F11.90	ICD-10	Opioid use, unspecified, uncomplicated
Substance-use disorders	F11.920	ICD-10	Opioid use, unspecified with intoxication, uncomplicated
Substance-use disorders	F11.921	ICD-10	Opioid use, unspecified with intoxication delirium
Substance-use disorders	F11.922	ICD-10	Opioid use, unspecified with intoxication with perceptual disturbance
Substance-use disorders	F11.929	ICD-10	Opioid use, unspecified with intoxication, unspecified
Substance-use disorders	F11.93	ICD-10	Opioid use, unspecified with withdrawal
Substance-use disorders	F11.94	ICD-10	Opioid use, unspecified with opioid-induced mood disorder
Substance-use disorders	F11.950	ICD-10	Opioid use, unspecified with opioid-induced psychotic disorder with delusions

## Online supplementary material

Substance-use -disorders	F11.951	ICD-10	Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations
Substance-use -disorders	F11.959	ICD-10	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified
Substance-use -disorders	F11.981	ICD-10	Opioid use, unspecified with opioid-induced sexual dysfunction
Substance-use -disorders	F11.982	ICD-10	Opioid use, unspecified with opioid-induced sleep disorder
Substance-use -disorders	F11.988	ICD-10	Opioid use, unspecified with other opioid-induced disorder
Substance-use -disorders	F11.99	ICD-10	Opioid use, unspecified with unspecified opioid-induced disorder
Substance-use -disorders	F12.10	ICD-10	Cannabis abuse, uncomplicated
Substance-use -disorders	F12.11	ICD-10	Cannabis abuse, in remission
Substance-use -disorders	F12.120	ICD-10	Cannabis abuse with intoxication, uncomplicated
Substance-use -disorders	F12.121	ICD-10	Cannabis abuse with intoxication delirium
Substance-use -disorders	F12.122	ICD-10	Cannabis abuse with intoxication with perceptual disturbance
Substance-use -disorders	F12.129	ICD-10	Cannabis abuse with intoxication, unspecified
Substance-use -disorders	F12.150	ICD-10	Cannabis abuse with psychotic disorder with delusions
Substance-use -disorders	F12.151	ICD-10	Cannabis abuse with psychotic disorder with hallucinations
Substance-use -disorders	F12.159	ICD-10	Cannabis abuse with psychotic disorder, unspecified
Substance-use -disorders	F12.180	ICD-10	Cannabis abuse with cannabis-induced anxiety disorder
Substance-use -disorders	F12.188	ICD-10	Cannabis abuse with other cannabis-induced disorder
Substance-use -disorders	F12.19	ICD-10	Cannabis abuse with unspecified cannabis-induced disorder
Substance-use -disorders	F12.20	ICD-10	Cannabis dependence, uncomplicated
Substance-use -disorders	F12.21	ICD-10	Cannabis dependence, in remission
Substance-use -disorders	F12.220	ICD-10	Cannabis dependence with intoxication, uncomplicated
Substance-use -disorders	F12.221	ICD-10	Cannabis dependence with intoxication delirium
Substance-use -disorders	F12.222	ICD-10	Cannabis dependence with intoxication with perceptual disturbance
Substance-use -disorders	F12.229	ICD-10	Cannabis dependence with intoxication, unspecified
Substance-use -disorders	F12.250	ICD-10	Cannabis dependence with psychotic disorder with delusions

## Online supplementary material

Substance-use -disorders	F12.251	ICD-10	Cannabis dependence with psychotic disorder with hallucinations
Substance-use -disorders	F12.259	ICD-10	Cannabis dependence with psychotic disorder, unspecified
Substance-use -disorders	F12.280	ICD-10	Cannabis dependence with cannabis-induced anxiety disorder
Substance-use -disorders	F12.288	ICD-10	Cannabis dependence with other cannabis-induced disorder
Substance-use -disorders	F12.29	ICD-10	Cannabis dependence with unspecified cannabis-induced disorder
Substance-use -disorders	F12.90	ICD-10	Cannabis use, unspecified, uncomplicated
Substance-use -disorders	F12.920	ICD-10	Cannabis use, unspecified with intoxication, uncomplicated
Substance-use -disorders	F12.921	ICD-10	Cannabis use, unspecified with intoxication delirium
Substance-use -disorders	F12.922	ICD-10	Cannabis use, unspecified with intoxication with perceptual disturbance
Substance-use -disorders	F12.929	ICD-10	Cannabis use, unspecified with intoxication, unspecified
Substance-use -disorders	F12.950	ICD-10	Cannabis use, unspecified with psychotic disorder with delusions
Substance-use -disorders	F12.951	ICD-10	Cannabis use, unspecified with psychotic disorder with hallucinations
Substance-use -disorders	F12.959	ICD-10	Cannabis use, unspecified with psychotic disorder, unspecified
Substance-use -disorders	F12.980	ICD-10	Cannabis use, unspecified with anxiety disorder
Substance-use -disorders	F12.988	ICD-10	Cannabis use, unspecified with other cannabis-induced disorder
Substance-use -disorders	F12.99	ICD-10	Cannabis use, unspecified with unspecified cannabis-induced disorder
Substance-use -disorders	F13.10	ICD-10	Sedative, hypnotic or anxiolytic abuse, uncomplicated
Substance-use -disorders	F13.11	ICD-10	Sedative, hypnotic or anxiolytic abuse, in remission
Substance-use -disorders	F13.120	ICD-10	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated
Substance-use -disorders	F13.121	ICD-10	Sedative, hypnotic or anxiolytic abuse with intoxication delirium
Substance-use -disorders	F13.129	ICD-10	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified
Substance-use -disorders	F13.14	ICD-10	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder
Substance-use -disorders	F13.150	ICD-10	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions
Substance-use -disorders	F13.151	ICD-10	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations

## Online supplementary material

Substance-use disorders	F13.159	ICD-10	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
Substance-use disorders	F13.180	ICD-10	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder
Substance-use disorders	F13.181	ICD-10	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction
Substance-use disorders	F13.182	ICD-10	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder
Substance-use disorders	F13.188	ICD-10	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder
Substance-use disorders	F13.19	ICD-10	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder
Substance-use disorders	F13.20	ICD-10	Sedative, hypnotic or anxiolytic dependence, uncomplicated
Substance-use disorders	F13.21	ICD-10	Sedative, hypnotic or anxiolytic dependence, in remission
Substance-use disorders	F13.220	ICD-10	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated
Substance-use disorders	F13.221	ICD-10	Sedative, hypnotic or anxiolytic dependence with intoxication delirium
Substance-use disorders	F13.229	ICD-10	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified
Substance-use disorders	F13.230	ICD-10	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated
Substance-use disorders	F13.231	ICD-10	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium
Substance-use disorders	F13.232	ICD-10	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance
Substance-use disorders	F13.239	ICD-10	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified
Substance-use disorders	F13.24	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder
Substance-use disorders	F13.250	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions
Substance-use disorders	F13.251	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations
Substance-use disorders	F13.259	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
Substance-use disorders	F13.26	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder
Substance-use disorders	F13.27	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia
Substance-use disorders	F13.280	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder

## Online supplementary material

Substance-use -disorders	F13.281	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction
Substance-use -disorders	F13.282	ICD-10	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder
Substance-use -disorders	F13.288	ICD-10	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder
Substance-use -disorders	F13.29	ICD-10	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder
Substance-use -disorders	F13.90	ICD-10	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated
Substance-use -disorders	F13.920	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated
Substance-use -disorders	F13.921	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium
Substance-use -disorders	F13.929	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified
Substance-use -disorders	F13.930	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated
Substance-use -disorders	F13.931	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium
Substance-use -disorders	F13.932	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances
Substance-use -disorders	F13.939	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified
Substance-use -disorders	F13.94	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder
Substance-use -disorders	F13.950	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions
Substance-use -disorders	F13.951	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations
Substance-use -disorders	F13.959	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
Substance-use -disorders	F13.96	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder
Substance-use -disorders	F13.97	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia
Substance-use -disorders	F13.980	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder
Substance-use -disorders	F13.981	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction
Substance-use -disorders	F13.982	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder

## Online supplementary material

Substance-use disorders	F13.988	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder
Substance-use disorders	F13.99	ICD-10	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder
Substance-use disorders	F14.10	ICD-10	Cocaine abuse, uncomplicated
Substance-use disorders	F14.11	ICD-10	Cocaine abuse, in remission
Substance-use disorders	F14.120	ICD-10	Cocaine abuse with intoxication, uncomplicated
Substance-use disorders	F14.121	ICD-10	Cocaine abuse with intoxication with delirium
Substance-use disorders	F14.122	ICD-10	Cocaine abuse with intoxication with perceptual disturbance
Substance-use disorders	F14.129	ICD-10	Cocaine abuse with intoxication, unspecified
Substance-use disorders	F14.14	ICD-10	Cocaine abuse with cocaine-induced mood disorder
Substance-use disorders	F14.150	ICD-10	Cocaine abuse with cocaine-induced psychotic disorder with delusions
Substance-use disorders	F14.151	ICD-10	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations
Substance-use disorders	F14.159	ICD-10	Cocaine abuse with cocaine-induced psychotic disorder, unspecified
Substance-use disorders	F14.180	ICD-10	Cocaine abuse with cocaine-induced anxiety disorder
Substance-use disorders	F14.181	ICD-10	Cocaine abuse with cocaine-induced sexual dysfunction
Substance-use disorders	F14.182	ICD-10	Cocaine abuse with cocaine-induced sleep disorder
Substance-use disorders	F14.188	ICD-10	Cocaine abuse with other cocaine-induced disorder
Substance-use disorders	F14.19	ICD-10	Cocaine abuse with unspecified cocaine-induced disorder
Substance-use disorders	F14.20	ICD-10	Cocaine dependence, uncomplicated
Substance-use disorders	F14.21	ICD-10	Cocaine dependence, in remission
Substance-use disorders	F14.220	ICD-10	Cocaine dependence with intoxication, uncomplicated
Substance-use disorders	F14.221	ICD-10	Cocaine dependence with intoxication delirium
Substance-use disorders	F14.222	ICD-10	Cocaine dependence with intoxication with perceptual disturbance
Substance-use disorders	F14.229	ICD-10	Cocaine dependence with intoxication, unspecified
Substance-use disorders	F14.23	ICD-10	Cocaine dependence with withdrawal
Substance-use disorders	F14.24	ICD-10	Cocaine dependence with cocaine-induced mood disorder

## Online supplementary material

Substance-use -disorders	F14.250	ICD-10	Cocaine dependence with cocaine-induced psychotic disorder with delusions
Substance-use -disorders	F14.251	ICD-10	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations
Substance-use -disorders	F14.259	ICD-10	Cocaine dependence with cocaine-induced psychotic disorder, unspecified
Substance-use -disorders	F14.280	ICD-10	Cocaine dependence with cocaine-induced anxiety disorder
Substance-use -disorders	F14.281	ICD-10	Cocaine dependence with cocaine-induced sexual dysfunction
Substance-use -disorders	F14.282	ICD-10	Cocaine dependence with cocaine-induced sleep disorder
Substance-use -disorders	F14.288	ICD-10	Cocaine dependence with other cocaine-induced disorder
Substance-use -disorders	F14.29	ICD-10	Cocaine dependence with unspecified cocaine-induced disorder
Substance-use -disorders	F14.90	ICD-10	Cocaine use, unspecified, uncomplicated
Substance-use -disorders	F14.920	ICD-10	Cocaine use, unspecified with intoxication, uncomplicated
Substance-use -disorders	F14.921	ICD-10	Cocaine use, unspecified with intoxication delirium
Substance-use -disorders	F14.922	ICD-10	Cocaine use, unspecified with intoxication with perceptual disturbance
Substance-use -disorders	F14.929	ICD-10	Cocaine use, unspecified with intoxication, unspecified
Substance-use -disorders	F14.94	ICD-10	Cocaine use, unspecified with cocaine-induced mood disorder
Substance-use -disorders	F14.950	ICD-10	Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions
Substance-use -disorders	F14.951	ICD-10	Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations
Substance-use -disorders	F14.959	ICD-10	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified
Substance-use -disorders	F14.980	ICD-10	Cocaine use, unspecified with cocaine-induced anxiety disorder
Substance-use -disorders	F14.981	ICD-10	Cocaine use, unspecified with cocaine-induced sexual dysfunction
Substance-use -disorders	F14.982	ICD-10	Cocaine use, unspecified with cocaine-induced sleep disorder
Substance-use -disorders	F14.988	ICD-10	Cocaine use, unspecified with other cocaine-induced disorder
Substance-use -disorders	F14.99	ICD-10	Cocaine use, unspecified with unspecified cocaine-induced disorder
Substance-use -disorders	F15.10	ICD-10	Other stimulant abuse, uncomplicated
Substance-use -disorders	F15.11	ICD-10	Other stimulant abuse, in remission
Substance-use -disorders	F15.120	ICD-10	Other stimulant abuse with intoxication, uncomplicated

## Online supplementary material

Substance-use disorders	F15.121	ICD-10	Other stimulant abuse with intoxication delirium
Substance-use disorders	F15.122	ICD-10	Other stimulant abuse with intoxication with perceptual disturbance
Substance-use disorders	F15.129	ICD-10	Other stimulant abuse with intoxication, unspecified
Substance-use disorders	F15.14	ICD-10	Other stimulant abuse with stimulant-induced mood disorder
Substance-use disorders	F15.150	ICD-10	Other stimulant abuse with stimulant-induced psychotic disorder with delusions
Substance-use disorders	F15.151	ICD-10	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations
Substance-use disorders	F15.159	ICD-10	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified
Substance-use disorders	F15.180	ICD-10	Other stimulant abuse with stimulant-induced anxiety disorder
Substance-use disorders	F15.181	ICD-10	Other stimulant abuse with stimulant-induced sexual dysfunction
Substance-use disorders	F15.182	ICD-10	Other stimulant abuse with stimulant-induced sleep disorder
Substance-use disorders	F15.188	ICD-10	Other stimulant abuse with other stimulant-induced disorder
Substance-use disorders	F15.19	ICD-10	Other stimulant abuse with unspecified stimulant-induced disorder
Substance-use disorders	F15.20	ICD-10	Other stimulant dependence, uncomplicated
Substance-use disorders	F15.21	ICD-10	Other stimulant dependence, in remission
Substance-use disorders	F15.220	ICD-10	Other stimulant dependence with intoxication, uncomplicated
Substance-use disorders	F15.221	ICD-10	Other stimulant dependence with intoxication delirium
Substance-use disorders	F15.222	ICD-10	Other stimulant dependence with intoxication with perceptual disturbance
Substance-use disorders	F15.229	ICD-10	Other stimulant dependence with intoxication, unspecified
Substance-use disorders	F15.23	ICD-10	Other stimulant dependence with withdrawal
Substance-use disorders	F15.24	ICD-10	Other stimulant dependence with stimulant-induced mood disorder
Substance-use disorders	F15.250	ICD-10	Other stimulant dependence with stimulant-induced psychotic disorder with delusions
Substance-use disorders	F15.251	ICD-10	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations
Substance-use disorders	F15.259	ICD-10	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified
Substance-use disorders	F15.280	ICD-10	Other stimulant dependence with stimulant-induced anxiety disorder
Substance-use disorders	F15.281	ICD-10	Other stimulant dependence with stimulant-induced sexual dysfunction



## Online supplementary material

Substance-use disorders	F15.282	ICD-10	Other stimulant dependence with stimulant-induced sleep disorder
Substance-use disorders	F15.288	ICD-10	Other stimulant dependence with other stimulant-induced disorder
Substance-use disorders	F15.29	ICD-10	Other stimulant dependence with unspecified stimulant-induced disorder
Substance-use disorders	F15.90	ICD-10	Other stimulant use, unspecified, uncomplicated
Substance-use disorders	F15.920	ICD-10	Other stimulant use, unspecified with intoxication, uncomplicated
Substance-use disorders	F15.921	ICD-10	Other stimulant use, unspecified with intoxication delirium
Substance-use disorders	F15.922	ICD-10	Other stimulant use, unspecified with intoxication with perceptual disturbance
Substance-use disorders	F15.929	ICD-10	Other stimulant use, unspecified with intoxication, unspecified
Substance-use disorders	F15.93	ICD-10	Other stimulant use, unspecified with withdrawal
Substance-use disorders	F15.94	ICD-10	Other stimulant use, unspecified with stimulant-induced mood disorder
Substance-use disorders	F15.950	ICD-10	Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions
Substance-use disorders	F15.951	ICD-10	Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations
Substance-use disorders	F15.959	ICD-10	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified
Substance-use disorders	F15.980	ICD-10	Other stimulant use, unspecified with stimulant-induced anxiety disorder
Substance-use disorders	F15.981	ICD-10	Other stimulant use, unspecified with stimulant-induced sexual dysfunction
Substance-use disorders	F15.982	ICD-10	Other stimulant use, unspecified with stimulant-induced sleep disorder
Substance-use disorders	F15.988	ICD-10	Other stimulant use, unspecified with other stimulant-induced disorder
Substance-use disorders	F15.99	ICD-10	Other stimulant use, unspecified with unspecified stimulant-induced disorder
Substance-use disorders	F16.10	ICD-10	Hallucinogen abuse, uncomplicated
Substance-use disorders	F16.11	ICD-10	Hallucinogen abuse, in remission
Substance-use disorders	F16.120	ICD-10	Hallucinogen abuse with intoxication, uncomplicated
Substance-use disorders	F16.121	ICD-10	Hallucinogen abuse with intoxication with delirium
Substance-use disorders	F16.122	ICD-10	Hallucinogen abuse with intoxication with perceptual disturbance
Substance-use disorders	F16.129	ICD-10	Hallucinogen abuse with intoxication, unspecified
Substance-use disorders	F16.14	ICD-10	Hallucinogen abuse with hallucinogen-induced mood disorder

## Online supplementary material

Substance-use -disorders	F16.150	ICD-10	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions
Substance-use -disorders	F16.151	ICD-10	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations
Substance-use -disorders	F16.159	ICD-10	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified
Substance-use -disorders	F16.180	ICD-10	Hallucinogen abuse with hallucinogen-induced anxiety disorder
Substance-use -disorders	F16.183	ICD-10	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)
Substance-use -disorders	F16.188	ICD-10	Hallucinogen abuse with other hallucinogen-induced disorder
Substance-use -disorders	F16.19	ICD-10	Hallucinogen abuse with unspecified hallucinogen-induced disorder
Substance-use -disorders	F16.20	ICD-10	Hallucinogen dependence, uncomplicated
Substance-use -disorders	F16.21	ICD-10	Hallucinogen dependence, in remission
Substance-use -disorders	F16.220	ICD-10	Hallucinogen dependence with intoxication, uncomplicated
Substance-use -disorders	F16.221	ICD-10	Hallucinogen dependence with intoxication with delirium
Substance-use -disorders	F16.229	ICD-10	Hallucinogen dependence with intoxication, unspecified
Substance-use -disorders	F16.24	ICD-10	Hallucinogen dependence with hallucinogen-induced mood disorder
Substance-use -disorders	F16.250	ICD-10	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions
Substance-use -disorders	F16.251	ICD-10	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations
Substance-use -disorders	F16.259	ICD-10	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified
Substance-use -disorders	F16.280	ICD-10	Hallucinogen dependence with hallucinogen-induced anxiety disorder
Substance-use -disorders	F16.283	ICD-10	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)
Substance-use -disorders	F16.288	ICD-10	Hallucinogen dependence with other hallucinogen-induced disorder
Substance-use -disorders	F16.29	ICD-10	Hallucinogen dependence with unspecified hallucinogen-induced disorder
Substance-use -disorders	F16.90	ICD-10	Hallucinogen use, unspecified, uncomplicated
Substance-use -disorders	F16.920	ICD-10	Hallucinogen use, unspecified with intoxication, uncomplicated
Substance-use -disorders	F16.921	ICD-10	Hallucinogen use, unspecified with intoxication with delirium
Substance-use -disorders	F16.929	ICD-10	Hallucinogen use, unspecified with intoxication, unspecified
Substance-use -disorders	F16.94	ICD-10	Hallucinogen use, unspecified with hallucinogen-induced mood disorder

## Online supplementary material

Substance-use -disorders	F16.950	ICD-10	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions
Substance-use -disorders	F16.951	ICD-10	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations
Substance-use -disorders	F16.959	ICD-10	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified
Substance-use -disorders	F16.980	ICD-10	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder
Substance-use -disorders	F16.983	ICD-10	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)
Substance-use -disorders	F16.988	ICD-10	Hallucinogen use, unspecified with other hallucinogen-induced disorder
Substance-use -disorders	F16.99	ICD-10	Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder
Substance-use -disorders	F17.200	ICD-10	Nicotine dependence, unspecified, uncomplicated
Substance-use -disorders	F17.201	ICD-10	Nicotine dependence, unspecified, in remission
Substance-use -disorders	F17.203	ICD-10	Nicotine dependence unspecified, with withdrawal
Substance-use -disorders	F17.208	ICD-10	Nicotine dependence, unspecified, with other nicotine-induced disorders
Substance-use -disorders	F17.209	ICD-10	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders
Substance-use -disorders	F17.210	ICD-10	Nicotine dependence, cigarettes, uncomplicated
Substance-use -disorders	F17.211	ICD-10	Nicotine dependence, cigarettes, in remission
Substance-use -disorders	F17.213	ICD-10	Nicotine dependence, cigarettes, with withdrawal
Substance-use -disorders	F17.218	ICD-10	Nicotine dependence, cigarettes, with other nicotine-induced disorders
Substance-use -disorders	F17.219	ICD-10	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders
Substance-use -disorders	F17.220	ICD-10	Nicotine dependence, chewing tobacco, uncomplicated
Substance-use -disorders	F17.221	ICD-10	Nicotine dependence, chewing tobacco, in remission
Substance-use -disorders	F17.223	ICD-10	Nicotine dependence, chewing tobacco, with withdrawal
Substance-use -disorders	F17.228	ICD-10	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders
Substance-use -disorders	F17.229	ICD-10	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders
Substance-use -disorders	F17.290	ICD-10	Nicotine dependence, other tobacco product, uncomplicated
Substance-use -disorders	F17.291	ICD-10	Nicotine dependence, other tobacco product, in remission
Substance-use -disorders	F17.293	ICD-10	Nicotine dependence, other tobacco product, with withdrawal

## Online supplementary material

Substance-use disorders	F17.298	ICD-10	Nicotine dependence, other tobacco product, with other nicotine-induced disorders
Substance-use disorders	F17.299	ICD-10	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders
Substance-use disorders	F18.10	ICD-10	Inhalant abuse, uncomplicated
Substance-use disorders	F18.11	ICD-10	Inhalant abuse, in remission
Substance-use disorders	F18.120	ICD-10	Inhalant abuse with intoxication, uncomplicated
Substance-use disorders	F18.121	ICD-10	Inhalant abuse with intoxication delirium
Substance-use disorders	F18.129	ICD-10	Inhalant abuse with intoxication, unspecified
Substance-use disorders	F18.14	ICD-10	Inhalant abuse with inhalant-induced mood disorder
Substance-use disorders	F18.150	ICD-10	Inhalant abuse with inhalant-induced psychotic disorder with delusions
Substance-use disorders	F18.151	ICD-10	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations
Substance-use disorders	F18.159	ICD-10	Inhalant abuse with inhalant-induced psychotic disorder, unspecified
Substance-use disorders	F18.17	ICD-10	Inhalant abuse with inhalant-induced dementia
Substance-use disorders	F18.180	ICD-10	Inhalant abuse with inhalant-induced anxiety disorder
Substance-use disorders	F18.188	ICD-10	Inhalant abuse with other inhalant-induced disorder
Substance-use disorders	F18.19	ICD-10	Inhalant abuse with unspecified inhalant-induced disorder
Substance-use disorders	F18.20	ICD-10	Inhalant dependence, uncomplicated
Substance-use disorders	F18.21	ICD-10	Inhalant dependence, in remission
Substance-use disorders	F18.220	ICD-10	Inhalant dependence with intoxication, uncomplicated
Substance-use disorders	F18.221	ICD-10	Inhalant dependence with intoxication delirium
Substance-use disorders	F18.229	ICD-10	Inhalant dependence with intoxication, unspecified
Substance-use disorders	F18.24	ICD-10	Inhalant dependence with inhalant-induced mood disorder
Substance-use disorders	F18.250	ICD-10	Inhalant dependence with inhalant-induced psychotic disorder with delusions
Substance-use disorders	F18.251	ICD-10	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations
Substance-use disorders	F18.259	ICD-10	Inhalant dependence with inhalant-induced psychotic disorder, unspecified
Substance-use disorders	F18.27	ICD-10	Inhalant dependence with inhalant-induced dementia

## Online supplementary material

Substance-use -disorders	F18.280	ICD-10	Inhalant dependence with inhalant-induced anxiety disorder
Substance-use -disorders	F18.288	ICD-10	Inhalant dependence with other inhalant-induced disorder
Substance-use -disorders	F18.29	ICD-10	Inhalant dependence with unspecified inhalant-induced disorder
Substance-use -disorders	F18.90	ICD-10	Inhalant use, unspecified, uncomplicated
Substance-use -disorders	F18.920	ICD-10	Inhalant use, unspecified with intoxication, uncomplicated
Substance-use -disorders	F18.921	ICD-10	Inhalant use, unspecified with intoxication with delirium
Substance-use -disorders	F18.929	ICD-10	Inhalant use, unspecified with intoxication, unspecified
Substance-use -disorders	F18.94	ICD-10	Inhalant use, unspecified with inhalant-induced mood disorder
Substance-use -disorders	F18.950	ICD-10	Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions
Substance-use -disorders	F18.951	ICD-10	Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations
Substance-use -disorders	F18.959	ICD-10	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified
Substance-use -disorders	F18.97	ICD-10	Inhalant use, unspecified with inhalant-induced persisting dementia
Substance-use -disorders	F18.980	ICD-10	Inhalant use, unspecified with inhalant-induced anxiety disorder
Substance-use -disorders	F18.988	ICD-10	Inhalant use, unspecified with other inhalant-induced disorder
Substance-use -disorders	F18.99	ICD-10	Inhalant use, unspecified with unspecified inhalant-induced disorder
Substance-use -disorders	F19.10	ICD-10	Other psychoactive substance abuse, uncomplicated
Substance-use -disorders	F19.11	ICD-10	Other psychoactive substance abuse, in remission
Substance-use -disorders	F19.120	ICD-10	Other psychoactive substance abuse with intoxication, uncomplicated
Substance-use -disorders	F19.121	ICD-10	Other psychoactive substance abuse with intoxication delirium
Substance-use -disorders	F19.122	ICD-10	Other psychoactive substance abuse with intoxication with perceptual disturbances
Substance-use -disorders	F19.129	ICD-10	Other psychoactive substance abuse with intoxication, unspecified
Substance-use -disorders	F19.14	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced mood disorder
Substance-use -disorders	F19.150	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions
Substance-use -disorders	F19.151	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations
Substance-use -disorders	F19.159	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified

## Online supplementary material

Substance-use -disorders	F19.16	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced persisting amnestic disorder
Substance-use -disorders	F19.17	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia
Substance-use -disorders	F19.180	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder
Substance-use -disorders	F19.181	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction
Substance-use -disorders	F19.182	ICD-10	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder
Substance-use -disorders	F19.188	ICD-10	Other psychoactive substance abuse with other psychoactive substance-induced disorder
Substance-use -disorders	F19.19	ICD-10	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder
Substance-use -disorders	F19.20	ICD-10	Other psychoactive substance dependence, uncomplicated
Substance-use -disorders	F19.21	ICD-10	Other psychoactive substance dependence, in remission
Substance-use -disorders	F19.220	ICD-10	Other psychoactive substance dependence with intoxication, uncomplicated
Substance-use -disorders	F19.221	ICD-10	Other psychoactive substance dependence with intoxication delirium
Substance-use -disorders	F19.222	ICD-10	Other psychoactive substance dependence with intoxication with perceptual disturbance
Substance-use -disorders	F19.229	ICD-10	Other psychoactive substance dependence with intoxication, unspecified
Substance-use -disorders	F19.230	ICD-10	Other psychoactive substance dependence with withdrawal, uncomplicated
Substance-use -disorders	F19.231	ICD-10	Other psychoactive substance dependence with withdrawal delirium
Substance-use -disorders	F19.232	ICD-10	Other psychoactive substance dependence with withdrawal with perceptual disturbance
Substance-use -disorders	F19.239	ICD-10	Other psychoactive substance dependence with withdrawal, unspecified
Substance-use -disorders	F19.24	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced mood disorder
Substance-use -disorders	F19.250	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions
Substance-use -disorders	F19.251	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations
Substance-use -disorders	F19.259	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified
Substance-use -disorders	F19.26	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced persisting amnestic disorder
Substance-use -disorders	F19.27	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia

## Online supplementary material

Substance-use -disorders	F19.280	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder
Substance-use -disorders	F19.281	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction
Substance-use -disorders	F19.282	ICD-10	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder
Substance-use -disorders	F19.288	ICD-10	Other psychoactive substance dependence with other psychoactive substance-induced disorder
Substance-use -disorders	F19.29	ICD-10	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder
Substance-use -disorders	F19.90	ICD-10	Other psychoactive substance use, unspecified, uncomplicated
Substance-use -disorders	F19.920	ICD-10	Other psychoactive substance use, unspecified with intoxication, uncomplicated
Substance-use -disorders	F19.921	ICD-10	Other psychoactive substance use, unspecified with intoxication with delirium
Substance-use -disorders	F19.922	ICD-10	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance
Substance-use -disorders	F19.929	ICD-10	Other psychoactive substance use, unspecified with intoxication, unspecified
Substance-use -disorders	F19.930	ICD-10	Other psychoactive substance use, unspecified with withdrawal, uncomplicated
Substance-use -disorders	F19.931	ICD-10	Other psychoactive substance use, unspecified with withdrawal delirium
Substance-use -disorders	F19.932	ICD-10	Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance
Substance-use -disorders	F19.939	ICD-10	Other psychoactive substance use, unspecified with withdrawal, unspecified
Substance-use -disorders	F19.94	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder
Substance-use -disorders	F19.950	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions
Substance-use -disorders	F19.951	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations
Substance-use -disorders	F19.959	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified
Substance-use -disorders	F19.96	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnesic disorder
Substance-use -disorders	F19.97	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia
Substance-use -disorders	F19.980	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder
Substance-use -disorders	F19.981	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction
Substance-use -disorders	F19.982	ICD-10	Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder

**Online supplementary material**

Substance-use -disorders	F19.988	ICD-10	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder
Substance-use -disorders	F19.99	ICD-10	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder



## Online supplementary material

eTable 7: U.S. State of Residence

State of residence	Full name	Number of patients	Percentage
CO	Colorado	125,267	23.0%
NY	New York	103,016	18.9%
MO	Missouri	98,450	18.1%
NC	North Carolina	75,626	13.9%
IN	Indiana	52,699	9.7%
VA	Virginia	23,848	4.4%
KY	Kentucky	18,102	3.3%
VT	Vermont	8,473	1.6%
DE	Delaware	7,313	1.3%
AK	Alaska	4,776	0.9%
MT	Montana	4,696	0.9%
AL	Alabama	3,459	0.6%
NJ	New Jersey	2,074	0.4%
IL	Illinois	1,994	0.4%
SC	South Carolina	1,193	0.2%
CT	Connecticut	1,125	0.2%
KS	Kansas	1,007	0.2%
FL	Florida	932	0.2%
NH	New Hampshire	695	0.1%
CA	California	679	0.1%
GA	Georgia	536	0.1%
PA	Pennsylvania	506	0.1%
TX	Texas	473	0.1%
MD	Maryland	451	0.1%
TN	Tennessee	448	0.1%
OH	Ohio	309	0.1%
WV	West Virginia	297	0.1%
MI	Michigan	272	0.1%
MA	Massachusetts	258	0.0%
WY	Wyoming	213	0.0%
MN	Minnesota	199	0.0%
AZ	Arizona	170	0.0%
WA	Washington	147	0.0%
NM	New Mexico	135	0.0%
WI	Wisconsin	111	0.0%
NE	Nebraska	98	0.0%
OK	Oklahoma	90	0.0%
LA	Louisiana	88	0.0%
IA	Iowa	82	0.0%
AR	Arkansas	78	0.0%

**Online supplementary material**

<b>OR</b>	Oregon	77	0.0%
<b>SD</b>	South Dakota	73	0.0%
<b>UT</b>	Utah	71	0.0%
<b>DC</b>	District of Columbia	67	0.0%
<b>ND</b>	North Dakota	63	0.0%
<b>NV</b>	Nevada	60	0.0%
<b>MS</b>	Mississippi	53	0.0%
<b>RI</b>	Rhode Island	42	0.0%
<b>ME</b>	Maine	42	0.0%
<b>PR</b>	Puerto Rico	30	0.0%
<b>ID</b>	Idaho	26	0.0%
<b>HI</b>	Hawaii	23	0.0%
<b>AE</b>	Armed Forces Europe	<20	0.0%
<b>AP</b>	Armed Forces Pacific	<20	0.0%

## Online supplementary material

eTable 8: Mean CGI-S score by diagnosis

Diagnosis	Number of patients	Mean CGI-S	95% Confidence Interval	Standard deviation
<b>Dementia &amp; Alzheimer's disease</b>	5,029	4.33	4.30 to 4.37	1.36
<b>Substance-use disorders</b>	152,790	3.61	3.60 to 3.62	1.80
<b>Schizophrenia</b>	14,592	4.44	4.41 to 4.46	1.44
<b>Schizoaffective disorder</b>	15,044	4.48	4.45 to 4.50	1.42
<b>Bipolar disorder</b>	69,607	4.28	4.27 to 4.29	1.45
<b>Major depressive disorder (MDD)</b>	129,120	4.21	4.20 to 4.22	1.42
<b>Anxiety disorders</b>	103,923	4.02	4.01 to 4.03	1.53
<b>Attention-deficit hyperactivity disorder (ADHD)</b>	53,744	3.99	3.97 to 4.00	1.42

Note: Confidence intervals were estimated using the formula mean +/- error margin where:  
Error margin = std/sqrt(N) \* Z, Z = 1.96 for 95% confidence interval

## Online supplementary material

eTable 9: Mean maximum and minimum CGI-S score by diagnosis

Diagnosis	Number of patients with at least 2 CGI-S data points	Max CGI-S Mean	Min CGI-S Mean	Max CGI-S Std dev	Min CGI-S Std dev	Max CGI-S Confidence Interval	Min CGI-S Confidence Interval
<b>Dementia &amp; Alzheimer's disease</b>	2,980	5.10	3.32	1.06	1.56	5.06 to 5.14	3.26 to 3.37
<b>Substance-use disorders</b>	107,939	4.85	2.55	1.32	1.62	4.84 to 4.85	2.54 to 2.56
<b>Schizophrenia</b>	12,465	5.41	2.90	1.01	1.55	5.40 to 5.43	2.87 to 2.93
<b>Schizoaffective disorder</b>	13,590	5.53	2.88	0.95	1.55	5.51 to 5.55	2.86 to 2.91
<b>Bipolar disorder</b>	59,222	5.22	3.02	0.98	1.54	5.21 to 5.23	3.00 to 3.03
<b>Major depressive disorder (MDD)</b>	103,933	5.02	3.03	0.98	1.53	5.01 to 5.03	3.03 to 3.04
<b>Anxiety disorders</b>	89,710	5.04	2.80	0.97	1.58	5.03 to 5.04	2.79 to 2.81
<b>Attention-deficit hyperactivity disorder (ADHD)</b>	47,591	4.92	2.75	1.00	1.50	4.91 to 4.93	2.73 to 2.76

Note: Confidence intervals were estimated using the formula mean +/- error margin where:  
Error margin =  $\text{std}/\sqrt{N} * Z$ ,  $Z = 1.96$  for 95% confidence interval

## Online supplementary material

eTable 10: Number of patients with at least one hospital visit by diagnosis

Diagnosis	Number of patients	Number of hospitalized patients	Percentage
<b>Dementia &amp; Alzheimer's disease</b>	5,029	2,625	52.2%
<b>Substance-use disorders</b>	152,790	54,267	35.5%
<b>Schizophrenia</b>	14,592	8,123	55.7%
<b>Schizoaffective disorder</b>	15,044	8,528	56.7%
<b>Bipolar disorder</b>	69,607	25,322	36.4%
<b>Major depressive disorder (MDD)</b>	129,120	40,726	31.5%
<b>Anxiety disorders</b>	103,923	22,455	21.6%
<b>Attention-deficit hyperactivity disorder (ADHD)</b>	53,744	8,587	16.0%
Note: Hospitalization includes both inpatient and emergency services			

## Online supplementary material

eTable 11: SAV features included in MSE NLP analysis (eTable 12)

Category	Description	SAV number
<b>Delusions</b>	experiencing delusions/abnormal thoughts (grandeur)	sav_1_aopt_1
<b>Delusions</b>	experiencing delusions/abnormal thoughts (persecution)	sav_2_aopt_2
<b>Delusions</b>	experiencing delusions/abnormal thoughts (religious)	sav_3_aopt_3
<b>Delusions</b>	experiencing hallucinations (auditory)	sav_4_aopt_4
<b>Delusions</b>	experiencing hallucinations (visual)	sav_5_aopt_5
<b>Delusions</b>	experiencing hallucinations (tactile)	sav_6_aopt_6
<b>Delusions</b>	History of delusions/abnormal thoughts	sav_7_aopt_7
<b>Delusions</b>	History of hallucinations	sav_8_aopt_8
<b>Delusions</b>	experiencing delusions (not specified)	sav_10_aopt_10
<b>Delusions</b>	experiencing hallucinations (not specified)	sav_11_aopt_11
<b>Delusions</b>	experiencing delusions/abnormal thoughts (paranoia)	sav_13_aopt_13
<b>Delusions</b>	experiencing hallucinations (olfactory)	sav_14_aopt_14
<b>Delusions</b>	responding to internal stimuli	sav_15_aopt_15
<b>Delusions</b>	experiencing delusions/abnormal thoughts (sexual)	sav_16_aopt_16
<b>Mood</b>	"anxious, tense"	sav_158_mood_2
<b>Mood</b>	"depressed, sad, despondent"	sav_159_mood_3
<b>Mood</b>	"irritable, angry"	sav_160_mood_4
<b>Mood</b>	declined	sav_162_mood_6
<b>Mood</b>	"elevated, manic"	sav_163_mood_7
<b>Mood</b>	labile	sav_164_mood_8
<b>Mood</b>	misc. issues	sav_165_mood_9
<b>Mood</b>	suicidal	sav_166_mood_10
<b>Cognition</b>	general issues	sav_65_attn_concentration_2
<b>Cognition</b>	declined	sav_67_attn_concentration_4
<b>Cognition</b>	issues due to MH	sav_69_attn_concentration_6
<b>Cognition</b>	issues due to DD	sav_70_attn_concentration_7
<b>Cognition</b>	varying	sav_71_attn_concentration_8
<b>Cognition</b>	issues with concentration	sav_81_cognition_2
<b>Cognition</b>	issues with fund of knowledge	sav_83_cognition_4
<b>Cognition</b>	issues with attention	sav_85_cognition_6
<b>Cognition</b>	general issues	sav_87_cognition_8
<b>Cognition</b>	some impairment	sav_90_exec_functioning_2
<b>Cognition</b>	much impairment	sav_91_exec_functioning_3
<b>Cognition</b>	declined since last session	sav_93_exec_functioning_5
<b>Cognition</b>	below age level	sav_95_exec_functioning_7
<b>Cognition</b>	impaired (due to DD)	sav_96_exec_functioning_8
<b>Cognition</b>	impaired (due to TBI)	sav_97_exec_functioning_9
<b>Cognition</b>	impaired (due to other MH issue)	sav_98_exec_functioning_10

## Online supplementary material

eTable 12: Number of patients with at least one MSE feature by diagnosis

Diagnosis	MSE Category	Number of patients	Number of patients with at least one MSE feature	Percentage
Dementia & Alzheimer's disease	Delusions & hallucinations	5,029	2,147	42.7%
Dementia & Alzheimer's disease	Mood	5,029	2,518	50.1%
Dementia & Alzheimer's disease	Cognition	5,029	2,719	54.1%
Substance-use disorders	Delusions & hallucinations	152,790	37,455	24.5%
Substance-use disorders	Mood	152,790	89,616	58.7%
Substance-use disorders	Cognition	152,790	26,461	17.3%
Schizophrenia	Delusions & hallucinations	14,592	11,513	78.9%
Schizophrenia	Mood	14,592	10,753	73.7%
Schizophrenia	Cognition	14,592	6,418	44.0%
Schizoaffective disorder	Delusions & hallucinations	15,044	11,885	79.0%
Schizoaffective disorder	Mood	15,044	12,278	81.6%
Schizoaffective disorder	Cognition	15,044	6,785	45.1%
Bipolar disorder	Delusions & hallucinations	69,607	33,179	47.7%
Bipolar disorder	Mood	69,607	55,472	79.7%
Bipolar disorder	Cognition	69,607	23,373	33.6%
Major depressive disorder (MDD)	Delusions & hallucinations	129,120	42,566	33.0%
Major depressive disorder (MDD)	Mood	129,120	100,182	77.6%
Major depressive disorder (MDD)	Cognition	129,120	28,986	22.4%
Anxiety disorders	Delusions & hallucinations	103,923	32,059	30.8%
Anxiety disorders	Mood	103,923	76,320	73.4%
Anxiety disorders	Cognition	103,923	25,625	24.7%
Attention-deficit hyperactivity disorder (ADHD)	Delusions & hallucinations	53,744	11,933	22.2%
Attention-deficit hyperactivity disorder (ADHD)	Mood	53,744	31,112	57.9%
Attention-deficit hyperactivity disorder (ADHD)	Cognition	53,744	18,432	34.3%

## Online supplementary material

eFigure 1: MindLinc EHR data de-identification and harmonization pipeline




Figure: MindLinc Data Flow Diagram




## Online supplementary material

eFigure 2: OMOP CDM schematic

Source: <https://ohdsi.github.io/TheBookOfOhdsi/CommonDataModel.html>

Attribution: Creative Commons Zero v1.0 Universal license (No copyright)



## Online supplementary material

eFigure 3: NeuroBlu Category Mapper illustrating the classification of individual drugs into different types of medication

**Drug Mappings** NeuroDB 2IR1

**MAPPED CATEGORIES**

Category	Count
Analgesics	32
Anesthetics	14
Anti-dementia drugs	5
Anti-parkinson drugs	14
Anticonvulsants	24
Antidepressants	34
Antipsychotics	31
Anxiolytics	12
Hypnotics and sedatives	16
Other drugs	12
Stimulants	13
Substance-abuse drugs	6

**SELECTED CATEGORIES/DRUGS**


- almotriptan
- buprenorphine
- butorphanol
- diflunisal
- dihydrocodeine
- dihydroergotamine
- eletriptan
- erenumab
- ergotamine
- fentanyl
- frovatriptan
- galcanezumab
- hydromorphone
- levorphanol
- meperidine
- methadone
- methoxyflurane
- methysergide
- morphine

**ADD NEW CATEGORY**

**ADD TERM** **SAVE**


## Online supplementary material

eFigure 4: NeuroBlu Data Explorer which provides a summary of the dataset and allows the top 50 rows of each table to be viewed




## Online supplementary material

eFigure 5: NeuroBlu dataset race distribution




## Online supplementary material

eFigure 6: NeuroBlu dataset age distribution




## Online supplementary material

eFigure 7: Gender distribution by diagnosis




## Online supplementary material

eFigure 8: U.S. State of Residence



## Online supplementary material


eFigure 9: Mean CGI-S score by diagnosis






## Online supplementary material

eFigure 10: Percentage of patients with at least one hospital visit by diagnosis



## Online supplementary material

eFigure 11: Distribution of number of visits per patient



## Online supplementary material

eFigure 12: Distribution of duration of follow-up

