

Table 1 Question of smoking

Code	Statement about smoking
1	Smoking can cause serious illness
2	Smoking can cause stroke (blood clots in the brain that many causes paralysis)
3	Smoking can cause heart disease
4	Smoking can cause lung cancer
5	Smoking can cause erectile dysfunction
6	Second-hand smoke can cause serious illness among non-smokers
7	Second-hand smoke can cause heart disease in adults
8	Second-hand smoke can cause lung illness in children
9	Second-hand smoke can cause lung cancer in adults
10	Do you think low tar cigarettes are less harmful than regular cigarettes?
11	Do you think smoking should be allowed in hospital
12	Do you think smoking should be allowed in public transportation vehicles

Table2 Survey area smoking rates

Province	Population (Ten thousand)			Smoking rates (%)		
	Female	Male	Total	Female	Male	Total
Beijing	952	978	1930	40.51	0.89	17.28
Tianjin	751	649	1400	48.65	4.88	25.64
Shanghai	1118	1068	2186	46.35	0.39	22.29
Jiangsu	3497	3446	6943	50.40	1.40	24.30
Zhejiang	2549	2402	4950	37.72	0.22	16.41
Fujian	1688	1593	3281	52.63	7.14	33.33
Guangdong	5069	4357	9426	40.93	0.51	47.60
Total	15625	14491	30116	44.52	1.62	30.75

Table 3 Question of smoking cessation

Code	Statement about smoking cessation
B16	During any visit to a doctor or health care provider in the past 12 months, were you asked if you smoke tobacco?
B17	During any visit to a doctor or health care provider in the past 12 months, were you advised to quit smoking tobacco?
D02A	Thinking about the last time you tried to quit, how long did you stop smoking?
