

**Supplementary Table 1. Description of CanDiD study variables.**

Study variable	Response choices	Recorded for analysis
<b>General information on the clinic</b>		
What best describes your role at the clinic?	Pediatrician; Family physician; Occupational therapist; Speech-language pathologist; Psychologist; Clinic manager; Community coordinator; Other (specify)	-
Where is your clinic located (province)	As is	Atlantic provinces (NB, NS, NFLD, PEI); Central Canada (ON, QC); Western and Northern Canada (MB, SK, AB, BC, YK)
What year did your clinic become operational?	As is	-
What are your sources of funding (check all that apply)?	Federal funding; Provincial funding; Research grant; Non-governmental organization (NGO); Other	-
What services does your clinic offer (check all that apply)?	Prevention; Screening; Diagnosis; Support to families; Training for health professionals; Other (specify)	Prevention; Screening; Diagnosis; Support to families; Training for health professionals
In a typical year ( <i>please think about a normal year prior to COVID-19 pandemic</i> ), how many new FASD referrals does your clinic receive?	As is	-
In a typical year ( <i>please think about a normal year prior to the COVID-19 pandemic</i> ), how many FASD assessments are completed?	As is	-
Does your clinic require a confirmation of prenatal alcohol exposure OR the presence of the 3 sentinel facial features for a FASD diagnostic assessment?	Yes; No	-
<b>Interdisciplinary team composition</b>		
Does your clinic diagnose FASD in infants <18 months?	Yes; No	-

Is the FASD diagnosis of infants <18 months done by an interdisciplinary team?	Yes; No	-
Which healthcare professionals are included in the interdisciplinary team for the diagnosis of infants <18 months (check all that apply)?	Pediatrician; Family physician; Occupational Therapist; Speech-language pathologist; Psychologist; Other (specify)	-
Does your clinic diagnose FASD in children 18 months – 5 years?	Yes; No	-
Is the FASD diagnosis of children 18 months – 5 years done by an interdisciplinary team?	Yes; No	-
Which healthcare professionals are included in the interdisciplinary team for the diagnosis of children 18 months – 5 years (check all that apply)?	Pediatrician; Family physician; Occupational Therapist; Speech-language pathologist; Psychologist; Other (specify)	-
Does your clinic diagnose FASD in children/adolescents aged 6 – 18 years?	Yes; No	-
Is the FASD diagnosis of children/adolescents aged 6 – 18 years done by an interdisciplinary team?	Yes; No	-
Which healthcare professionals are included in the interdisciplinary team for the diagnosis of children/adolescents aged 6 – 18 years (check all that apply)?	Pediatrician; Family physician; Occupational Therapist; Speech-language pathologist; Psychologist; Other (specify)	-
<b>Current diagnosis reporting practices</b>		
Who is responsible for announcing the FASD diagnosis to parent(s)/legal guardian(s)?	Pediatrician; Family physician; Occupational Therapist; Speech-language pathologist; Psychologist; Other (specify)	-
When announcing the FASD diagnosis to parent(s)/legal guardian(s), is the diagnosis reported to the child/adolescent at the same time?	No; Yes, always; Yes, sometimes	-
Who is responsible for announcing the FASD diagnosis to the child/adolescent assessed?	Pediatrician / Family physician at the clinic; Another member of the interdisciplinary team at the clinic; Parent(s)/legal guardian(s); Family doctor (outside of the clinic); Other (specify)	-

What factor(s) determine(s) whether the child/adolescent is present during the FASD disclosure (check all that apply)?	Parents'/legal guardians' request; Child/adolescent developmental age; Child/adolescent chronological age; Clinical judgement of possible impact of the FASD diagnosis on the child/adolescent; The clinic's policy; Other (specify)	-
Does your clinic use any of the following explanatory tools when announcing the FASD diagnosis to parent(s)/legal guardian(s) (check all that apply)...? Please think of tools you use to facilitate the disclosure, not tools used as a mode of delivery, such as Zoom or Skype.	(i) Visual tools (pictures, graphs); (ii) Electronic tools (ipads, computers); (iii) Communication tools (analogies); (iv) Other (specify)  (Yes, No) for each item	-
Does your clinic use any of the following explanatory tools when announcing the FASD diagnosis to children/adolescents (check all that apply)...? Please think of tools you use to facilitate the announce disclosure ment, not tools used as a mode of delivery, such as Zoom or Skype.	(i) Visual tools (pictures, graphs); (ii) Electronic tools (ipads, computers); (iii) Communication tools (analogies); (iv) Other (specify)  (Yes, No, Clinic does not disclose the FASD diagnosis to the child/adolescent) for each item	-
<b>Immediate and post-diagnosis support and counseling</b>		
Does your clinic provide any support/counseling to families during the FASD disclosure?	(i) Support/counseling to the parents/caregivers; (ii) Support/counseling to the child/adolescent; (iii) Support/counseling to sibling/other family member  (Yes, No) for each item	-
Does your clinic provide any support/counseling to families in the 3-month period following the disclosure?	(i) Support/counseling to the parents/caregivers; (ii) Support/counseling to the child/adolescent; (iii) Support/counseling to sibling/other family member	-

	(Yes, No) for each item	
During the FASD disclosure or in the following 3-month period, does your clinic provide information on any of the following to families in need (check all that apply)?	FASD (pamphlets, brochures); FASD support groups for families; Financial aid programs; Respite care programs; Support worker programs; Housing programs; Mental health programs (other than those offered at the clinic); Jordan's principle; Other (specify)	-