

Supplemental material. Table. 1. Distribution of TB patients according to key variables (N=5257)

		Age in Years										Total
		15 (n=528) No. (%)	16 (n=429) No. (%)	17 (n=508) No. (%)	18 (n=651) No. (%)	19 (n=411) No. (%)	20 (n=669) No. (%)	21 (n=448) No. (%)	22 (n=700) No. (%)	23 (n=470) No. (%)	24 (n=443) No. (%)	N=5257 No. (%)
Sex	Male	161 (30.5)	155(36.1)	247(48.6)	325(49.9)	214(52.1)	340(50.8)	219(48.9)	355(50.7)	214(45.5)	230(51.9)	2460 (46.8)
	Female	367(69.5)	274(63.9)	261(51.4)	326(50.1)	197(47.9)	329(49.2)	229(51.1)	345(49.3)	256(54.5)	213(48.1)	2797 (53.2)
Type of TB	Pulmonary	295(55.9)	270(62.9)	287(56.5)	422(64.8)	236(57.4)	403(60.2)	242(54.1)	427(61)	265(56.4)	241(54.4)	3088(58.7)
	Extra-pulmonary	233(44.1)	159(37.1)	221(43.5)	229(35.2)	175(42.6)	266(39.8)	206(45.9)	273(39)	205(43.6)	202(45.6)	2169(41.3)
Category of Treatment	I	476(90.1)	358(83.4)	436(85.8)	553(84.9)	344(83.7)	549(82.1)	370(82.6)	563(80.4)	385(81.9)	363(81.9)	4,397(83.6)
	II	52(9.9)	71(16.6)	72(14.2)	98(15.1)	67(16.3)	120(17.9)	78(17.4)	137(19.6)	85(18.1)	80(18.1)	860(16.4)
	Yes	64(12.1)	77(17.9)	76(14.9)	107(16.4)	73(17.8)	125(18.7)	86(19.2)	148(21.2)	92(19.6)	87(19.6)	935(17.8)

Past H/O of TB	No	464(87.9)	352(82.1)	432(85.1)	544(83.6)	338(82.2)	544(81.3)	362(80.8)	552(78.8)	378(80.4)	356(80.4)	4322(82.2)
Type of Patient	New	476(90.2)	358(83.4)	436(85.8)	553(84.9)	344(83.7)	549(82.1)	370(82.7)	563(80.4)	385(81.9)	363(82)	4397(83.6)
	Relapse	15(2.8)	16(3.7)	21(4.2)	29(4.4)	19(4.6)	45(6.7)	28(6.2)	35(5.0)	26(5.5)	27(6.2)	261(4.9)
	Treatment After Default	12(2.3)	15(3.5)	14(2.7)	22(3.4)	13(3.3)	21(3.1)	13(2.9)	29(4.1)	14(2.9)	22(5)	175(3.3)
	Failure	4(0.7)	7(1.6)	6(1.2)	5(0.8)	5(1.2)	2(0.3)	2(0.4)	13(1.8)	5(1.2)	0(0.0)	49(1)
	others	21(3.9)	32(7.5)	31(6.1)	40(6.1)	29(7.2)	52(7.8)	35(7.8)	60(8.7)	40(8.6)	30 (6.8)	375(7.2)
Sputum smear	Positive	168(56.9)	150(55.6)	164(57.1)	245(58.1)	133(56.4)	242(60.1)	138(57.1)	251(58.8)	141(53.2)	148(61.4)	1775(56.8)
	Negative	127(43.1)	120(44.4)	123(42.9)	177(41.9)	103(43.6)	161(39.9)	104(42.9)	176(41.2)	124(46.8)	93(38.6)	1313(42.2)
HIV status	Positive	0(0.0)	1(0.2)	1(0.2)	0(0.0)	1(0.2)	1(0.2)	0(0.0)	3(0.4)	1(0.2)	0(0.0)	8 (0.2)
	Negative	450(85.2)	358(83.5)	402(79.1)	544(83.6)	348(84.7)	532(79.5)	364(81.3)	555(79.3)	375(79.8)	355(80.1)	4283(81.5)
	Unknown	78(14.8)	70(16.3)	10(20.7)	107(16.4)	62(15.1)	136(20.3)	84(18.7)	142(20.3)	94(20)	88(19.9)	966(18.3)

Table 2. Distribution of TB patients according age and treatment outcome (n=5257)

Treatment outcome	Age Group in years										Total
	15 (n=528) No. (%)	16 (n=429) No. (%)	17 (n=508) No. (%)	18 (n=651) No. (%)	19 (n=411) No. (%)	20 (n=669) No. (%)	21 (n=448) No. (%)	22 (n=700) No. (%)	23 (n=470) No. (%)	24 (n=443) No. (%)	N=5257 No. (%)
Cured	154(29.2)	140(32.6)	147(28.9)	223(34.2)	118(28.7)	225(33.6)	124(27.7)	216(30.8)	142(30.2)	131(29.6)	1620(30.8)
Treatment Completed	343(64.9)	264(61.6)	327(64.4)	376(57.7)	266(64.7)	398(59.5)	295(65.9)	426(60.8)	302(64.2)	282(63.6)	3279(62.4)
Failure	4(0.7)	5(1.2)	1(0.2)	6(0.9)	5(1.2)	6(0.9)	0(0.0)	6(0.8)	1(0.2)	3(0.7)	37(0.7)
Defaulted	13(2.6)	9(2.1)	19(3.7)	24(3.8)	12(2.9)	28(4.2)	15(3.3)	24(3.4)	4(0.8)	14(3.1)	162(3.1)
Died	9(1.7)	1(0.2)	9(1.9)	12(1.9)	7(1.8)	8(1.3)	5(1.1)	12(1.7)	11(2.3)	7(1.7)	81(1.5)
Shifted to Category IV	4(0.7)	9(2.2)	5(0.9)	9(1.4)	2(0.5)	3(0.4)	6(1.3)	14(2.0)	7(1.5)	5(1.1)	64(1.2)
Transferred out	1(0.2)	1(0.1)	0(0.0)	1(0.1)	1(0.2)	1(0.1)	3(0.7)	2(0.3)	3(0.7)	1(0.2)	14(0.3)
Total	528	429	508	651	411	669	448	700	470	443	5257

